



A003PG-1221

pgs. 2-3

pg. 4

Shur-Co® History
SMARTrailer™ Electrics
SMART2™ and SMART3™ Remotes
Shur-Lok® Electric
4500 Series HD Electric Tarp
Tater-Top™ Electric Tarp
AutoTrap™ and ProTrap® Hopper Openers
DriveMaxx™ Auger Drive Kit
Electric Gate and Hoist System
AutoGate™ Gate Runner
Electric Turning Point™ Bow System
TrapAdapt™ Manual Trap Opener
LiteALL™ LED Work Light Packages
SMARTwire™

Electric Systems Order Forms Genuine Shur-Co® Replacement Parts Terms and Conditions NEW! Service Truck Power Kits

pg. 5 pg. 6 pgs. 7-13 pgs. 14-15 pg. 16-17 pg. 18 pg. 19 pg. 20 pg. 21 pg. 22 pgs. 23-24 pgs. 25-31 pgs. 32-36 pgs. 37-60 pg. 61 pgs. 62-63

SHURCO.COM

### WHAT OUR CUSTOMERS SAY

One of the reasons I wanted to go with a 4500 Series HD electric roll tarp was because I felt that, with the down pressure from the spring-loaded arms, it would be better in windy conditions during field use, and it has not disappointed. With the down pressure on both the front and rear, it handles wind much better than a manual roll tarp. Besides the convenience, there is also a time savings factor. The driver can roll over the tarp as he is pulling out of a field and unroll it as he is pulling onto a scale. Over a season, this adds up, especially during harvest. We went with the Shur-Co® 4500 HD because of the heavy-duty design, overall quality, reputation of the company and the close vicinity of a local dealer. I also really enjoy the programmable wireless remote. No regrets."

- Harry Jiles, Jiles Farms, Inc., Arrowsmith, IL

It's like I'm always telling my customers, 'Buy the best or I'll fix the the rest.' Whenever someone asks for my recommendation, I say, 'Put on a Shur-Co®; you won't be back for repairs.' Then I say, 'But I'll be glad to fix the other brands – it's up to you.' Also, my customers love the ease and convenience of your SMARTrailer™ electric accessories!"

- Tim Harms, President, Harms Trucking Co., Minooka, IL

I am very impressed with the ease of installation and operation of the SMART2™ remote. I like the idea of having a charging unit on it. The ease of programming is so simple, especially with the one-touch (SMART-touch) open and close. The digital display makes it very simple for the customer to learn the operation . . . I am also impressed with the clean design. In my opinion, you have the best product in its market!"

- Bryan Kelchen, Buckshot Repair, La Porte City, IA

The 4500 Series HD electric roll tarp is easy to install and has been a durable product. It gives me the peace of mind I need in the field on days when the wind is blowing."

- Jamie Jacksen, Egeland, ND

Shur-Co's 4500 Series HD electric roll tarp is hands down the best I have ever used. The installation was easy, and the instructions are straightforward."

- Stan Sunderman, Sunderman Farms, Otis, CO

I have two of Shur-Co's 4500 Series HD electric roll tarps. Like many things, a luxury once enjoyed becomes a necessity. It took me one time to use the system to know how much work and time this was going to save. Most elevators want the tarp rolled back before you pull on the scale. I feel sorry for the guys that still have to stop to get out before pulling on the scale. And do I even have to mention rainy days or fighting a tarp on a windy day? I'll never live without an electric tarp again."

- Tom Roberts, Roberts Enterprises, LLC, New Ulm, MN

I have bought five 4500 Series HD electric roll tarps in the last three years, and it is a great product with easy installation. I have had no problems whatsoever. The systems even work well in the winter when the tarps are cold and stiff"

- Jarrod Robertson, Robertson Farms, Elkton, KY

I had a Shur-Co® electric tarp put on my 48-foot Wilson hopper trailer because I didn't want my tarp blown off when it's windy. I also had it put on to conserve time. Whether I'm loading or unloading my trailer, I can close or open my tarp with no delay when I am driving to a probe or back to a scale. It saves me a considerable amount of time. I would recommend a Shur-Co® 4500 Series HD electric roll tarp to anyone with a hopper trailer."

- Nathan Nelson, Owner/Operator, Double N Transport, Page, ND

If you have comments on Shur-Co® products, please send them to Shur-Co® Marketing, 2309 Shur-Lok St., Yankton, SD 57078.

#### **COMPANY TIMELINE**

- 1954 A shoe repair shop opens in Wahpeton, ND, moves into tarp repair and then new tarps.
- 1969 Growing tarp demand results in the creation of Wahpeton Canvas Company (WCCO).
- 1980 The Original Shur-Lok® roll tarp is born. The simple, yet reliable invention revolutionizes the tarping industry.
- 1992 The truck cover division of the company splits off from WCCO and relocates to Yankton, SD.
- 1996 A name change to Shur-Co® more closely identifies the company with the Shur-Lok®, its best-known product.
- 2000 Shur-Co® enters the auto accessories field with its TruXedo® line (to be spun off as its own company in 2007 under new ownership).
- 2001 Acquisition is made of a highly automated metal fabrications operation.
- 2003 Shur-Co® is named South Dakota's Family Business of the Year.
- 2006 Shur-Co® moves into trailer automation with the launch of the 3500 Series electric upgrade for the Shur-Lok®. Like the introduction of the Shur-Lok® itself , 40 years ago, the 3500 is unlike anything in the electric tarp market.
- 2008 State-of-the-art expansion allows Shur-Co® to keep up with increasing product demand, bringing the company's total manufacturing area to 150,000 square feet.
- 2009 The ProTrap® electric hopper opener and five-channel SMARTransmitter® are launched to complement the 3500, for an expanded line of SMARTrailer™ products.
- 2010 Shur-Co®, LLC is formed with the existing management team, sparking unprecedented growth and global market expansion.
- 2012 More products join the Shur-Co® lineup:
  SMART2™ and SMART1+™ remotes, 4500
  Series HD electric tarp, LiteALL™ work lights,
  DuraPull™ semi-auto pull tarp and IronSide™
  side dump system. Later in the year, Shur-Co®
  acquires Donovan Enterprises, a top name in
  waste and construction tarp systems, with
  locations in Michigan, Florida and the UK –
  positioning Shur-Co® for global growth.
- 2014 Roll-Tite™ is acquired and rebranded as ShurTite™ an industry-leading retractable tarp system for flatbed trailers, dropdecks, straight trucks and specialty vehicles.
- 2015 Global expansion continues as Shur-Co<sup>®</sup> sells products to over 30 countries on 6 continents.
- 2016 Growth continues as a branch dedicated to ShurTite™ installs and repairs opens in Sioux Falls, SD. Shur-Co® of ND moves into a new 24,000 square foot facility in West Fargo. Shur-Co® of IL relocates to a new 16,000 square foot facility in Decatur.
- 2017 Shur-Co® rolls out its SWAT® system for roll- off trucks and trailers in the waste market and the Tater-Top™ roll tarp for potato trailers. The company also celebrates 25 years in its Yankton, SD location.
- 2018 Shur-Co's continued focus on innovation adds additional products to its SMARTrailer™ line: the Electric Gate and Hoist and DriveMaxx™ Swing Auger Drive Kit.
- 2019 Shur-Co® opens a branch in Caldwell, Idaho. Shur-Co® adds the 4500 HD for grain cart applications, the AutoGate™ Gate Runner, TrapAdapt™ Manual Hopper Opener and Service Truck Power Kits.
- 2020 The Sioux Falls & Iowa operations are consolidated to new full-service branch located in Vermillion, SD.

## **COMMITTED TO CUSTOMER SATISFACTION**



## SUPERIOR MATERIALS AND WORKMANSHIP

Shur-Co® proudly serves our customers with 10 sales, service and distribution locations throughout North America, plus an ever-expanding global presence. We have the best-designed, best-engineered and best-built tarping systems on the market.

Our 150,000 square foot production site has its own dedicated tarp and metal fabrication facilities, giving us complete control over the products we produce. Exacting workmanship is key; our employees have a strong Midwest work ethic and are willing to go the extra mile to provide customers with a superior-quality product. They take pride in their jobs, and their dedication and attention to detail has earned us the respect of the tarping industry.

Shur-Co® never cuts corners. For our tarps, we use the finest solid vinyl-coated fabric with built-in UV inhibitors to reduce sun damage and fading. Each lot is lab tested for tear strength, abrasion resistance and cold-temperature flexibility.

Shur-Co® quality shows, even in the smallest details: Reinforced stitching adds strength at stress points, reducing the likelihood of tears. Seams are heat welded for a watertight bond between panels; the added thickness creates an improved moisture barrier. Roll tubes, fixed tubes and bows are made from Gatorshield™ galvanized steel tubing, with 50 percent more zinc than standard galvanized processes, ideal for high-moisture applications. All other steel components are plated to stand up to harsh road treatment chemicals. Aluminum, stainless steel and powder-coated parts are also available – and many come standard – when added protection is needed for corrosive environments.









## THE NEW AGE OF TRAILER AUTOMATION











## THE SMARTRAILER™ LINE

SMARTrailer™ electrics help you do the job faster, easier and with increased productivity – even the install is simple. Tarps, traps and box gate and hoist all come standard with a sealed control box and quick-connect sealed SMARTwire™ harness – a Shur-Co® exclusive.

Our SMARTrailer™ electric accessories are designed to prevent corrosion of connectors and reduce installation time. Sealed connections mean that no additional wire stripping or crimping is required. You get plug-and-play convenience, plus a 12-volt tap to supply power for LiteALL™ work lights. The patented SMARTwire™ harness has molded rubber connectors and silicon seals, 1/4-inch brass pins and sockets and dual 6-gauge wiring.

Additional design features also contribute to faster installs. The mounting bracket for the 4500 HD matches your trailer's rib-and-rivet spacing. The ProTrap® comes fully assembled.

The SMARTrailer™ line of electrics can be operated with Shur-Co's SMART2™ or SMART3™ remotes. These state-of-the-art transmitters provide precise control from the safety and comfort of the cab to boost your productivity and end results.

SMARTrailer™ Products: SMART2™ and SMART3™ Remotes, Shur-Lok® Electric, 4500 Series HD Electric Tarp, AutoTrap™ Electric Hopper Opener, ProTrap® Electric Hopper Opener, Electric Gate and Hoist System, DriveMaxx™ Auger Drive Kit, Tater-Top™ for Potato Trailers, AutoGate™ Gate Runner, Electric Turning Point™ Bow System, TrapAdapt™ Manual Hopper Opener, Lite-ALL™ LED Work Lights and Service Truck Power Kits.

## MOST ADVANCED REMOTES ON THE MARKET



## SMART2<sup>™</sup> AND SMART3<sup>™</sup> REMOTES

SMART-touch technology for the most precise control on the market today! The SMART2<sup>™</sup> remote offers industry-leading 2-way communication in an easy-to-read digital display. The SMART3<sup>™</sup> has a popular, simple-to-use 5-channel interface, *plus* additional features.

These remotes operate the 4500 Series HD, AutoTrap™ and ProTrap®, Gate and Hoist system, DriveMaxx™ auger drive, Tater-Top™ system, AutoGate™ gate runner and LiteAll™ LED work lights. They provide advanced motor protection – you know right away if a motor slows or stalls – and make operation safe and easy! Transmitters have an emergency shut-off; close the flip-style lid – whatever is running stops immediately.

The SMART2™ senses and displays over 100 devices, relaying real-time positioning of tarps and traps. Constructed of impact-resistant ABS plastic, it features a 2-1/2-inch digital screen that's backlit for night operation. This remote doesn't just open or close chosen applications, it lets you specify exact positioning. Automatically open tarps away from the stops to save on wear and tear and maintenance. Or open traps based on capacity of the elevator pits.

The SMART3™ is simple to use – switch between applications with the Select button, only cycling between those you've installed. Plus, you get increased range and Express Mode capabilities. The AAA battery compartment lid removes with a single screw for easy access.

**Key Features:** SMART3<sup>™</sup> Remote w/AAA Batteries (2). SMART2<sup>™</sup> Remote w/Rechargeable Lithium Battery, Charging Cradle, 12-Volt Automotive-Style Charging Cable.










## THE LIGHT-DUTY MOTOR OPTION











## SHUR-LOK® ELECTRIC / CABLE-LOK™ ELECTRIC

The Shur-Lok® Electric accommodates existing Shur-Loks and Cable-Loks on sloped or vertical trailers and boxes, works with minimum clearance and is easy to install. The light-duty Durabuilt™ motor offers manual override capability and mounts on either the front or rear.

Works on bodies up to 34 feet long. Equipped with a front and rear bungee return (cable return upgrade available) and durable steel components, it can be installed up against the box to handle tight clearances between cab and body. It comes in galvanized steel or stainless steel for added corrosion resistance, with applications for farm boxes with hoist, grain trailers and fertilizer tenders.

The versatility of having a light-duty motor option allows you to better fit your trailer size and configuration. Proper motor choice can affect how much tension your tarp creates over the bows and end caps when in the closed position. This impacts wind flutter control and tarp wear and can also affect how the tarp rolls and handles stresses during operation.

**Key Features** | **Rocker Switch:** Durabuilt<sup>™</sup> Motor, Wire or SMARTwire<sup>™</sup> w/Dual-Conductor Plug, Switch, Solenoid, Breaker, Arm, Bungee Return.

**Key Features** | **SMART Remotes:** Durabuilt<sup>™</sup> Motor, SMARTwire<sup>™</sup> w/Dual-Pole Plug, Switch, Solenoid, Breaker, Arm, Bungee Return, SMART2<sup>™</sup> or SMART3<sup>™</sup> Wireless Kit.

NOTE: SMART remotes will NOT operate in Express Mode.



The SMARTdrive<sup>™</sup> motor was designed for use with our Cable-Lok<sup>™</sup> and Shur-Lok® tarp systems in the fertilizer industry. The SMARTdrive<sup>™</sup> utilizes Shur-Co's exclusive SMARTwire<sup>™</sup>, which features 100% sealed connections and eliminates crimped ends, ring terminals, premature motor failure, and wire corrosion.

## **HEAVY-DUTY ARMS GUARANTEED FOR LIFE**



## 4500 SERIES HD FOR TRAILERS AND END DUMPS

Power for your grain trailers, end dumps and live bottoms! American-made motor with all-metal gearbox and reliable magnetic brake moves heavy-duty aluminum torsion arms with spiral-reinforced elbows. Designed with the range and flexibility to move smoothly over loads.

Available for all trailer makes and models! The 4500 Series HD produces optimal rather than increased torque, so it won't harm your tarping system. A patented dual-pivoting motor mount allows for any misalignment of the roll tube without stress to the system.

Heavy-duty arms are the strongest in the industry, backed with a lifetime warranty against breakage. Arms come preassembled with a sturdy mounting bracket and are inset to prevent obstruction of clearance lights. The low-friction roller bearing-style rear arm bracket won't wear out. An additional GateFlex $^{\text{TM}}$  joint bypasses hinges to accommodate tailgates.

**Key Features** | **Grain Trailer:** 4-Spiral Torsion Springs per Arm, Heavy-Duty Rear Cable Return w/Single-Arm Series, Heavy-Duty Aluminum Brackets, Heavy-Duty Aluminum Arms, Cab Wiring Kit for Standard Electric Hardware or Trailer Wiring Kit for SMARTwire™ Systems, Exposed Spline, SMART2™ or SMART3™ Remotes,

Key Features | End Dumps and Live Bottoms: 4-Spiral Torsion Springs per Arm, Shur-Strap™ or Heavy-Duty Rear Cable Return w/Single-Arm Kits, Heavy-Duty Aluminum Brackets, Rear Knife-Gate Beam Bracket w/Knife-Gate Trailers, Heavy-Duty Aluminum Arms, Cab Wiring Kit for Standard Electric Hardware or Trailer Wiring Kit for SMARTwire™ Systems, Gate Flex™ w/Double-Arm Kits, Exposed Spline w/Single-Arm Kits w/Shur-Strap™.









In the chart at right, features that come standard for Grain Trailers are indicated, but you can also see what options are available for this application in each category.

The plus sign (+) indicates that it would be an additional cost, a minus sign (-) lets you know it would cost less than standard and N/C indicates no difference in price.



4-SPIRAL TORSION SPRING

HEAVY-DUTY REAR CABLE RETURN



HEAVY-DUTY ALUMINUM ARM



PATENTED SMARTWIRE™



EXPOSED SPLINE



CRANK RETAINER

SMART 3™ REMOTE

### STANDARD FEATURES AND OPTIONS

	•	
	RETURNS	
	4-Spiral Torsion Springs per Arm	Standard
•	HD Rear Cable Return – Standard w/Single-Arm Kits w/Alum. Cap	S
	MOUNTING BRACKETS	
•	Heavy-Duty Aluminum Brackets	Standard
	TORSION ARMS	
•	Heavy-Duty Aluminum Arms	Standard
	WIRING	
•	Cab Wiring Kit (6 Ga.) – Standard w/30' Wire/Electric Hardware	
•	Trailer Wiring Kit (6 Ga.) - Standard w/SMARTwire™	
	Cab Wiring Kit (6 Ga.)* – Existing w/SMARTwire™	Deduct
	Cab Wiring Kit (6 Ga.)** – Cab Wiring Only	Deduct
	Trailer Wiring Kit *** - Existing w/o SMARTwire™	Add
	SPLINE CAPABILITY	
•	Exposed Spline	Standard
	REMOTE	
	No SMART2™***	Deduct
	No SMART3™****	Deduct
	A TRAIN SETUP - LEAD/PUP	
•	Lead Wiring Kit (4 Ga.) w/SMARTwire™	Standard
•	Coiled Wire (4 Ga.) w/Dual-Conductor Plug - 15'	Standard
	Coiled Wire (4 Ga.) w/Dual-Conductor Plug - 20'	Add
	ACCESSORIES	
	Crank Retainers***** - P/N 1101929 (2 are required)	Add/Ea.
	Extra SMART3™ Remote	Add
	SMARTwire™ 2-Light Kit w/o Remote - SMART3™	Add
	SMARTwire™ 2-Light Kit w/o Remote - SMART2™	Add

<sup>\*</sup>Existing cab wiring MUST have been purchased from Shur-Co®. Deduction ex-cludes cab wiring kit and SMARTwire™ dual-conductor socket. Includes SMART-wire™ junction block with plug for quick-connect install.

<sup>\*\*</sup>Existing cab wiring kit MUST have been purchased from Shur-Co $^{\circ}$ . Deduction ex-cludes cab wiring kit ONLY.

<sup>\*\*\*</sup>Includes junction box and junction block for wiring non-SMARTwire  $^{\text{\tiny{TM}}}$  system to SMARTwire  $^{\text{\tiny{TM}}}$  system.

<sup>\*\*\*\*</sup> If SMART2  $^{\text{\tiny{TM}}}$  or SMART3  $^{\text{\tiny{TM}}}$  accessories are already on trailer, no remote needed.

<sup>\*\*\*\*\*\*</sup>Used to store crank arm.

### STANDARD FEATURES AND OPTIONS

	RETURNS	
•	4-Spiral Torsion Springs per Arm	Standard
•	Shur-Strap™ – Standard w/Single-Arm Kits	
	Heavy-Duty Shur-Return™*	
	Shock Cord Roll Return*	
	MOUNTING BRACKETS	
•	Heavy-Duty Aluminum Brackets	Standard
	TORSION ARMS	
•	Heavy-Duty Aluminum Arms	Standard
	WIRING	
•	Cab Wiring Kit (6 Ga.) – Standard w/30' Wire/Electric Hardware	
•	Trailer Wiring Kit (6 Ga.) – <b>Standard w/SMARTwire</b> ™	
	Cab Wiring Kit (6 Ga.)** – Cab Wiring Only	Deduct
	SPLINE CAPABILITY	
•	Gate Flex <sup>™</sup> – Standard w/Double-Arm Kits	
•	Exposed Spline – Standard w/Single-Arm Kits w/Shur-Strap™	
	Manual Override Kit – For Kits w/Over 2" Hinge Depth	Add
	ACCESSORIES	
	Easy-Off Tarp Stop - 6" Offset P/N 1124783	Add/Ea.
	Additional 25' (4 Ga.) SMARTwire™ – For 100' Total***	Add
	Extra SMART3™ Remote	Add
	SMARTwire <sup>™</sup> 2-Light Kit w/o Remote - SMART3 <sup>™</sup>	Add
	SMARTwire <sup>™</sup> 2-Light Kit w/o Remote - SMART2 <sup>™</sup>	Add

<sup>\*</sup>Optional return for single-arm series.

STANDARD FEATURES AND OPTIONS

	RETURNS	
•	4-Spiral Torsion Springs per Arm	Standard
•	Shur-Strap™ – Standard w/Single-Arm Kits w/Fabric Caps	
•	HD Rear Cable Return – Standard w/Single-Arm Kits w/Alum. Cap	5
	MOUNTING BRACKETS	
•	Heavy-Duty Aluminum Brackets	Standard
•	Rear Knife-Gate Beam Bracket - Standard w/Knife-Gate Trailers	
	TORSION ARMS	
•	Heavy-Duty Aluminum Arms	Standard
	WIRING	
•	Cab Wiring Kit (6 Ga.) – Standard w/30' Wire/Electric Hardware	
•	Trailer Wiring Kit (6 Ga.) – Standard w/SMARTwire™	
	Cab Wiring Kit (6 Ga.)* – Cab Wiring Only	Deduct
	SPLINE CAPABILITY	
•	Gate Flex <sup>™</sup> - Standard w/Double-Arm Kits	
•	Exposed Spline – Standard w/Single-Arm Kits w/Shur-Strap™	
	Manual Override Kit – For Kits w/Over 2" Hinge Depth	Add
	ACCESSORIES	
	Easy-Off Tarp Stop - 6" Offset P/N 1124783	Add/Ea.
	Extra SMART3™ Remote	Add
	SMARTwire <sup>™</sup> 2-Light Kit w/o Remote - SMART3 <sup>™</sup>	Add
	SMARTwire™ 2-Light Kit w/o Remote - SMART2™	Add

 $<sup>^*\</sup>textsc{Existing}$  cab wiring kit MUST have been purchased from Shur-Co $^*\!\!$  . Deduction ex-cludes cab wiring kit ONLY.

In the chart at left, features that come standard for End Dumps and Live Bottoms are indicated, but you can also see what options are available for these applications in each category.

4-SPIRAL TORSION SPRING

SHUR-STRAP™ RETURN

HEAVY-DUTY REAR CABLE RETURN

HEAVY-DUTY ALUMINUM BRACKET

REAR KNIFE-GATE BEAM BRACKET

HEAVY-DUTY ALUMINUM ARM

GATE FLEX™







<sup>\*\*\*</sup>Needed for framed trailers 34' or longer.

# FAST, EASY WAY TO PROTECT THE HARVEST











## 4500 SERIES HD FOR GRAIN CARTS

The 4500 Series HD works as an application for existing Shur-Loks on grain carts. Reliable motor with all-metal casing and patented dual-pivoting motor mount operate heavy-duty aluminum arms – the strongest on the market, with a lifetime guarantee against breakage.

Super-strong tension arm opens and closes the tarp with smooth, consistent tension. Our exclusive dual-pivoting Durabuilt $^{\text{IM}}$  motor mount allows for any misalignment of the roll tube without stress to motor or arm. Arm is easily moved by 4-spiral torsion springs, and heavy-duty front cable return is included with single-arm series.

**Key Features:** 4-Spiral Torsion Springs, Heavy-Duty Front Cable Return, Heavy-Duty Aluminum Bracket, Heavy-Duty Aluminum Torsion Arm, Tractor Cab Wiring Kit for Standard Electric Hardware or Trailer Wiring Kit for SMARTwire™ Systems, 90° Worm Gear Durabuilt™ Motor, SMART3™ Remote.

## STANDARD FEATURES AND OPTIONS

	RETURNS	
	4-Spiral Torsion Springs per Arm	Standard
•	(6 Springs for HD Kit)	Stanuaru
	Heavy-Duty Front Cable Return	Standard
	MOUNTING BRACKETS	
•	Heavy-Duty Aluminum Brackets	Standard
	TORSION ARMS	
•	Front/Rear Aluminum Heavy-Duty Arms	Standard
	WIRING	
•	Tractor Cab Wiring Kit (6 Ga.) - Standard w/30' Wire/Electric Hard	ware
•	Trailer Wiring Kit (6 Ga.) – Standard w/SMARTwire™	
	MOTORS	
•	90° Motor - For Carts Up to 144"Wide and 24' Long	Standard
	HD Parallel Shaft Motor - For Any Size and Width Cart	Standard
	REMOTE	
•	SMART3 <sup>™</sup>	Standard
	ACCESSORIES	
	Crank Retainers** P/N 1101929 (2 are required)	Add/Ea.
	Extra SMART3™ Remote	Add
	SMARTwire™ 2-Light Kit w/o Remote - SMART3™	Add
	·	

<sup>\*\*</sup>Used to store crank arm.

In the chart at left, features that come standard are indicated, but you can also see what options are available for this application in each category.

4-SPIRAL TORSION SPRING

HEAVY-DUTY FRONT CABLE RETURN

HEAVY-DUTY ALUMINUM BRACKET

HEAVY-DUTY ALUMINUM ARM

PATENTED SMARTWIRE™

90° WORM GEAR MOTOR

CRANK RETAINERS



SMART3™ REMOTE

## **KEEPS MATERIALS CONTAINED**











## 4500 HD FOR OTVS, CHIP AND REFUSE TRAILERS

The 4500 Series HD is easy to install, accommodating sloped or vertical trailers and boxes. Its powerful American-made motor and super-strong extruded aluminum arms withstand the rigors of loading and unloading heavy bulk materials like scrap, recyclables and waste.

When you haul heavy-bulk materials like wood chips, scrap, recyclables or refuse, preventing load loss with a Shur-Lok® or PBR tarping system only makes sense, and a 4500 Series HD makes tarping convenient as well as practical. Experience the security of tarping without having to climb on the trailer.

Single arm returns should be chosen according to trailer configuration: select a heavy-duty cable return for aluminum caps and our Shur-Strap™ return for flat caps.

**Key Features:** 4-Spiral Torsion Springs per Arm, Shur-Strap<sup>™</sup> w/Single-Arm Series, Heavy-Duty Aluminum Brackets, Heavy-Duty Aluminum Torsion Arms, Cab Wiring Kit for Standard Electric Hardware or Trailer Wiring Kit for SMARTwire<sup>™</sup> Systems, Gate Flex<sup>™</sup> w/Dual-Arm Kits, Exposed Spline w/.Single-Arm Kits w/Shur-Strap<sup>™</sup>.

NOTE: 3" roll tube recommended for refuse and chip applications, for less deflection.

### STANDARD FEATURES AND OPTIONS

	RETURNS	
•	4-Spiral Torsion Springs per Arm	Standard
•	Shur-Strap™ – Standard w/Single-Arm Kits	
	Heavy-Duty Shur-Return™*	
	Heavy-Duty Cable Return*	
	Shock Cord Roll Return*	
	MOUNTING BRACKETS	
•	Heavy-Duty Aluminum Brackets	Standard
	TORSION ARMS	
•	Heavy-Duty Aluminum Arms	Standard
	WIRING	
•	Cab Wiring Kit (6 Ga.) – Standard w/30' Wire/Electric Hardware	
•	Trailer Wiring Kit (6 Ga.) – Standard w/SMARTwire™	
	Cab Wiring Kit (6 Ga.)** – Cab Wiring Only	Deduct
	SPLINE CAPABILITY	
•	Exposed Spline – For Kits w/Shur-Strap™	Standard
	Manual Override Kit – For Kits w/Over 2" Hinge Depth	Add
	ACCESSORIES	
	Extra SMART3™ Remote	Add
	SMARTwire <sup>™</sup> 2-Light Kit w/o Remote - SMART3 <sup>™</sup>	Add
	SMARTwire™ 2-Light Kit w/o Remote - SMART2™	Add

 $<sup>{}^{\</sup>ast}\mbox{Returns}$  should be chosen according to trailer configuration.

### STANDARD FEATURES AND OPTIONS

	RETURNS	
•	4-Spiral Torsion Springs per Arm	Standard
•	Shur-Strap™ – Standard w/Single-Arm Kits	
	Heavy-Duty Shur-Return™*	
	Heavy-Duty Cable Return*	
	MOUNTING BRACKETS	
•	Heavy-Duty Aluminum Brackets	Standard
	TORSION ARMS	
•	Heavy-Duty Aluminum Arms	Standard
	WIRING	
•	Cab Wiring Kit (6 Ga.) – Standard w/30' Wire/Electric Hardware	
•	Trailer Wiring Kit (6 Ga.) – Standard w/SMARTwire™	
	Cab Wiring Kit (6 Ga.)** - Cab Wiring Only	Deduct
	SPLINE CAPABILITY	
•	Gate Flex <sup>™</sup> – Standard w/Double-Arm Kits	
•	Exposed Spline – Standard w/Single-Arm Kits w/Shur-Strap™	
	Manual Override Kit – For Kits w/Over 2" Hinge Depth	Add
	ACCESSORIES	
	Extra SMART3™ Remote	Add
	SMARTwire <sup>™</sup> 2-Light Kit w/o Remote - SMART3 <sup>™</sup>	Add
	SMARTwire <sup>™</sup> 2-Light Kit w/o Remote - SMART2 <sup>™</sup>	Add

 $<sup>{}^{\</sup>ast}\mathsf{Returns}$  should be chosen according to trailer configuration.

In the chart at left, features that come standard are indicated, but you can also see what options are available for this application in each category.

4-SPIRAL TORSION SPRING

SHUR-STRAP™ RETURN

HEAVY-DUTY REAR CABLE RETURN

3-INCH ROLL TUBE

HEAVY-DUTY ALUMINUM ARMS

PATENTED SMARTWIRE™

GATE FLEX™





<sup>\*\*</sup>Existing cab wiring kit MUST have been purchased from Shur-Co®. Deduction ex-cludes cab wiring kit ONLY.


<sup>\*\*</sup>Existing cab wiring kit MUST have been purchased from Shur-Co $^{\circ}$ . Deduction ex-cludes cab wiring kit ONLY.

## **KEEPS CROPS DRY AND PROFITS HIGH**











## TATER-TOP™ FOR POTATO TRAILERS

"Loaded" with features, but without any hydraulics to weigh it down! Rolls and climbs to clear heaped potato loads – no bows needed. Hinged rear pivot arm swings all the way around the back to not obstruct rear doors amd secures with locking brace. Fixed arm also available.

Tarp snugs up under the latchplate (a design originally patented on *The Original* Shur-Lok®) and a bungee in the tarp closes it tightly, with no overhang. A mini "Poor Boy" tail replaces the face panel. Powerful worm gear motor makes for improved clearance. 30-foot box limit.

**Key Features:** Worm Gear Motor, Universal Mounting Bracket, Heavy-Duty Steel Arms, Hinged Swing Pivot Arm w/Locking Rear Brace or Fixed Arm, Aluminum Latchplate, Mini "Poor Boy" Tail, SMART3™ Remote Compatible.

 $NOTE: If \ trailer \ is \ NOT \ already \ equipped \ with \ a \ Shur-Lok^{\$} \ tarp \ system, appropriate \ 3" \ roll \ tube \ Shur-Lok^{\$} \ kits \ available.$ 

### STANDARD FEATURES AND OPTIONS

	MOTOR	
•	Right-Angle Worm Gear Motor	Standard
	RETURNS	
•	6-Spiral Torsion Spring per Arm	Standard
	MOUNTING BRACKETS	
•	HD Brackets Designed for Each Application	Standard
	TORSION ARMS	
•	Heavy-Duty Steel Arms	Standard
	ACCESSORIES	
	Extra SMART3™ Remote	Add
	Extra SMART2™ Remote	Add
	SMARTwire <sup>™</sup> 2-Light Kit w/o Remote - SMART3 <sup>™</sup>	Add

A Shur-Lok® Tater-Top system is required to operate properly with Electric Tater-Top™ kits (see below left). If an existing Shur-Lok® is installed, call to determine what can be reused. The Shur-Lok® Tater-Top™ kits in the following chart INCLUDE a solid vinyl-covered tarp in your choice of colors. The 3" larger tube size flexes less, for smoother operation.

### SHUR-LOK® TATER-TOP KITS w/3" Roll Tube

20'
22'
24'
26'
28'
30'

### STANDARD FEATURES AND OPTIONS

	LATCHPLATE	
•	Aluminum Latchplate	Standard
	END CAPS	
•	Aluminum Sloped Front End Cap	Standard
•	Mini Poorboy Tail - For Tighter Fit Over Caps	Standard
	Shur-Lok® Alum. Cap - 14" Deep Roof Panel	
	TARP STOPS	
•	Easy-Off Tarp Stops	Standard
	BOWS/BRACKETS	
•	Installation Kit* - 3 Bows/Brackets	Standard
	TARP OPTIONS	
•	18-Oz. Vinyl Tarp - Choice of Colors	Standard
	Multicolored Fabric (per added color)	Add
	ACCESSORIES	
	SMARTwire™ 2-Light Kit w/o Remote - S3	Add
	Standard Tarp Repair Kit	Add
	Professional Tarp Repair Kit	Add

<sup>\*</sup>Supports tarp during installation process. Can also be used for display purposes or for hauling small grain.

In the chart at left, features that come standard are indicated, but you can also see what options are available for this application in each category.

**SMART CAPABILITIES** 

WORM-GEAR MOTOR

**HEAVY-DUTY STEEL ARMS** 

UNIVERSAL MOUNTING BRACKET


HINGED SWING PIVOT ARM

LOCKING REAR BRACE

ALUMINUM LATCHPLATE

MINI "POOR BOY" TAIL

# MORE COMPACT SIZE, HIGHER CLEARANCE











## AUTOTRAP™ ELECTRIC HOPPER OPENER

AutoTrap<sup>™</sup> combines the best elements of Shur-Co® SMARTrailer<sup>™</sup> design! You get a compact, high-clearance system at an affordable price, with patented SMARTwire<sup>™</sup> connections and built-in compatability with our SMART3<sup>™</sup> and SMART2<sup>™</sup> remotes.

The thru-bore motor design of the AutoTrap™ has performance characteristics comparable to our ProTrap® system but in a more compact size and weight – nearly 40 percent lighter! Its design also allows for easy one-bolt conversion to manual operation, if necessary. The protective polymer sleeve acts as an effective corrosion barrier between drive shaft and motor.

This system is "one-size-fits-all," to interface with 1-inch, 7/8-inch or 3/4-inch crank shafts. Wireless operation via our pre-programmed SMART2™ remote is standard, and push-button controls at each opener are also included. Available in 1-hopper, 2-hopper, 3-hopper and 4-hopper stand-alone configurations or in combination with 4500 Series HD electric tarps.

**Key Features:** Thru-Bore Motor, Thru-Bore Drive Shaft w/3/4" Hex Milled End, Polymer Motor Sleeve, Universal Mounting Bracket, Hinge Bracket w/Shim Insulator, Integrated Rock Shield, Crank Shaft Adapter Kit, 1-Bolt Manual Changeover, Emergency Back-Up Crank, SMARTwire™ Sealed Harness, SMART2™ or SMART3™ Remote.

# **UNLOADS FASTER, EASIER AND SAFER**



## PROTRAP® ELECTRIC HOPPER OPENER

The best one-two punch in trailer automation! Pair your 4500 Series HD electric tarp with the ProTrap® electric hopper opener. It safely and smoothly slides hopper doors open and closed at the touch of a button while you stay back, safely out of the dust.

The ProTrap's all-metal gears and housing are designed to handle the hard stops, with a high-efficiency planetary gear reduction and a breaker circuit at the battery to protect the motor. It eliminates the need for unreliable limit switches that can be damaged going through fields.

Actual torque varies based on wire size, length and battery voltage; our motors are sized to best protect your trailer components. The 150 low-torque motor is standard for trailers with strap-style traps, the 250 motor for rack-and-pinion traps.

Our SMART2™ and SMART3™ remotes deactivate when the flip-style covers are closed or shut off after three minutes of inactivity. Everything is clearly labeled. The cab-mounted or trailer-mounted master disconnect switch kills power to the tarp and traps – no complicated button sequence required. Patented sealed, quick-connect SMARTwire™ harness reduces connector corrosion and adds plug-and-play convenience at install.

**Key Features:** All-Metal Gear Motor, Automatic Brake (Holds Door), Universal Mounting Bracket, Hinge Bracket w/Shim Insulator, 1-Bolt Manual Changeover, Master Disconnect Switch, SMARTwire™ Sealed Harness, SMART2™ or SMART3™ Remote.

NOTE: ProTrap® comes preassembled for faster install.









# **EASILY SWINGS YOUR AUGER INTO POSITION**











## DRIVEMAXX™ ELECTRIC AUGER DRIVE KIT

The final component to Shur-Co's complete "system solution" for remote operation at harvest time! Quickly swings your auger hopper into position from the comfort of the cab. Comes with its own LiteALL™ work light kit and plug-and-play SMARTwire™ connections.

Independent 2-wheel dual-motor drive is powered by 220 lb.ft. of torque per motor. Direct-drive motors are designed with right-angle rear drives and no chains or chain tensioners. Built rugged and dependable, with an aggressive tire tread. Sealed SMARTwire™ connections and receiver box, plus completely enclosed gear boxes, provide watertight reliability.

Included push-button LiteALL<sup>™</sup> LED flood light kit in either a SMART2<sup>™</sup> or SMART3<sup>™</sup>. An open light channel lets you add a second LiteALL<sup>™</sup> to illuminate auger discharge or for placement on the main auger tube to light the work area.

**Key Features:** SMART Remote Compatibility, Independent 2-Wheel Dual-Motor Drive Kit, SMARTwire™ Connections, Sealed Receiver Box, Manual LiteALL™ LED Work Light Kit, SMART3™ Remote.

# **UNLOADS FASTER, EASIER AND SAFER**



## **ELECTRIC GATE AND HOIST SYSTEM**

Control box hoist and rear slide gates on farm bodies with our SMART2<sup>™</sup> or SMART3<sup>™</sup> remote. So versatile, it lets you add an electric tarp and traps, work lights – even a swing auger drive kit – and run it all with the same remote. It's fast, easy, and most of all, safe!

With the introduction of Shur-Co's SMART mini-modules, you have the ability to control any 12-volt accessory on your truck or trailer. The combination of the mini-module and an electric actuator gives you full control over the rear slide gate. A second mini-module with our electric-over-air solenoid valve gives you control of your hoist. No more climbing up and down bins to adjust flow from the truck into your auger.

All wiring connections utilize environmentally sealed WeatherPack $^{\text{TM}}$  connectors on the hoist controls and D.O.T.-certified air fittings. If ordered with an electric tarp, includes patented SMARTwire $^{\text{TM}}$  package for easy install.

**Key Features:** SMART2<sup>™</sup> or SMART3<sup>™</sup> Remote, 12-Volt Electric Shur-Co<sup>®</sup> Motor, Sealed Receiver Box, SMARTwire<sup>™</sup> Mounting Brackets, D.O.T.-Certified Air Fittings.









## **GATES ARE OPENED AND SHUT FOR YOU**









## AUTOGATE™ GATE RUNNER

No need to get out of your tractor or truck when going through gates – this does the work for you, safely and easily. Use your SMART3™ remote to fully open and close gates up to 18 feet wide with one quick press of a button – opens or shuts completely in 10 to 15 seconds.

Safety feature provides automatic shut-off if gate is obstructed. Installation is easy, and solar panel is included for convenient battery charging. Travel limits up to 100 degrees are configurable via Shur-Co's SMART3 $^{\text{TM}}$  app.\*

\*Android phones ONLY.


**Key Features:** Linear Actuator, SMART Remote Compatibility, Maintenance-Free 12V Battery, Control Box, Solar Panel, Complete Mounting Bracketry.

# **ALSO - Power Your Tarp Without Wiring Your Truck!**

Harness the power of the sun for your electrics! Solar pack converts the sun's energy into battery-charging power. It's rated for over 5,000 cycles. Installs vertically or horizontally.

Key Features: 30-Watt Solar Panel, Sealed 12-Volt Gel Cell Battery, Aluminum Battery Box, Mounting Hardware.

# OPEN LOADING AT THE TOUCH OF A BUTTON



## ELECTRIC TURNING POINT™ BOW SYSTEM

Bows move as one, swinging up and out of the way for wide-open loading. The operator can remain safely in the cab while operating the system with a rocker switch or our SMART2 $^{\text{TM}}$  or SMART3 $^{\text{TM}}$  remote. The center pivoting ridgepole holds the tarp without sagging.

With the Electric Turning Point™ Bow system, you need fewer bows – and those you do need open simultaneously for easier loading. Our exclusive locking system provides secure support during transport and serves as a skid plate when the bows swing closed.

The electronic actuator is designed for longer life in the harshest outdoor conditions, operating safely in temperatures ranging from -86 to 140 degrees Fahrenheit. Integrated brakes lock out movement, a slip clutch automatically protects the actuator from overload and a cut-off switch prevents operation unless the roll tarp is completely open.

NOTE: When using SMART remotes, there is no positional feedback and Express Mode is not available. However, it will work with other SMART applications.

**Key Features:** Electric Cut-Off Switch, Automatic Overload Slip Clutch, Locking Skid Plate, Bow Actuator, Actuator Brakes, Easy Electric-to-Manual Conversion.







# **OPENS MANUAL TRAPS QUICKLY AND EASILY**









## TRAPADAPT™ MANUAL TRAP OPERATOR

Does the work of an electric hopper opener for you, saving time and helping elevator staff be more efficient. Time equals money, and this aluminum-handled kit speeds things up. Handle has a forward-and-reverse switch built right in and weighs just 21 pounds for easy lifting.


Main socket is designed to fit most popular-brand hoppers on the market. Durabuilt $^{\text{M}}$  wormgear motor has a 90:1 gear ratio and 3/4-inch motor shaft. Vented aluminum battery box is equipped with an on/off switch, motor-reversing solenoid, 8-amp charger, manual override breaker and battery $^*$  hold-down.

Handle, motor and battery box all come attached to an included 2-wheel cart and weigh less than 70 pounds without a battery. Also available is an optional 5-inch LED light.

**Key Features:** Aluminum Handle w/Forward-and-Reverse Switch, Worm Gear Durabuilt™ Motor, Vented Aluminum Battery Box w/On and Off Switch, 2-Wheel Cart.

 $^* Battery \ is \ NOT \ furnished; Group \ 27 \ or \ 31 \ Deep-Cycle \ Marine \ Battery \ recommended \ for \ best \ results.$ 

## **DIRECTS LIGHT WHERE YOU NEED IT MOST**



## LITEALL™ LED WORK LIGHT PACKAGES

It's the perfect combination of affordability, durability and functionality! Complete 12-volt system is designed to use with our SMART2 $^{\text{TM}}$  and SMART3 $^{\text{TM}}$  remotes, letting you work into the night when you need to with high-intensity flood beams on adjustable hinged brackets.

LiteALL's work lights are set into hinged mounting brackets that swivel forward and back, and an available 20-foot extension cable provides even more adaptability. Features built-in flexibility for manual operation using trailer-mounted control module. Specifications: IP67 water-proof rating, 1600 lumens, 24-watt output, 1.8-amp draw and 30,000 hours estimated life.

LiteALL<sup>TM</sup> features SMART compatability with the SMART2<sup>TM</sup> – with digital feedback – or the 5-channel SMART3<sup>TM</sup> remote. Deactivates when lid is closed or after 3 minutes of inactivity. Control modules include 2 output channels with WeatherPack<sup>TM</sup> connectors. Select a complete 2-light kit or individual components to fit your needs (*see* next page).

**Key Features:** Swivel-Bracket Lights, Control Module, Complete Mounting Hardware. NOTE: Does NOT include SMART Remote, Extension Cable or SMARTwire™ Adapter.





## **COMPONENTS FOR LEGACY SMART1+™ SYSTEMS**

Available for a limited time. Control modules fit Legacy systems to allow continued operation.

P/N 1121563 - SMART1+™ Control Module w/ Legacy Trailer Connectors

P/N 1125725 - SMART1+™ Control Module w/ WeatherPack Connectors





#### P/N 1122108 - **SMART2**™ **Remote**

Controls SMART2<sup>™</sup> LiteALL<sup>™</sup> and 12V electric accessories, with digital feedback. Deactivates when cover is closed or after 3 minutes of inactivity. Includes remote, cradle (P/N 1704955) and charging cable (P/N 1704958).

P/N 1127810 – **SMART2<sup>™</sup> Control Module**\* (*see* on pg. 23) Includes 2 output channels with WeatherPack<sup>™</sup> connectors. Provides on/off status to SMART2<sup>™</sup> remote. WeatherPack<sup>™</sup> connector on 8-foot cable must be wired to 12V DC. Utilize SMARTwire<sup>™</sup> adapter (P/N 1122690) to connect 8-foot power cable to patented SMARTwire<sup>™</sup> plug-and-play connections. Voltage: 10-16V DC. Current: 8A max per output.

\*Also available with output adapter cables with 2-way molded bullet connectors for plug-and-play connection to Legacy LiteALL™ kit (P/N 1127809).

#### P/N 1126867 - **SMART3**™ **Remote**

Controls SMART3™ LiteALL™ and additional SMARTrailer™ accessories. Deactivates when lid is closed or after 3 minutes of inactivity. Uses two AAA batteries.

P/N 1127598 – **SMART3™ Control Module**\*\* (see on pg. 23) Control module has 2 output channels. Both output cables and 8-foot power cord have WeatherPack™ connectors. Utilize SMARTwire™ adapter (P/N 1122690) to connect power cable to patented SMARTwire™ plug-and-play connectors. Voltage: 10-16V DC. Current: 8A max per output.

\*\*Also available with output adapter cables with 2-way molded bullet connectors for plug-and-play connection to Legacy LiteALL™ kit (P/N 1127597).



### P/N 1120849 - Junction Block Kit w/Harness Plug

Connects to 12V power on pre-existing systems installed on 4500 HD/ProTrap® combos. Unplug SMARTwire™ dual-conductor socket from 4500 receiver box, insert SMART-wire™ junction block. LiteALL™ will then draw power from block using SMARTwire™ adapter wire (P/N 1122690).

#### P/N 1119520 - Junction Box

Connects to 12V power on existing 3500s, non-SMART-wire<sup>™</sup> 4500s or other non-SMARTwire<sup>™</sup> systems (already installed on most 3500/ProTrap<sup>®</sup> combos). Includes 3-foot 6-ga. wire and 6-ga. x 1/4-inch ring terminals (4) into a 3-light system (splitter lets you add an additional light).





#### P/N 1122706 - LiteALL™ LED Work Light\*\*\*

High-intensity LED flood beam in hinged bracket, 13-foot power cord with WeatherPack $^{\text{\tiny M}}$  connectors. Output: 1600 lumens. Power: 24 watts. Estimated life: 30,000 hours.

\*\*\* Also available w/molded 2-way bullet connector (P/N 1704719).

### P/N 1120672 - Mounting Hardware Kit

Includes rubber grommet insert and rubber grommet, plus nylon wire clips (6) and self-drilling screws (6).



P/N 1126433 – 10-Ft. Cable w/WeatherPack™ Connectors Provides additional flexibility in mounting location of control module. Also available in 20-foot length (P/N 1122742).

P/N 1122704 – **20-Ft. Cable for Output to LED Light**\*\*\*\*
WeatherPack™ connectors, 2-way conductor, 18-ga. cable for additional positional flexibility and easy install of wiring.
\*\*\*\*Also available w/molded 2-way bullet connectors (P/N 1704740).



P/N 1120670 - SMARTwire™ Dual-Conductor Socket
Trailer socket connection for 12V power if none previously exists. Opposite end of 3-foot conductor socket wire is plugand-play compatible with SMARTwire™ junction blocks.

#### P/N 1122705 - LiteALL™ Output Splitter\*\*\*\*\*

Powers 2 lights from 1 channel. WeatherPack™ connectors form a sealed connection. Each splitter lets you add a light.

\*\*\*\*\*Also available w/molded 2-way bullet connectors (P/N 1704773).



#### P/N 1127599 - Output Adapter Cable

Lets WeatherPack $^{\text{TM}}$  connectors on module output connect to Legacy LiteALL $^{\text{TM}}$  with molded 2-way bullet connectors.

#### P/N 1122690 - SMARTwire™ Adapter\*\*\*\*\*\*

Easy install into SMARTwire<sup>™</sup> systems. WeatherPack<sup>™</sup> connectors eliminate splicing into existing truck/trailer wiring.

\*\*\*\*\*\*Also available w/Legacy round 2-way connector (P/N 1121568).

### **KEY FEATURES**

### 1. SILICONE SEALS

SMARTwire™ plugs and sockets utilize automotive-grade silicone seals to prevent water intrusion. Capable of temporary immersion, these connectors can survive harsh environments including off-road applications and exposure to road salt and de-icing chemicals.

#### 3. Brass Pins and Sockets


The pins and sockets in our SMARTwire™ high-current connectors are CNC machined to close tolerances, guaranteeing a tight, low-resistance connection every time. These connectors have the same resistance as the 6-gauge cable, so you won't see additional voltage loss.

### 2. MOLDED PLUGS

Shur-Co® high-current plugs and sockets are over-molded directly onto the 4- or 6-gauge cable. This produces a waterproof seal at the back of the plug, preventing water intrusion along the cable.

#### 4. WIRES AND CABLES

Shur-Co® wire and cable materials were selected for high flexibility, chemical resistance and wide temperature range. We use high-strand count copper conductors in our 4- and 6-gauge cables, allowing easier routing and tight radius bends.



### **LOCKING PINS**

SMARTwire™ high-current connectors have through holes to accept stainless locking pins. The locking pins prevent connector separation which can occur under high-shock loads or when the cables get covered with mud or ice.



#### **EASY INSTALLATION AND EXPANSION**

SMARTwire™ cables come fully terminated – no more stripping and crimping. You select the length, wire gauge and connectors or terminations to fit your application. When you need to connect to more than one device, our fully sealed 3-way Harness Junction Block converts one input to 3 outputs. It utilizes our precision-machined, low-resistance pins and sockets and our stainless

### WIRE SPECIFICATIONS AND SUGGESTED APPLICATIONS

### SMARTWIRE™ SPECIFICATIONS

Voltage Rating	38 volts DC max
Current Rating	100 amps continuous, 200 amps peak (for no more than 10 seconds)
Connector Style	Over-molded 2-conductor with silicone gasket seal and locking pin
Contact Style	Precision-turned brass pins and sockets
Connector Sealing	Immersion tested to 12" water depth
Wire Gauges Available	4AWG and 6AWG
3-Way Junction Block Available	Splitter module available to supply power to multiple accessories
Patents	Active and pending patents can be found at www.shurco.com/patents


### SUGGESTED APPLICATIONS

Truck and Trailer Accessories	Wire all your accessories including spot lights, winches, EMS light bars and more while keeping your electric connections protected.
Marine Accessories	Operate all your accessories, including trolling motors, lights, fish finders, boat lifts and more while ensuring the connectors remain dry and secure.
Charging Vehicles and Scooters	Keep moving and feel confident your mode of transportation will be properly charged* when you need it.
Snow Plow Lighting and Actuators	Have the peace of mind that your snow removal equipment will have power when you need it in the harshest environments.
ATV Winch Power	Keep your ATV winch and other electric accessories ready for work or recreation.


<sup>\*</sup>Use of a properly operating and maintained charger must be used. Shur-Co® is not responsible for undercharging due to the charger not working or not maintained properly. Your battery charger must be properly rated for your application

## SAMPLE WIRING CONFIGURATIONS


## **MARINE ACCESSORIES\***




## **TRUCK ACCESSORIES\***



## **SALT SPREADER ACCESSORIES\***




## TRUCK AND TRAILER ACCESSORIES\*



<sup>\*</sup>The sample wiring configurations are for illustration purposes only. Contact the manufacturer of your accessories for specific wiring requirements.


# **BUILDING YOUR CUSTOM SMARTwire™ PART NUMBER**



<sup>\*</sup>Wire length does not include the added length of wire termination connectors and/or ring terminals.

TEM NO

### **SMARTwire™** Dual Male





ITEM NO.

### **SMARTwire™** Dual Female

38 volts DC max
100 amps continuous, 200 amps peak (for no more than 10 seconds)
Over-molded 2-conductor with silicone gasket seal and locking pin
Precision-turned brass pins and sockets
Immersion tested to 12" water depth
H: 1.375"; L: 3.453"; W: .813"
SMARTwire™ Dual Male & SMARTwire™ Junction Block



TEM NO

### 2-Pole Vertical Socket

Voltage Rating	38 volts DC max
Current Rating	100 amps continuous, 200 amps peak (for no more than 10 seconds)
Connector Style	Vertical pins
Contact Style	Precision-turned brass
Mates With	2-Pole Vertical Plug



ITEM NO

## 2-Pole Vertical Plug

Voltage Rating	38 volts DC max
Current Rating	100 amps continuous, 200 amps peak (for no more than 10 seconds)
Connector Style	Vertical pins
Contact Style	Precision-turned brass
Mates With	2-Pole Vertical Socket



TEM NO.

### #10 Ring Terminal w/Heat Shrink





NOT TO SCALE.

TEM NO.

## 1/4" Ring Terminal w/Heat Shrink





NOT TO SCALE

**07** 

### 5/16" Ring Terminal w/Heat Shrink



NOT TO SCALE.



### 3/8" Ring Terminal w/Heat Shrink



NOT TO SCALE.

TEM NO.

## 1/2" Ring Terminal w/Heat Shrink



NOT TO SCALE.



### **Blunt Wire**

Strip Length	0.00"
Slit Length	0.00"



11

### **Stripped and Split Wire**

Strip Length	0.50"
Slit Length	1.75"



ITEM NO.

### 4-Gauge SMARTwire™

Voltage Rating	38 volts DC max
Current Rating	130 amps continuous, 200 amps peak (for no more than 10 seconds)
Insulation Colors	Black/red
Conductor	Multi-stranded
Length	Up to 30' in 5' increments, up to 100' in 10' increments*




<sup>\*</sup>Minimum quantities may be required.



### 6-Gauge SMARTwire™

Voltage Rating	38 volts DC max
Current Rating	100 amps continuous, 200 amps peak (for no more than 10 seconds)
Insulation Colors	Black/red
Conductor	Multi-stranded
Length	Up to 30' in 5' increments, up to 100' in 10' increments*

<sup>\*</sup>Minimum quantities may be required.





### **Harness Junction Block/Splitter Kit**

Voltage Rating	38 volts DC max
Current Rating	100 amps continuous, 200 amps peak (for no more than 10 seconds)
Connector Style	Over-molded 2-conductor with silicone gasket seal and locking pin. Includes one "power in" connector and 3 "power out" connectors.
Contact Style	Precision-turned brass pins and sockets
Connector Sealing	Immersion tested to 12" water depth
Measurements	H: 2.988"; L: 3.531"; W: 1.813"
Mates With	SMARTwire™ Dual Male & SMARTwire™ Dual Female
Includes	1-Harness Junction Block/Splitter (1704695), 1-Wire Harness Rubber Plug (1704717), 2-Harness Lock Pin - Long (1704696), 1-Harness Lock Pin - Short (1704711) and 2-Self-Tapping Screw (1704388)
Shur-Co® P/N	1120849



3-Way Splitter





### Wire Harness Rubber Plug



<sup>\*</sup>Fills unused ports on Harness Junction Block/Splitter.



NOT TO SCALE.



### Harness Lock Pin - Long

marriess Loc	K 1 III - LONG
Works With	SMARTwire™ Junction Block/Splitter
Shur-Co® P/N	1704696



NOT TO SCALE.

ITEM NO.

### Harness Lock Pin - Short

Works With	SMARTwire™ Junction Block/Splitter
Shur-Co® P/N	1704711



NOT TO SCALE.

04

### **Harness Lock Pin - Blunt**

Works With	SMARTwire™ Male & SMARTwire™ Female
Shur-Co® P/N	1704751



NOT TO SCALE.

06

### **Master Disconnect Rotary Switch**

Voltage Rating	38 volt
Current Rating	100 amps continuous
Termination Type	3/8" stud
Shur-Co® P/N	1704283



NOT TO SCALE.



### **40 AMP Modified-Reset Circuit Breaker**

Voltage Rating	12 volt
Current Rating	40 amp
Reset Method	Type II - modified
Termination	#10-32 thread
Shur-Co® P/N	1704354





## SMARTwire™ to Weather Pack\* Assembly

Voltage Rating	12-36 volt
Current Rating	20 amp
Wire Gauge	14 gauge
Termination	SMARTwire™ Dual Male & Weather Pack Plug
Length	Approx. 12"
Shur-Co® P/N	1122690







### SMARTwire™ to Blunt End Wire Assembly

	<b>-</b>
Voltage Rating	12-36 volt
Current Rating	20 amp
Wire Gauge	14 gauge
Termination	SMARTwire™ Dual Male & Blunt End
Length	Approx. 12"
Shur-Co® P/N	1704758





### **Rubber Grommet - Narrow**

Dimensions	D: 1.125"; W: .344"
Skin Thickness	.094"
Shur-Co® P/N	1704721

<sup>\*</sup>Compatiable with 6-gauge SMARTwire™.





### **Rubber Grommet - Thick**

Dimensions	D: 1.125"; W: .625"
Skin Thickness	.250"
Shur-Co® P/N	1704722

<sup>\*</sup>Compatiable with 6-gauge SMARTwire™.



NOT TO SCALE.

<sup>\*</sup>More connection options may be possible. Please call to inquire.

BUSINESS			
ADDRESS			ZIP
EMAIL			
DESCRIBE YOUR INTENDED USE			
ORDER DETAILS			
WIRE ORDER EXAMPLE	0.0.0.0	1 0 0 1 3	
CUSTOM SMARTwire™ PART NUM	1BER: <u>0 2</u> - <u>0 2</u> -	. <u>1004</u> - <u>C</u>	1
QUANTITY: 10			
WIRE ORDER #1			
CUSTOM SMARTwire™ PART NUM	1BER:	· <u></u>	
QUANTITY:			
WIRE ORDER #2			
CUSTOM SMARTwire™ PART NUM	1BER:	·	
QUANTITY:			
WIRE ORDER #3			
CUSTOM SMARTwire™ PART NUM	1BER:	·	
QUANTITY:			
WIRE ORDER #4			
CUSTOM SMARTwire™ PART NUM	1BER:	·	_
QUANTITY:			
WIRE ORDER #5			
CUSTOM SMARTwire™ PART NUM	1BER:	·	
QUANTITY:			

Fax 605-665-0501 Salesperson\_\_\_\_\_

31

## ORDER FORM


PUP LEAD  Tongue Length on Pup (A TRAIN)  Tongue Length on Pup (A TRAIN)  Solar Yes No	ORDER I ORIVI		Customer ID#	
City	PO#	Date	Source Code	
Siste	Name			
END USER   Ship To     Credit Card Information   EXTRA TRANSMITTERS*   Exp. Date     Code	Address	Email	Phone	
DEALER   Credit Card Information   Exp. Date   Code	City	State	Zip	
EXTRA TRANSMITTERS*	☐ END USER	Ship To		
SXTRA TRANSMITTERS*	☐ DEALER	Credit Card Information		
WHICH OF THESE SYSTEMS DO YOU CURRENTLY OWN?    EXISTING 3500 SERIES   CXESTING 4500 SERIES   SMART1**   SMART3**   SMART3**   SMART3**   4500 SERIES   4500 SERIES   4500 SERIES   MART1**   SMART3**   SMART3**				
Causting 3500 Series   Existing 4500 Series   SMART1+"   SMART3"   SMART2"   Vers. 8   Vers. 9   Other   SMART1+"   SMART3"   SMART2"   Vers. 8   Vers. 9   Other   PROTRAP*/4500 HD COMBO   Does it have SMARTwire"]   Vers   No   No   Dees it have SMARTwire"]   Vers   No   No   Dees it have SMARTwire"]   Vers   No   PROTRAP*/4500 HD COMBO   Dees it have SMARTwire"]   Vers   No   Dees it have SMARTwire   Dees it have SMA	*Normally comes with one but can program up to five.		Code	
SMART2"   Vers. 8   Vers. 9   Other   SMARTWire**   Ves   No   PROTRAP**/4500 HD COMBO   Does it have SMARTWire**   Ves   No   AUTOTRAP**/4500 HD COMBO   AU		☐ EXISTING PROTRAP® ☐ SMARTransn		
Does it have SMARTivire**    Yes   No				1
A500 Series Grain Trailer				
TRAILER MAKE	Does it have SMARTwire™?	Does it have SMARTwire™? ☐ Yes ☐ No	☐ AUTOTRAP <sup>111</sup> /4500 HD CC	OMBO
TRAILER MAKE				
Wilson   Cornhusker   Standard   Reverse Roll   WiRELESS - SMART3**   Wilson   Wilson   Standard   Tailer   Stoughton   Land   Ribert   Stoughton   Stoughton   Cornhusker   Direct Drive - Clockwise**   Merritt   Stoughton   Street Drive   Street Drive - Counterclockwise**   Street Drive   Street Drive - Counterclockwise**   Standard   Tailer   Direct Drive - Counterclockwise**   Standard   Tailer   Distance Between Lead and Trailer   Pull/Pup   Yes   No   No   Called Train Length   Stought on   Called Train Length   Call	4500 Series Grain Trailer			
Wilson	TRAILER MAKE			nbos.
Western*   Merritt*   REAR DOOR STYLE   The following MUST be ordered separately. CRANK RETAINERS - Ony 2 (Used to store the crank under the king pin.)   Maurer   Stoughton   LADDER POSITION   Currently have a 3500/4500 with rocker switch? Want to convert to Wireless?   Yes   No   FRONT HOPPER   Direct Drive - Clockwise**   Direct Drive - Clockwise**   Direct Drive - Clockwise**   Direct Drive - Clockwise**   Direct Drive - Counterclockwise**   SHAFT DIAMETER   Direct Drive - Counterclockwise**   Shaft Diameter   Stoughton   Note   N			☐ WIRELESS - SMART2™	
Dakota   Wheeler*   Standard   Top Hinge   Side Hinge   CRANK RETAINERS - Oy 2     Jet Co.*   Hart Mig.   Depth: Ladder   Catwalk   (Used to store the crank under the king pin.)     Maurer   Stoughton   LADDER POSITION   Jves   No     Other   Driver Side   Passenger Side   U-CLAMPS & SCREWS     Easting Shur-Loks* will need new U-clamps/ screws to reattach the tarp to the roll tube.     Backer plate recommended for these brands.   Rib/Rivet Spacing   U-Clamps   Screws     Currently have a 3500/4500 with rocker switch?   KNOCK RAIL   Yes   No     TRAILER MAKE   Wilson   Timpte*   Jet Co.   MOTOR INSTALL LOCATION   Unilizes U.S. Driver   U.S. Curb Side*   Driver Side   Direct Drive - Counterclockwise**     Dakota*   Cornhusker   Maurer   SHAFT DIAMETER   Direct Drive - Clockwise**   Direct Drive - Clockwise**     Other   Year   SHAFT DIAMETER   Direct Drive - Counterclockwise**     For these brands, special bracketry may be required.   1*   7/8*   3/4*   Other   Other   STEAD   Direct Drive - Counterclockwise**     Train Electric Systems Available in Wireless ONLX.   NOTE: MUST go through special quote and SOP to get proteins in from the view of where motor will be mounted independently by a tractor.     D			WIRELESS - SMART3™	
Jet Co.			The following MUST be ordered separately	y.
Maurer			* /	,
Other	—			.,
Center   Off-Center Driver/Pass.   Existing Shurt-Loks* will need new U-clamps   Screws				
*Backer plate recommended for these brands.	Year	_	Existing Shur-Loks® will need new U-clamps screws to reattach the tarp to the roll tube.	s/
TRAILER MAKE    Wilson   Timpte*   Jet Co.   MOTOR INSTALL LOCATION   Direct Drive - Clockwise**   Direct Drive - Counterclockwise**   Dir		Rib/Rivet Spacing		
TRAILER MAKE    Wilson   Timpte*   Jet Co.   MOTOR INSTALL LOCATION   Direct Drive - Clockwise**   Direct Drive - Counterclockwise**   Dir				
TRAILER MAKE    Wilson   Timpte*   Jet Co.   MOTOR INSTALL LOCATION   *Utilizes U.S.   Direct Drive - Clockwise**   Direct Drive - Counterclockwise**   Direct Drive - Clockwise**   Direct Drive - Clockwise**   Direct Drive - Clockwise**   Direct Drive - Clockwise**   Direct Drive - Counterclockwise**   Direct Drive -	AutoTrap™/ProTrap®	***		
Wilson   Timple*   Jet Co.   U.S. Driver   U.S. Curb Side*   Direct Drive - Counterclockwise**   Direct Drive - Counterclockwise**   Direct Drive - Clockwise**   Direct Drive - Clockwise**   Direct Drive - Clockwise**   Direct Drive - Clockwise**   Direct Drive - Counterclockwise**   Direct Drive - Clockwise**   Direc		MOTOR INCTALL LOCATION	Direct Drive - Clockwise**	
Merritt		II C Duiven II C Comb Side* Driv	er Side   Direct Drive - Counterclockwise*	**
Other Year SHAFT DIAMETER	l —         —         —			
*For these brands, special bracketry may be required.  1" 7/8" 3/4" Other  **Direction is from the view of where motor will be mounted.  NOTE: MUST go through special quote and SOP to get pricing, plus lead wire kit and coiled wire plug will be added to price.  B TRAIN**  **Second trailer can be pulled independently by a tractor.  Shaft Diameter			☐ Direct Drive – Clockwise**	
Train Electric Systems Available in Wireless ONLY.  NOTE: MUST go through special quote and SOP to get pricing, plus lead wire kit and coiled wire plug will be added to price.    D			☐ Direct Drive – Counterclockwise*	**
PUP LEAD    D			**Direction is from the view of where motor will be n	nounted.
PUP LEAD  2ND TRAILER  2ND TRAILER  LEAD  **Second trailer can be pulled independently by a tractor.  Shaft Diameter D	Train Electric Systems Available in Wireless ONLY.	NOTE: MUST go through special quote and SOP to	o get pricing, plus lead wire kit and coiled wire plug will be added	d to price.
PUP LEAD  2ND TRAILER LEAD  2ND TRAILER  LEAD  can be pulled independently by a tractor.  Shaft Diameter D Tongue Length on Pup (A TRAIN)  LEAD/PUP TRAINS (Refer to above illustration.)  E Distance Between Lead and Trailer (B TRAIN)  C Lead Train Length  can be pulled independently by a tractor.  Pull/Pup	<u> </u> DC   A`	TRAIN F -	<del></del>	and trailer
Shaft Diameter D Tongue Length on Pup (A TRAIN) SOLAR	PIID	2ND TRAILER	can indej	be pulled pendently
LEAD/PUP TRAINS (Refer to above illustration.)  E Distance Between Lead and Trailer (B TRAIN)  Pull/Pup				
C Lead Train Length	Shaft Diameter	<b>D</b> Tongue Length on P	up (A TRAIN) SOLAR Yes [	☐ No
C Lead Train Length	LEAD/PUP TRAINS (Refer to above illustration.)		ead and Irailer	_
	C Lead Train Length	,		

	Date	_ Customer ID# Source Code
Address  City END USER DEALER  DEALER EXTRA TRANSMITTERS* *Normally comes with one but can program up to five.	Email State Ship To Credit Card Information	Phone Exp. Date Code
### ASOO Series End Dump  #### EQUIPPED WITH GATE FLEX™ OPTION TO ACCOMMODATE END DUMP DOORS  #### Must be level with or below the top rail.	REAR HINGE DEPTH  □ 0"-10"  □ 11"-17  MANUAL OVERRIDE KIT**  □ Yes □ No  **Recommended for hinge depth greater than 2".  QTY OF ELECTRICAL WIRE  □ 75' □ 100'  SWITCH OPTION  □ Rocker Switch □ Wireless  REMOTE OPTION  □ SMART2™ □ SMART3™	ADDITIONAL ITEMS TO ASK ABOUT Are existing roll tubes in good shape? Need easy-off 6" offset tarp stops? Replacement U-clamps and screws? Will fit these trailer styles:  These styles will need modification in order to operate properly:


1700 0 1 71 7	PID ON OWY	
4500 Series Live Bottom	RIB SPACING	KNIFE GATE ANGLE
	Front Rear**	☐ Yes ☐ No ☐ 45° ☐ 57°
Make	**Measure from center of rib to center of rib.	
Year	CATWALK DEPTH	BELT WIDTH
FRONT OF TRAILER	LOCATION OF LADDER	☐ 36" ☐ 42" ☐ 48" ☐ 60"
☐ Vertical ☐ Sloped	Driver Side Pass. Side Center	
REAR DOOR STYLE  Top Hinge* Side Hinge  REAR HINGE DEPTH	TRAILER MODEL  2006 or Newer Older  BACK CAP CHOICE***  Aluminum Fabric Cap ***Must be 20-1/4* deep.  SWITCH OPTION  Rocker Switch Wireless	KNIFE GATE ANGLE
MANUAL OVERRIDE KIT*  Yes No *Recommended if hinge depth is greater than 2".	REMOTE OPTION  SMART2™ SMART3™  ADDITIONAL ITEMS TO ASK ABOUT  Are existing roll tubes in good shape?  Need easy-off 6" offset tarp stops****?  Replacement U-clamps and screws?  ****Required for Top Hinge Rear Door Kits.	BELT WIDTH →

## **GRAIN CART & GRAVITY WAGON ORDER FORM**

CORRECT PHYSICAL MEASUREMENTS ARE ESSENTIAL FOR PROPER TARP FIT. PROVIDE ALL REQUESTED INFORMATION OR YOUR ORDER MAY BE DELAYED. **DO NOT** USE UNIVERSAL BOX SIZES. **ALWAYS** USE ACTUAL MEASUREMENTS. BOX SIZE AND FINISHED TARP SIZE ARE **NOT** THE SAME.




#### FIGURE 2



NOTE: Flat caps can ONLY be used on a SLANTED extension (see above), and the side walls MUST BE VERTICAL.

#### FIGURE 3



NOTE: If ordering galvanized caps, make sure box is flat across top. Figure 2 shows a box with an uneven angle across the top. Galvanized caps will NOT fit this box; you must order fabric caps instead.


# DRIVEMAXX<sup>TM</sup> ORDER FORM For Swing Augers

CURRENT AUGER  None Manual Electric*  *IF ELECTRIC TARPING SYSTEM, WHICH KIND:  Rocker SMART2™ SMART3™  Adding eletric tarping system at same time as	Use the boxes in the categories at left to provide need ed information. By checking correct categories for you particular auger, you will have a better understanding of exactly what you should order.
as ordering the DriveMaxx™ kit. Please enter P/N of tarping system here:	
AUGER MAKE	Shur-Co® Drive Maxx™ Dealer Locator Landing Page
A TRANSITION BOX WIDTH (ACTUAL)  B TUBE DIAMETER	Call your local dealer for more information or use the QR code at the far left for our Dealer Locator. Or use the QR code for Shur-Co's DriveMaxx™ for more product details on our website.
R" 10" 12" 13" 14"  FLANGE Yes No  If yes, enter distance from edge of of flange to pre-existing mounting hole.  C	
Current Remote: $\square$ SMART1+ $^{\text{TM}}$ $\square$ SMART2 $^{\text{TM}}$ $\square$ SMART3 $^{\text{TM}}$ NOTE: If S1+, you MUST upgrade to: $\square$ SMART2 $^{\text{TM}}$ OR $\square$ SMART3 $^{\text{TM}}$ NOTE: If S2, remote is NOT included. If S3, remote comes standard.	B
Non-Remote Controlled (Push-Button) LiteALL™ comes standard.  To Upgrade: SMART2™ LiteALL™ OR  SMART3™ LiteALL™	
	FLANGE


# ORDER FORM

			_ Customer ID#
PO#		Date	Source Code
Name			
Address	Email		Phone
City	State		Zip
END USER DEALER EXTRA TRANSMITTERS* *Normally comes with one (1) but programs up to fix  NOTE: You receive only one (1) actuator pe	Credit Card Informa		Exp. Date
	CURRENT '	TARPING SYSTEM	
□ NONE	ELECTRIC SYSTEM		Adding electric tarping system at the same
☐ MANUAL ☐ ROCKER	☐ SMART2 <sup>™</sup>	☐ SMART3™	time as ordering Gate & Hoist system. Please enter P/N of tarping system on separate line.

Electric Gate & Hoist	HOIST TYPE
BOX MAKE BOX DIMENSIONS	Air-Over Hydraulic  Yes No - Electric Gate & Hoist N/A.  Style
A Upper Box Length B Upper Box Width N Top Rail Width U Inside Box Width	BOX STYLE   See Figure 1  Type C Type D Type E  Other
X Outside Box Height from Ground  REMOTE TYPE	GATE STYLE ☐ Flat ☐ Ribbed
☐ SMART2 <sup>™</sup> ☐ SMART1 + ™	MANUALLY CONTROLLED AIR SWITCH  Yes No



### FIGURE 1



Check out our Genuine Shur-Co® replacement parts, professionally engineered in compliance with the most stringent safety standards. All have excelled in rigorous field testing and are proven to fit and function better.

Shur-Co's strict quality and tolerance guidelines promote dependable product interchangeability. For example, even if a Shur-Lok  $^{\circledR}$  is 20 years old, new Shur-Lok  $^{\circledR}$  parts are guaranteed to fit. Remember that utilizing non-Genuine parts voids your warranty.

NOTE: All components other than standard may require non-refundable engineering/manufacturing fees. Call for details.

### REPLACEMENT PARTS INDEX

TARP REPAIR SUPPLIES	3/
SHUR-LOK® ELECTRIC	
Cab Wiring Kits	38
Dual Conductors	38
Front Arms	39
Front/Rear Returns	10
Receiver/Remote Non Express	11

### TARP REPAIR SUPPLIES

ITEM	PART#	DESCRIPTION
	1108059	Professional Tarp Repair Kit*
	1102111	Standard Tarp Repair Kit*
	1703251	Handi Grommet Kit w/Grommets
1	1111869	2" x 3" Patch w/Radius Corners
2	1111870	3" x 4" Patch w/Radius Corners
3	1111871	4" x 5" Patch w/Radius Corners
4	1111872	3" Round Patch
5	1701391	Wooden Roller
6	1128714	Vinyl Tarp Remnant - Black
	1107371	Vinyl Tarp Remnant (specify color)
7	1700697	HH-66 Thinner - Pint
8	1700602	HH-66 Thinner - Gallon
9	1700356	HH-66 Vinyl Cement - 8 Oz.
10	1700355	HH-66 Vinyl Cement - Quart
11	1700354	HH-66 Vinyl Cement - Gallon
12	1700673	#3 Brass Grommet (minimum order 25)
	1706352	Vinyl Repair Tape - 6" x 50' (not shown)
	1128814	Tarp Repair Kit w/Vinyl Tape - 6" x 10' (not shown)











Tarp Repair Video

4500 SERIES HD ELECTRIC Cab Wiring Kits......42 Dual Conductors .......42 Pivot Mount Brackets ......50 Trailer Wiring Kits......50 AUTOTRAP™ SMARTwire<sup>™</sup> Hopper Door Openers ......51 Crank Arms/Crank Retainers ......52 SMARTwire<sup>™</sup> Hopper Door Openers ......52 Rail Mount Assemblies ......53 SMARTwire™ Hopper Door Openers ......53 AUTOTRAP™/MAXXTRAP™/PROTRAP® Cab Wiring Kits......54 SMARTwire™ Electrical......55 AUTOTRAP™/PROTRAP® DRIVEMAXX™ DriveMaxx™ Kits......56 DriveMaxx™ Electrical ......57 ELECTRIC GATE AND HOIST ......58 AUTOGATE™......58 ELECTRIC TURNING POINT™ BOW.......59



PROFESSIONAL KIT INCLUDES SCISSORS, 10 SQ. FT. REPAIR FABRIC, ROLLER, HEAT GUN/NOZZLE AND INSTRUCTIONS






**GROMMET KIT** INCLUDES CUTTER, HANDLE, BASE, GROMMETS AND WASHERS

Shur-Co® has created a number of how-to videos, with QR codes to take you right to them. The one pictured here links to step-by-step instructions on tarp repair.


Download any QR scanner app to your Smartphone. Open the app, then hover your phone over your chosen QR code.


### SHUR-LOK® ELECTRIC - CAB WIRING KITS

SHU	K-LOK	ELECTRIC - CAB WIRING KITS
ITEM	PART#	DESCRIPTION
		WIRELESS OPTION
	1116928	Cab Wiring Kit - 40 Amp - Wireless - 20'
	1110920	[Includes 1; 7; 10; 2 of 2 & 4; 15 of 16]
	1119643	Cab Wiring Kit - 40 Amp - Wireless - 30'
	1117043	[Includes 1; 7; 10; 2 of 2 & 4; 15 of 16]
		ROCKER SWITCH OPTION
		Cab Wiring Kit - 40 Amp - Rocker Switch - 20'
	1116473	
		<b>4</b> , <b>13</b> & <b>15</b> ; 4 of <b>2</b> ; 5 of <b>6</b> ; 6 of <b>3</b> ; 15 of <b>16</b> ]
		Cab Wiring Kit - 80 Amp SMART Circuit Breaker - Rocker - 20'
	1128926	[Includes 1; 5; 7; 8; 9; 10; 11; 12; 14; 17; 2 of 4, 13, 15; 4 of 2; 5
		of 6; 6 of 3; 15 of 16]
	4440070	Electrical Part Kit w/Rocker Switch - 40 Amp
	1118368	Modified [Includes 5; 7; 8; 9; 12; 14
		2 of <b>4</b> , <b>13</b> & <b>15</b> ; 4 of <b>2</b> ; 5 of <b>6</b> ; 6 of <b>3</b> ]  Electrical Parts Kit w/Rocker Switch - 80 Amp SMART Circuit
	1128925	· · · · · · · · · · · · · · · · · · ·
	1120723	6: 6 of 3]
		ELECTRICAL COMPONENTS
	1120855	Breaker Hardware [Includes 7; 2 of 2 & 4; 15 of 16]
1	1115385	, , , , , , , , , , , , , , , , , , , ,
2	1703245	Ring Terminal - 6 Ga. x #10 Stud - Motor/Breaker
3	1702707	
4	1703244	Ring Terminal - 6 Ga. x 3/8" Stud - Battery
5	1704153	Ring Terminal - 14 Ga. x 1/4"" Stud - Solenoid
6	1703659	Push-On Terminal - 14 Ga. x 1/4" Switch/Solenoid
7	1704354	40-Amp Modified Reset Circuit Breaker
8	1116020	Rocker Switch
9	1703661	Rocker Switch Mounting Bracket
10	1119078	Dual-Conductor Wire - 6 Ga 20'
	1118495	Dual-Conductor Wire - 6 Ga 30'
	1703822	Dual-Conductor Wire - 6 Ga. (per foot)
11	1116482	Electrical Wire - 14 Ga. Lead - 15'
12	1703896	Solenoid Cover
13	1701543	Nylon Lock Hex Nut - 1/4"
14		Motor-Reversing Solenoid
15	1700381	
16	1703231	
17	1126784	80-Amp Smart Circuit Breaker Kit



31 101	LOI	ELECTRIC DOAL CONDUCTOR KITS
ITEM	PART#	DESCRIPTION
	1125580	SMARTwire™ Dual-Connector Socket w/Hardware
	1123300	[Includes 1; 13; 17; 2 of 3, 10 & 11]
	1109016	Two-Pole Connector w/Hardware - Vertical Pin
	1107010	[Includes 2; 4; 6; 14; 2 of 3, 7, 8, 9 & 12
	1109017	Dual-Conductor Hardware
		[Includes 2 of 3, 7, 8, 10, 11 & 12]
1		SMARTwire™ Dual-Conductor Socket - 6 Ga. x 3'6"
	1126944	SMARTwire™ Dual-Conductor Socket - 4 Ga. x 3'6"
2	1115385	Heavy-Duty Dual-Conductor Plug - Vertical Pin
3	1701045	Hex Head Cap Screw - 5/16" x 3/4"
4	1119557	Heavy-Duty Dual-Conductor Metal Socket w/Boot
5	1704573	Sealing Boot - Socket Half Dual Conductor
6	1109015	Conductor Plug Mounting Bracket
7	1700407	Hex Nut - 3/8"
8	1700434	Lock Washer - 3/8"
9	1700411	Hex Nut - 5/16"
10	1704946	Top Lock Flange Nut - 5/16"
11	1700427	
12	1700400	Self-Tapping Screw - Non Corrosive Coating - 3/8" x 1"
13	1704751	Harness Lock Pin - 1/4" x 7/8"
14	1703231	Cable Tie - 8"
15	1704994	SMARTwire™ - 6 Ga Socket - 40'
16	1125597	SMARTwire™ - 6 Ga Plug/Socket - 30'
17	1704978	Dual Conductor Poly Housing - Female







### SHUR-LOK® ELECTRIC - FRONT ARMS

SHUR	K-LOK®	ELECTRIC - FRONT ARMS
ITEM	PART#	DESCRIPTION
	1120854	Wiring Plate Hardware
		[Includes 2 01 <b>24</b> , <b>20</b> , <b>27</b> & <b>26</b> ]
1		Durabuilt™ Motor w/Cover - 3-1/8" Shaft
2		Slide Arm
		Stainless Slide Arm
3		Flat Washer - 5/16"
		Stainless Flat Washer - 5/16"
4		Hex Head Cap Screw - 5/16" x 3/4"
	1201269	Stainless Hex Head Cap Screw - 5/16" x 3/4"
5		Self-Tapping Screw - Non Corrosive Coating - 3/8" x 1"
6	1701595	End Plug - 1"
7	1114954	Swing Arm
	1115558	Stainless Swing Arm
8		Hex Head Cap Screw - 1/2" x 2"
9		Flat Washer - 1/2"
10	1100033	Crank Retainer Standoff - 7"
		Stainless Crank Retainer Standoff - 7"
11	1700434	Lock Washer - 3/8"
12		Hex Nut - 3/8"
13	1704779	Hex Head Cap Screw - 1/2" x 3"
14		Retainer Bushing - 11/16"
15		Jam Nut - 1/2"
16		Nylon Lock Hex Nut - 1/2"
17	1703237	Hex Head Cap Screw - 5/16" x 2-1/2"
18	1702492	Top Lock Hex Nut - 5/16"
19		Roll Tube Extension w/Adapter - 17-1/4"
20		Rear Arm Retaining Collar
21		Self-Drilling Screw - 1/4" x 1"
22	1114947	Roll Tube Eye
23		SMARTwire™ w/Plate - 6 Ga. Plug x 1/4" Terminal - 10'9"
	1704987	SMARTwire™ - 6 Ga. Plug x 1/4" Terminal - 10'9"
24		Self-Tapping Screw - 1/4" x 3/4"
25		Harness Lock Pin - 1/4" x 7/8"
26		Flat Washer - 1/4"
27		Lock Washer - 1/4"
28		Hex Nut - 1/4"
	1202938	Rubber Grommet - 1-1/2" Insert (not shown)

### $\textbf{SHUR-LOK}^{\circledR} \ \textbf{ELECTRIC} - \textbf{FRONT/REAR} \ \textbf{RETURNS}$

51.101	· LOI	ELECTRIC TROMT/REARRETORMS
ITEM	PART#	DESCRIPTION
		CABLE RETURN
	1113025	Rear Cable Return Kit - Heavy Duty [Includes 1; 3; 8; 9; 10;11; 12; 18; 19; 2 of 7, 13 $\&$ 17; 3 of 4, 5, 6 $\&$ 20; 4 of 2 $\&$ 15; 5 of 14; 7 of 16]
		Front Cable Return Kit - Heavy Duty [Includes 1; 3; 8; 9; 10; 11; 12; 18; 19; 2 of 7, 13 & 17; 3 of 4, 5, 6 & 20; 4 of 2 & 15; 5 of 14; 7 of 16]
1		Hex Head Cap Screw - 1/4" x 2-1/4"
2		Machine Screw 1"
3	1701543	Nylon Lock Hex Nut - 1/4"
4	1700400	3/8" X 1"
5		Lock Washer - 3/8"
6	1700407	Hex Nut - 3/8"
7		Machine Screw - 1-1/2"
8	1114728	Universal Cable Return Housing
9		Spacer Washer - 1-5/8"
10		Extension Spring - Heavy Duty
11	1115206	Velcro® Hook- 1" x 4"
12	1114582	Cable w/Return Strap
13	1114691	Front Retainer Plate
14	1703006	Pulley - 1/16" Cable Groove
15	1111056	Plastic Spacer - 3/8"
16	1702653	Machine Screw Nut
17	1112997	Rope Block Retainer Plate
18	1111054	Flat Washer - #10
19		Machine Screw - 1-1/4"
20	1110913	Rear Retainer Plate
21	1111808	
		SHOCK CORD RETURN
	1114951	Shock Cord Roll Return Kit [Includes <b>22</b> ; <b>23</b> ; <b>24</b> ; <b>27</b> ; 2 of <b>4</b> & <b>25</b> ; 6 of <b>26</b> ]
22		Shock Cord Eye Bracket
23		Shock Cord Tie-Down Strap
24	1122332	Shock Cord - 11-1/2"
25	1704352	Rear Arm Retaining Collar
26	1705198	Self-Drilling Screw - 1/4" x 1"
27	1114947	Roll Tube Eye





### SHUR-LOK® ELECTRIC - RECEIVER/REMOTE Non Express


3110	I LOI	ELECTRIC RECEIVER RELIGIOTE Non Express
ITEM	PART#	DESCRIPTION
		SMART3™ RECEIVERS w/SMARTwire™
	-	SMART3™ Receiver w/Remote* - Bottom Output
	1126885	Includes 1; 5; 8; 10; 11; 13; 17; 18; 19; 21; 2 of 9
		& <b>20</b> ; 4 of <b>12</b> , <b>15</b> , <b>16</b> , <b>22</b> & <b>23</b> ; 11 of <b>7</b> ; 15 of <b>24</b> ]
		SMART3™ Receiver w/Remote* - Rear Output
	1126884	[Includes 1; 5; 8; 10; 11; 13; 14; 17; 18; 19; 21; 2 of
	1120004	9 & 20; 4 of 12, 15, 16, 22 & 23; 11 of 7; 15 of 24]
		SMART3™ Receiver* - Bottom Output [Includes
	1126900	5; 8; 10; 11; 13; 17; 18; 19; 21; 2 of 9 & 20;
	1120700	4 of <b>12</b> , <b>15</b> , <b>16</b> , <b>22</b> & <b>23</b> ; <b>11</b> of <b>7</b> ; <b>15</b> of <b>24</b> ]
		SMART3™ Receiver* - Rear Output [Includes
	1126899	5; 8; 10; 11; 13; 14; 17; 18; 19; 21; 2 of 9 & 20;
	1120077	4 of <b>12</b> , <b>15</b> , <b>16</b> , <b>22</b> & <b>23</b> ; <b>11</b> of <b>7</b> ; <b>15</b> of <b>24</b> ]
		SMART2™ RECEIVERS w/SMARTwire™
		SMART2™ Receiver w/Remote* - Bottom Output
	1127072	[Includes 2; 3; 4; 5; 8; 10; 11; 13; 17; 18; 19; 21; 2
		of 9 & 20; 4 of 12, 15, 16, 22 & 23; 11 of 7; 15 of 24]
		SMART2™ Receiver w/Remote* - Rear Output
	1122788	[Includes 2; 3; 4; 5; 8; 10; 11; 13; 14; 17; 18; 19; 21; 2
		of 9 & 20; 4 of 12, 15, 16, 22 & 23; 11 of 7; 15 of 24]
		SMART2™ Receiver* - Bottom Output [Includes
	1125608	5; 8; 10; 11; 13; 17; 18; 19; 21; 2 of 9 & 20;
		4 of <b>12</b> , <b>15</b> , <b>16</b> , <b>22</b> & <b>23</b> ; 11 of <b>7</b> ; 15 of <b>24</b> ]
		SMART2™ Receiver* - Rear Output [Includes
	1127073	5; 8; 10; 11; 13; 14; 17; 18; 19; 21; 2 of 9 & 20;
		4 of <b>12</b> , <b>15</b> , <b>16</b> , <b>22</b> & <b>23</b> ; 11 of <b>7</b> ; 15 of <b>24</b> ]
		REMOTES
1	1126867	SMART3™ Remote
		Carabiner Key Strap (not shown)
2	1122231	SMART2™ Remote w/Cradle
3		SMART2™ Charging Cable
4		SMART2™ Remote Cradle
-		Lanyard Ring Kit (not shown)
	1124017	RECEIVER COMPONENTS
		Receiver Mounting Hardware** [Includes
	1120850	21: 2 of 20: 4 of 12, 15, 16, 22 & 23
	1120906	Wire Retaining Hardware** [Includes 4 of 22 & 23]
		Wire Retaining Hardware w/Locking Pin**
	1120851	[Includes 20: 4 of 22 & 23]
5	1126881	SMART3™ Solenoid Cover w/Gasket
	1127074	
6		Solenoid Cover Gasket
7	1704308	
8		Motor-Reversing Solenoid
9		Rubber Grommet w/Slot094" x 7/8"
10		Solenoid Bracket
11		Trim Seal (per foot)
12	1702926	
13	1702720	Rubber Grommet - 1-1/4" Insert
14	1703282	End Plug - 1"
15	1701393	Flat Washer - 5/16"
		Nylon Lock Hex Nut - 5/16"
16	1700419	Invitation Lock Tiex Inut - 5/10  Freeder Wire 10 Co. 4/4" CMARTSTM
17	1121641	Encoder Wire - 18 Ga 6'4" - SMART2™
18	1120817	SMARTwire™ - 6 Ga Socket x 1/4" Terminal - 6'3"
19	1704705	SMARTwire™ - 6 Ga Plug x 1/4" Terminal - 2'4"
20	1704751	Harness Lock Pin - 1/4" x 7/8"
21	1202938	Rubber Grommet - 1-1/2" Insert
22	1704338	Self-Tapping Screw - 1/4" x 1"
23	1702108	Wire Clip - 3/4" ID
24	1703231	Cable Tie - 8"
	1704378	Dielectric Connector Protector (not shown)

 $<sup>^{\</sup>ast}\textsc{Receivers}$  include encoder wire but will NOT operate in Express Mode.

<sup>\*\*</sup>Includes dielectric connector protector.


### 4500 SERIES HD - CAB WIRING KITS

ITEM		DESCRIPTION
		WIRELESS OPTION
	1116928	Cab Wiring Kit - 40 Amp - Wireless - 20'
	1110720	Cab Wiring Kit - 40 Amp - Wireless - 20' [Includes 1; 7; 10; 2 of 2 & 4; 15 of 16] Cab Wiring Kit - 40 Amp - Wireless - 30'
	1119643	Cab Willing Kit - 40 Allip - Willeless - 30
		[Includes 1; 7; 10; 2 of 2 & 4; 15 of 16]
	1119644	Includes 1; 7; 10; 2 of 2 & 4; 15 of 16; Cab Wiring Kit - 40 Amp - Wireless - 40' [Includes 1; 7; 10; 2 of 2 & 4; 15 of 16]
		ROCKER SWITCH OPTION
		Cab Wiring Kit - 50 Amp SMART Circuit Breaker -
	1127844	Rocker Switch - 20' [Includes 1; 5; 7; 8; 9; 10; 11; 12; 14; 17; 2 of 4, 13 & 15; 4 of 2; 5 of 6; 6 of 3; 15 of 16]
		15 of <b>16</b> ]
		Cab Wiring Kit - 50 Amp SMART Circuit Breaker -
	1127845	Rocker Switch - 30' [Includes 1; 5; 7; 8; 9; 10; 11; 12; 14; 17; 2 of 4, 13 & 15; 4 of 2; 5 of 6; 6 of 3;
		15 of <b>16</b> ]
		Electrical Part Kit w/Rocker Switch - 40 Amp
	1118368	Modified [Includes 5; 7; 8; 9; 12; 14;
		2 of <b>4</b> , <b>13</b> & <b>15</b> ; 4 of <b>2</b> ; 5 of <b>6</b> ; 6 of <b>3</b> ]
		ELECTRICAL COMPONENTS
		Breaker Hardware [Includes 7; 2 of 2 & 4; 15 of 16]
1		Heavy-Duty Dual-Conductor Plug - Vertical Pin
2		Ring Terminal - 6 Ga. x #10 Stud - Motor/Breaker
3		Ring Terminal - 6 Ga. x 1/4" Stud - Motor/Solenoid
4		Ring Terminal - 6 Ga. x 3/8" Stud - Battery
5		Ring Terminal - 14 Ga. x 1/4"" Stud - Solenoid
6		Push-On Terminal - 14 Ga. x 1/4" Switch/Solenoid
7		40-Amp Modified Reset Circuit Breaker
8		Rocker Switch
9		Rocker Switch Mounting Bracket
10		Dual-Conductor Wire - 6 Ga 20'
		Dual-Conductor Wire - 6 Ga 30'
		Dual-Conductor Wire - 6 Ga 40'
		Dual-Conductor Wire - 6 Ga. (per foot)
11		Electrical Wire - 14 Ga. Lead - 15'
12		Solenoid Cover
13		Nylon Lock Hex Nut - 1/4"
14		Motor-Reversing Solenoid
15		Hex Head Cap Screw - 1/4" x 1"
16		Cable Tie - 8"
17		50-Amp SMART Circuit Breaker
1/	1120/03	20 Milly StriMit Circuit Di Cakei



### 4500 SERIES HD - DUAL CONDUCTOR KITS

ITEN 4	DADT "	DECORPTION
ITEM		DESCRIPTION
	1125580	SMARTwire <sup>™</sup> Dual-Connector Socket w/Hardware
		[Includes 1; 13; 2 of 3, 10 & 11]
	1109016	Two-Pole Connector w/Hardware - Vertical Pin
		Includes 7: 4: 6: 14: 7 of 3 / 8 9 \( 17\)
	1109017	Dual-Conductor Hardware
		[Includes 2 of 3, 7, 6, 10, 11 & 12]
1	1120670	SMARTwire™ Dual-Conductor Socket
2	1115385	Heavy-Duty Dual-Conductor Plug - Vertical Pin
3	1701045	Hex Head Cap Screw - 5/16" x 3/4"
4	1119557	Heavy-Duty Dual-Conductor Metal Socket w/Boot
5	1704573	Sealing Boot - Socket Half Dual Conductor
6	1109015	Conductor Plug Mounting Bracket
7	1700407	Hex Nut - 3/8"
8	1700434	Lock Washer - 3/8"
9	1700411	Hex Nut - 5/16"
10	1704946	Top Lock Flange Nut - 5/16"
11	1700427	Flat Washer - 1/4"
12	1700400	Self-Tapping Screw - Non Corrosive Coating -
		3/8" X 1"
13		Harness Lock Pin - 1/4" x 7/8"
14		Cable Tie - 8"
15	1704994	SMARTwire™ - 6 Ga Socket - 40'
	1704988	SMARTwire™ - 6 Ga Socket - 65'
	1123042	SMARTwire™ - 4 Ga Socket - 40'
	1704989	SMARTwire™ - 4 Ga Socket - 90'
16	1704978	Dual Conductor Poly Housing - Female



### 4500 SERIES HD – FRONT ARM ASSEMBLIES


4500	SERIES	SHD - FRONT ARM ASSEMBLIES
ITEM	PART#	DESCRIPTION
	1123928	Front Flex Arm Kit w/o Motor - Grain Trailer [Includes 17; 22; 24; 25; 36; 38; 40; 43; 2 of
	1123720	27. 37 & 41] Front Flex Arm Kit w/o Motor - End Dump
	1125610	Front Flex Arm Kit w/o Motor - End Dump [Includes 17; 22; 24; 25; 36; 38; 40; 43; 2 of
	1123010	27 37 & 41]
	1122880	Electric Crank Kit - 3" [Includes 4; 5; 56; 58; 59; 60; 61; 3 of 57]
	1121415	SMARTwire™ Assembly w/Plate - 6 Ga
		Plug x 1/4" Terminal x 10'9" [Includes <b>24</b> ; <b>25</b> ] SMARTwire™ Assembly - 6 Ga Plug x 1/4"
	1125612	Terminal x 10'9" [Includes 17; 24; 26]
	1120977	Motor Mount Hardware [Includes 4; 5; 49; 52; 4 of 48, 50 & 51]
	1121702	Flex Arm Joint Hardware
		[Includes 38; 40; 2 of 37 & 41] Spring Support Hardware
	1116926	[Includes 15; 16; 18; 19; 20; 2 of 13 & 21]
	1121579	Pivot Bracket Hardware - 6" Vertical [Includes 6 of 9; 10 of 7, 8 & 11; 14 of 10]
	1117007	Pivot Bracket Hardware - End Dump
1		[Includes 4 of <b>11</b> & <b>61</b> ; 8 of <b>7</b> & <b>8</b> ; 12 of <b>10</b> ]  Roll Tube Extension w/Drive Shaft - 34.43"
		Roll Tube Extension w/Drive Shaft - 45.37"
2		Roll Tube Extension w/Drive Shaft - End Dump
3 4		Roll Tube Extension - 3" x 45" Nylon Lock Nut - 3/8"
5		Hex Head Cap Screw - 3/8" x 2"
6		Pivot Pin - 4 Spring
		Hex Nut - 3/8" Lock Washer - 3/8"
9		Spacer Washer - 1/4" x 1 OD x .406
10		Flat Washer - 3/8"
11 12		Hex Head Cap Screw - 3/8" x 1-1/4" Pivot Mount Bracket - 6" x 7-1/4" Standoff
		Pivot Mount Bracket - 6" x 9-1/4" Standoff
40		Pivot Mount Bracket - 4" x 7-1/4" Standoff
13 14		Spacer Washer - 1/4" x 1.81 OD x 1.28" Spiral Torsion Spring
15		Spacer Tube35" x 2-5/8"
16 17		Hex Head Cap Screw - 5/16" x 3-1/2"
18		Cap Plug w/Hole Flat Washer - 1-1/4" x 1-7/8"
19	1702888	Retaining Ring - 1-1/4"
20 21		Centerlock Hex Nut - 3/8" Flat Washer - 5/16"
22	1121617	Lower Flex Arm w/Warning Decals - Front
23	1704751	Harness Lock Pin - 1/4" x 7/8"
24 25	1704987	SMARTwire™ - 6 Ga Plug x 1/4" Terminal x 10'9" SMART2™ Encoder Wire w/Plate - 18 Ga 10'6"
26		SMART2™ Encoder Wire - 18 Ga 10'6"
27		Rubber Insulating Boot
28 29		Hex Nut - 1/4" Lock Washer - 1/4"
30	1700427	Flat Washer - 1/4"
31 32		Wiring Plate Rubber Grommet - 1-1/4"
33		Wiring Plate Gasket
34	1700403	Self-Tapping Screw - 1/4" x 3/4"
35 36		Weatherpack - Cavity Plug Weatherpack - Tower
37		Carriage Bolt - 5/16" x 2-1/2" - GR5
38	1121414	Bellow Plate - Square Holes
39 40		End Fitting Bellow Plate - Round Holes
41	170/021	Flanged Nylon Lock Nut - 5/16"
42	1125154	Replacement Flex Arm Joint [Includes Flex Hose; 43; 2 of 38, 39 & 40; 4 of 37 & 41]
43		Arm Bellow
44		Upper Flex Arm - Motor
45 46		Upper Arm Spacer Top Lock Flange Nut - 3/8"
47	1120967	4500 Series Motor
48		Nylon Lock Hex Nut - 1/4"  Meter Mount Positing Potainer
49 50		Motor Mount Bearing Retainer Radial Ball Bearing - 1/4" x 3/4"
51	1120680	Motor Mount Bearing Spacer
52	1120679	Motor Spacer

Continued on next page

### 4500 SERIES HD - FRONT ARM ASSEMBLIES Continued

ITEM	PART#	DESCRIPTION
53	1120776	4500 Series HD Motor Mount - 7-1/4"
	1120662	4500 Series HD Motor Mount - 9-1/4"
54	1704778	Shoulder Bolt - 3/8" x 1/2"
55	1121659	Motor Cover Kit - Black
	1128340	Motor Cover Kit - Chrome
56	1704297	Nylon Lock Nut - 5/16"
57	1705198	Self-Drilling Screw - 1/4" x 1"
58	1704237	Carriage Bolt - 5/16" x 1" - GR5
59	1118194	Cartridge Clamp
60	1122264	Drive Shaft - 4500 w/3" Roll Tube
61	1700400	Self-Tapping Screw - Non Corrosive Coating - 3/8" x 1"
		FRONT MOUNT KIT*
	1113002	Front Mount Kit - Sloped [Includes <b>61</b> ; <b>62</b> ; <b>63</b> ; 2 of <b>64</b> ; 16 of <b>10</b> & <b>65</b> ; 20 of <b>60</b> ]
62		Universal Extension Bracket - Passenger Side
63		Universal Extension Bracket - Driver Side
64	1112178	Front Mounting Bracket - Sloped
65	1112310	Extended Extension Support Bracket
66	1700418	Centerlock Hex Nut - 3/8"


<sup>\*</sup>For sloped trailers in conjunction with vertical mount bracket (P/N 1116919) to help mount pivot brackets on a vertical service. Typically used on end dumps.




### 4500 SERIES HD - REAR ARM ASSEMBLIES

Timestand	4500	SERIE	S HD - REAR ARM ASSEMBLIES
1123929 Rear Flex Arm Kit [Includes 17; 24; 25; 27; 28; 2 of 16, 19 & 21; 4 of 18 & 26; 8 of 22]  1121702 Flex Arm Joint Hardware [Includes 19; 21; 2 of 18 & 22]  1116926 Spring Support Hardware [Includes 10; 11; 13; 14; 15; 2 of 8 & 12]  1121579 Pivot Bracket Hardware - 6" Vertical [Includes 10 of 1, 2 & 6; 6 of 5; 14 of 3]  Exposed Spline/Bearing Hardware  1121723 [Includes 26; 27; 2 of 16, 19, 20, 21, 22 & 28; 4 of 18 & 25; 8 of 22]  1127149 Rear Arm Collar Kit [Includes 28; 2 of 29]  1127150 Rear Arm Collar Kit* [Includes 28; 2 of 29]  1 1700407 Hex Nut - 3/8"  2 1700434 Lock Washer - 3/8"  3 1700429 Flat Washer - 3/8"  4 1116920 Pivot Pin - 4 Spring  5 1120291 Spacer Washer - 1/4" x 1 OD x .406  6 1702891 Hex Head Cap Screw - 3/8" x 1-1/4"  7 1121582 Pivot Mount Bracket - 6" x 7-1/4" Standoff  1121578 Pivot Mount Bracket - 6" x 9-1/4" Standoff  8 1118318 Spacer Washer - 1/4" x 1.81 OD x 1.28"  9 1111027 Spiral Torsion Spring  10 1117033 Spacer Tube35" x 2-5/8"  11 1201022 Hex Head Cap Screw - 5/16" x 3-1/2"  12 1700438 Retaining Ring - 1-1/4" x 1-7/8"  15 1702888 Retaining Ring - 1-1/4" x 1-7/8"  16 1704892 Cap Plug  17 112124 Lower Flex Arm w/Warning Decals - Rear  18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5  19 1121413 Bellow Plate - Square Holes  20 1704931 Flanged Nylon Lock Nut - 5/16"  21 1121413 Bellow Plate - Round Holes  22 1704931 Flanged Nylon Lock Nut - 5/16"  23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hesses; 24; 2 of 19, 20 & 21; 4 of 18]  24 1704775 Arm Bellow  25 1121293 Upper Flex Arm - Bearing  1124796 Upper Flex Arm - Bearing	ITEM	PΔRT#	DESCRIPTION
1121702 [Includes 19: 21: 2 of 18 & 22]  1116926 Spring Support Hardware [Includes 10: 11: 13: 14: 15: 2 of 8 & 12]  1121579 Pivot Bracket Hardware - 6" Vertical [Includes 10 of 1, 2 & 6: 6 of 5; 14 of 3]  Exposed Spline/Bearing Hardware  1121723 [Includes 26: 27: 2 of 16, 19, 20, 21, 22 & 28; 4 of 18 & 25: 8 of 22]  1127149 Rear Arm Collar Kit [Includes 28: 2 of 29]  1127150 Rear Arm Collar Kit [Includes 28: 2 of 29]  11270407 Hex Nut - 3/8"  2 1700434 Lock Washer - 3/8"  3 1700429 Flat Washer - 3/8"  4 1116920 Pivot Pin - 4 Spring  5 1120291 Spacer Washer - 1/4" x 1 OD x .406  6 1702891 Hex Head Cap Screw - 3/6" x 1 - 1/4"  7 1121582 Pivot Mount Bracket - 6" x 7 - 1/4" Standoff  1121578 Pivot Mount Bracket - 6" x 9 - 1/4" Standoff  8 1118318 Spacer Washer - 1/4" x 1.81 OD x 1.28"  9 1111027 Spiral Torsion Spring  10 1117033 Spacer Tube35" x 2 - 5/8"  11 1201022 Hex Head Cap Screw - 5/16" x 3 - 1/2"  12 1700428 Flat Washer - 5/16"  13 1700419 Centerlock Hex Nut - 3/8"  14 1702890 Flat Washer - 1 - 1/4" x 1 - 7/8"  15 170288 Retaining Ring - 1 - 1/4"  16 1704892 Cap Plug  17 1121294 Lower Flex Arm w/Warning Decals - Rear  18 1701455 Carriage Bolt - 5/16" x 2 - 1/2" - GR5  19 1121414 Bellow Plate - Square Holes  20 1704931 Flanged Nylon Lock Nut - 5/16"  21 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24: 2 of 19, 20 & 21: 4 of 18]  24 1704775 Arm Bellow  25 1121293 Upper Flex Arm - Bearing  1124796 Upper Flex Arm - Bearing  1124796 Upper Flex Arm - Bearing  112479 Thread x 5/16" x 2" Thread x 5/16" x 1/2"	11 - 11	4400000	Rear Flex Arm Kit [Includes 17: 24: 25: 27: 28:
1116926   Spring Support Hardware		1123929	2 of <b>16</b> , <b>19</b> & <b>21</b> ; 4 of <b>18</b> & <b>26</b> ; 8 of <b>22</b> ]
Includes 19: 27: 2 of 18 & 22    Spring Support Hardware   Includes 10: 11: 13: 14: 15: 2 of 8 & 12    1121579   Pivot Bracket Hardware - 6" Vertical   Includes 10 of 1. 2 & 6: 6 of 5: 14 of 3    Exposed Spline/Bearing Hardware   1121723   Includes 26: 27: 2 of 16, 19, 20, 21, 22 & 28: 4 of 18 & 25: 8 of 22    1127149   Rear Arm Collar Kit   Includes 28: 2 of 29    1127150   Rear Arm Collar Kit*   Includes 28: 2 of 29    1127150   Rear Arm Collar Kit*   Includes 28: 2 of 29    1 1700407   Hex Nut - 3/8"		1121702	Flex Arm Joint Hardware
1116926   Includes 10; 11; 13; 14; 15; 2 of 8 & 12    1121579   Pivot Bracket Hardware - 6" Vertical   Includes 10 of 1, 2 & 6; 6 of 5; 14 of 3    Exposed Spline/Bearing Hardware   1121723   Includes 26; 27; 2 of 16, 19, 20, 21, 22 & 28; 4 of 18 & 25; 8 of 22    1127149   Rear Arm Collar Kit* [Includes 28; 2 of 29]   1127150   Rear Arm Collar Kit* [Includes 28; 2 of 29]   1127150   Rear Arm Collar Kit* [Includes 28; 2 of 29]   1 1700407   Hex Nut - 3/8"   2 1700434   Lock Washer - 3/8"   3 1700429   Flat Washer - 3/8"   3 1700429   Flat Washer - 3/8"   4 1116920   Pivot Pin - 4 Spring   5 1120291   Spacer Washer - 1/4" x 1 OD x .406   6 1702891   Hex Head Cap Screw - 3/8" x 1-1/4"   7 1121582   Pivot Mount Bracket - 6" x 7-1/4" Standoff   1121578   Pivot Mount Bracket - 6" x 9-1/4" Standoff   1121578   Pivot Mount Bracket - 6" x 9-1/4" Standoff   1121578   Pivot Mount Bracket - 6" x 9-1/4" Standoff   1121073   Spiral Torsion Spring   10 1117033   Spacer Tube35" x 2-5/8"   11 1201022   Hex Head Cap Screw - 5/16" x 3-1/2"   12 1700428   Flat Washer - 5/16"   13 1700449   Centerlock Hex Nut - 3/8"   14 1702890   Flat Washer - 1-1/4" x 1-7/8"   15 1702888   Retaining Ring - 1-1/4"   16 1704892   Cap Plug   17 1121294   Lower Flex Arm w/Warning Decals - Rear   18 1701455   Carriage Bolt - 5/16" x 2-1/2" - GR5   1121414   Bellow Plate - Square Holes   20 1704891   End Fitting   21 1121413   Bellow Plate - Square Holes   22 1704931   Flanged Nylon Lock Nut - 5/16"   23 1125154   Replacement Flex Arm - Bearing   - 124796   Upper Flex Arm - Bearing   1124796   Upper Flex Arm - B		1121/02	[Includes 19; 21; 2 of 18 & 22]
Includes 10; 11; 13; 14; 15; 2 of 8 & 12    1121579		1116926	Spring Support Hardware
Exposed Spline/Bearing Hardware  1121723 [Includes 26; 27; 2 of 16, 19, 20, 21, 22 & 28; 4 of 18 & 25; 8 of 22]  1127149 Rear Arm Collar Kit [Includes 28; 2 of 29]  1127150 Rear Arm Collar Kit* [Includes 28; 2 of 29]  1 1700407 Hex Nut - 3/8"  2 1700434 Lock Washer - 3/8"  3 1700429 Flat Washer - 3/8"  4 1116920 Pivot Pin - 4 Spring  5 1120291 Spacer Washer - 1/4" x 1 OD x .406  6 1702891 Hex Head Cap Screw - 3/8" x 1-1/4"  7 1121582 Pivot Mount Bracket - 6" x 7-1/4" Standoff  1121578 Pivot Mount Bracket - 6" x 9-1/4" Standoff  8 1118318 Spacer Washer - 1/4" x 1.81 OD x 1.28"  9 1111027 Spiral Torsion Spring  10 1117033 Spacer Tube35" x 2-5/8"  11 1201022 Hex Head Cap Screw - 5/16" x 3-1/2"  12 1700428 Flat Washer - 5/16"  13 1700419 Centerlock Hex Nut - 3/8"  14 1702890 Flat Washer - 1-1/4" x 1-7/8"  15 1702888 Retaining Ring - 1-1/4"  16 1704892 Cap Plug  17 1121244 Lower Flex Arm w/Warning Decals - Rear  18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5  19 1121414 Bellow Plate - Square Holes  20 1704891 End Fitting  21 1121413 Bellow Plate - Round Holes  22 1704931 Flanged Nylon Lock Nut - 5/16"  23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18]  24 170475 Arm Bellow  25 1121293 Upper Flex Arm - Bearing  1124796 Upper Flex Arm - Bearing  1124796 Upper Flex Arm - Bearing  126 1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"			[Includes 10; 11; 13; 14; 15; 2 of 8 & 12]
Exposed Spline/Bearing Hardware  1121723 [Includes 26; 27; 2 of 16, 19, 20, 21, 22 & 28; 4 of 18 & 25; 8 of 22]  1127149 Rear Arm Collar Kit [Includes 28; 2 of 29]  1127150 Rear Arm Collar Kit* [Includes 28; 2 of 29]  1 1700407 Hex Nut - 3/8"  2 1700434 Lock Washer - 3/8"  3 1700429 Flat Washer - 3/8"  4 1116920 Pivot Pin - 4 Spring  5 1120291 Spacer Washer - 1/4" x 1 OD x .406  6 1702891 Hex Head Cap Screw - 3/8" x 1-1/4"  7 1121582 Pivot Mount Bracket - 6" x 7-1/4" Standoff  1121578 Pivot Mount Bracket - 6" x 9-1/4" Standoff  8 1118318 Spacer Washer - 1/4" x 1.81 OD x 1.28"  9 1111027 Spiral Torsion Spring  10 1117033 Spacer Tube35" x 2-5/8"  11 1201022 Hex Head Cap Screw - 5/16" x 3-1/2"  12 1700428 Flat Washer - 5/16"  13 1700419 Centerlock Hex Nut - 3/8"  14 1702890 Flat Washer - 1-1/4" x 1-7/8"  15 1702888 Retaining Ring - 1-1/4"  16 1704892 Cap Plug  17 1121244 Lower Flex Arm w/Warning Decals - Rear  18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5  19 1121414 Bellow Plate - Square Holes  20 1704891 End Fitting  21 1121413 Bellow Plate - Round Holes  22 1704931 Flanged Nylon Lock Nut - 5/16"  23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18]  24 170475 Arm Bellow  25 1121293 Upper Flex Arm - Bearing  1124796 Upper Flex Arm - Bearing  1124796 Upper Flex Arm - Bearing  126 1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"		1121579	Pivot Bracket Hardware - 6 Vertical
1121723 [Includes 26; 27; 2 of 16, 19, 20, 21, 22 & 28; 4 of 18 & 25; 8 of 22]  1127149 Rear Arm Collar Kit [Includes 28; 2 of 29]  1127150 Rear Arm Collar Kit* [Includes 28; 2 of 29]  1 1700407 Hex Nut - 3/8"  2 1700434 Lock Washer - 3/8"  3 1700429 Flat Washer - 3/8"  4 1116920 Pivot Pin - 4 Spring  5 1120291 Spacer Washer - 1/4" x 1 OD x .406  6 1702891 Hex Head Cap Screw - 3/8" x 1-1/4"  7 1121582 Pivot Mount Bracket - 6" x 7-1/4" Standoff  1121578 Pivot Mount Bracket - 6" x 9-1/4" Standoff  8 1118318 Spacer Washer - 1/4" x 1.81 OD x 1.28"  9 1111027 Spiral Torsion Spring  10 1117033 Spacer Tube35" x 2-5/8"  11 1201022 Hex Head Cap Screw - 5/16" x 3-1/2"  12 1700428 Flat Washer - 5/16"  13 1700419 Centerlock Hex Nut - 3/8"  14 1702890 Flat Washer - 1-1/4" x 1-7/8"  15 1702888 Retaining Ring - 1-1/4"  16 1704892 Cap Plug  17 112124 Lower Flex Arm w/Warning Decals - Rear  18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5  19 1121414 Bellow Plate - Square Holes  20 1704891 End Fitting  21 1121413 Bellow Plate - Round Holes  22 1704931 Flanged Nylon Lock Nut - 5/16"  23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18]  24 1704775 Arm Bellow  25 1121293 Upper Flex Arm - Bearing  1124796 Upper Flex Arm - Bearing  1124796 Upper Flex Arm - Bearing  1124796 Upper Flex Arm - Bearing  126 1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"			[Includes 10 01 1, 2 & 6, 6 01 3, 14 01 3]
1127149 Rear Arm Collar Kit [Includes 28; 2 of 29]  1127150 Rear Arm Collar Kit* [Includes 28; 2 of 29]  1 1700407 Hex Nut - 3/8"  2 1700434 Lock Washer - 3/8"  3 1700429 Flat Washer - 3/8"  4 1116920 Pivot Pin - 4 Spring  5 1120291 Spacer Washer - 1/4" x 1 OD x .406  6 1702891 Hex Head Cap Screw - 3/8" x 1-1/4"  7 1121582 Pivot Mount Bracket - 6" x 7-1/4" Standoff  1121578 Pivot Mount Bracket - 6" x 7-1/4" Standoff  8 1118318 Spacer Washer - 1/4" x 1.81 OD x 1.28"  9 1111027 Spiral Torsion Spring  10 1117033 Spacer Tube35" x 2-5/8"  11 1201022 Hex Head Cap Screw - 5/16" x 3-1/2"  12 1700428 Flat Washer - 5/16"  13 1700419 Centerlock Hex Nut - 3/8"  14 1702890 Flat Washer - 1-1/4" x 1-7/8"  15 1702888 Retaining Ring - 1-1/4"  16 1704892 Cap Plug  17 1121294 Lower Flex Arm w/Warning Decals - Rear  18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5  19 1121414 Bellow Plate - Square Holes  20 1704891 End Fitting  21 1121413 Bellow Plate - Round Holes  22 1704731 Flanged Nylon Lock Nut - 5/16"  23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18]  24 1704775 Arm Bellow  25 1121293 Upper Flex Arm - Bearing  1124796 Upper Flex Arm - Bearing  1124796 Upper Flex Arm - Bearing  17 1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"		1121723	
1127149 Rear Arm Collar Kit [Includes 28; 2 of 29]  1127150 Rear Arm Collar Kit* [Includes 28; 2 of 29]  1 1700407 Hex Nut - 3/8"  2 1700434 Lock Washer - 3/8"  3 1700429 Flat Washer - 3/8"  4 1116920 Pivot Pin - 4 Spring  5 1120291 Spacer Washer - 1/4" x 1 OD x .406  6 1702891 Hex Head Cap Screw - 3/8" x 1-1/4"  7 1121582 Pivot Mount Bracket - 6" x 7-1/4" Standoff  1121578 Pivot Mount Bracket - 6" x 9-1/4" Standoff  8 1118318 Spacer Washer - 1/4" x 1.81 OD x 1.28"  9 1111027 Spiral Torsion Spring  10 1117033 Spacer Tube35" x 2-5/8"  11 1201022 Hex Head Cap Screw - 5/16" x 3-1/2"  12 1700428 Flat Washer - 5/16"  13 1700419 Centerlock Hex Nut - 3/8"  14 1702890 Flat Washer - 1-1/4" x 1-7/8"  15 1702888 Retaining Ring - 1-1/4"  16 1704892 Cap Plug  17 1121294 Lower Flex Arm w/Warning Decals - Rear  18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5  19 1121414 Bellow Plate - Square Holes  20 1704891 End Fitting  21 1121413 Bellow Plate - Round Holes  22 1704931 Flanged Nylon Lock Nut - 5/16"  23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18]  24 1704775 Arm Bellow  25 1121293 Upper Flex Arm - Bearing  1124796 Upper Flex Arm - Bearing  1124796 Upper Flex Arm - Bearing  1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"		1121720	
1127150 Rear Arm Collar Kit* [Includes 28; 2 of 29]  1 1700407 Hex Nut - 3/8"  2 1700434 Lock Washer - 3/8"  3 1700429 Flat Washer - 3/8"  4 1116920 Pivot Pin - 4 Spring  5 1120291 Spacer Washer - 1/4" x 1 OD x .406  6 1702891 Hex Head Cap Screw - 3/8" x 1-1/4"  7 1121582 Pivot Mount Bracket - 6" x 7-1/4" Standoff  1121578 Pivot Mount Bracket - 6" x 9-1/4" Standoff  8 1118318 Spacer Washer - 1/4" x 1.81 OD x 1.28"  9 1111027 Spiral Torsion Spring  10 1117033 Spacer Tube35" x 2-5/8"  11 1201022 Hex Head Cap Screw - 5/16" x 3-1/2"  12 1700428 Flat Washer - 5/16"  13 1700419 Centerlock Hex Nut - 3/8"  14 1702890 Flat Washer - 1-1/4" x 1-7/8"  15 1702888 Retaining Ring - 1-1/4"  16 1704892 Cap Plug  17 1121294 Lower Flex Arm w/Warning Decals - Rear  18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5  19 112414 Bellow Plate - Square Holes  20 1704891 End Fitting  21 1121413 Bellow Plate - Round Holes  22 1704931 Flanged Nylon Lock Nut - 5/16"  23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18]  24 1704775 Arm Bellow  25 1121293 Upper Flex Arm - Bearing  1124796 Upper Flex Arm - Bearing* - 3"		1127149	Rear Arm Collar Kit [Includes 28: 2 of 29]
1 1700407 Hex Nut - 3/8" 2 1700434 Lock Washer - 3/8" 3 1700429 Flat Washer - 3/8" 4 1116920 Pivot Pin - 4 Spring 5 1120291 Spacer Washer - 1/4" x 1 OD x .406 6 1702891 Hex Head Cap Screw - 3/8" x 1-1/4" 7 1121582 Pivot Mount Bracket - 6" x 7-1/4" Standoff 1121578 Pivot Mount Bracket - 6" x 9-1/4" Standoff 8 1118318 Spacer Washer - 1/4" x 1.81 OD x 1.28" 9 1111027 Spiral Torsion Spring 10 1117033 Spacer Tube35" x 2-5/8" 11 1201022 Hex Head Cap Screw - 5/16" x 3-1/2" 12 1700428 Flat Washer - 5/16" 13 1700419 Centerlock Hex Nut - 3/8" 14 1702890 Flat Washer - 1-1/4" x 1-7/8" 15 1702888 Retaining Ring - 1-1/4" 16 1704892 Cap Plug 17 1121294 Lower Flex Arm w/Warning Decals - Rear 18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5 19 1121414 Bellow Plate - Square Holes 20 1704891 End Fitting 21 1121413 Bellow Plate - Round Holes 22 1704931 Flanged Nylon Lock Nut - 5/16" 23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18] 24 1704775 Arm Bellow 25 1121293 Upper Flex Arm - Bearing 1124796 Upper Flex Arm - Bearing* - 3"			
2 1700434 Lock Washer - 3/8" 3 1700429 Flat Washer - 3/8" 4 1116920 Pivot Pin - 4 Spring 5 1120291 Spacer Washer - 1/4" x 1 OD x .406 6 1702891 Hex Head Cap Screw - 3/8" x 1-1/4" 7 1121582 Pivot Mount Bracket - 6" x 7-1/4" Standoff 1121578 Pivot Mount Bracket - 6" x 9-1/4" Standoff 8 1118318 Spacer Washer - 1/4" x 1.81 OD x 1.28" 9 1111027 Spiral Torsion Spring 10 1117033 Spacer Tube35" x 2-5/8" 11 1201022 Hex Head Cap Screw - 5/16" x 3-1/2" 12 1700428 Flat Washer - 5/16" 13 1700419 Centerlock Hex Nut - 3/8" 14 1702890 Flat Washer - 1-1/4" x 1-7/8" 15 1702888 Retaining Ring - 1-1/4" 16 1704892 Cap Plug 17 1121294 Lower Flex Arm w/Warning Decals - Rear 18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5 19 1121414 Bellow Plate - Square Holes 20 1704891 End Fitting 21 1121413 Bellow Plate - Round Holes 22 1704931 Flanged Nylon Lock Nut - 5/16" 23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18] 24 1704775 Arm Bellow 25 1121293 Upper Flex Arm - Bearing 1124796 Upper Flex Arm - Bearing* - 3"	1		
3 1700429 Flat Washer - 3/8" 4 1116920 Pivot Pin - 4 Spring 5 1120291 Spacer Washer - 1/4" x 1 OD x .406 6 1702891 Hex Head Cap Screw - 3/8" x 1-1/4" 7 1121582 Pivot Mount Bracket - 6" x 7-1/4" Standoff 1121578 Pivot Mount Bracket - 6" x 9-1/4" Standoff 8 1118318 Spacer Washer - 1/4" x 1.81 OD x 1.28" 9 1111027 Spiral Torsion Spring 10 1117033 Spacer Tube35" x 2-5/8" 11 1201022 Hex Head Cap Screw - 5/16" x 3-1/2" 12 1700428 Flat Washer - 5/16" 13 1700419 Centerlock Hex Nut - 3/8" 14 1702890 Flat Washer - 1-1/4" x 1-7/8" 15 1702888 Retaining Ring - 1-1/4" 16 1704892 Cap Plug 17 1121294 Lower Flex Arm w/Warning Decals - Rear 18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5 19 1121414 Bellow Plate - Square Holes 20 1704891 End Fitting 21 1121413 Bellow Plate - Round Holes 22 1704931 Flanged Nylon Lock Nut - 5/16" 23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18] 24 1704775 Arm Bellow 25 1121293 Upper Flex Arm - Bearing 1124796 Upper Flex Arm - Bearing 1124796 Upper Flex Arm - Bearing* - 3" 26 1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"			
4 1116920 Pivot Pin - 4 Spring 5 1120291 Spacer Washer - 1/4" x 1 OD x .406 6 1702891 Hex Head Cap Screw - 3/8" x 1-1/4" 7 1121582 Pivot Mount Bracket - 6" x 7-1/4" Standoff 1121578 Pivot Mount Bracket - 6" x 9-1/4" Standoff 8 1118318 Spacer Washer - 1/4" x 1.81 OD x 1.28" 9 1111027 Spiral Torsion Spring 10 1117033 Spacer Tube35" x 2-5/8" 11 1201022 Hex Head Cap Screw - 5/16" x 3-1/2" 12 1700428 Flat Washer - 5/16" 13 1700419 Centerlock Hex Nut - 3/8" 14 1702890 Flat Washer - 1-1/4" x 1-7/8" 15 1702888 Retaining Ring - 1-1/4" 16 1704892 Cap Plug 17 1121294 Lower Flex Arm w/Warning Decals - Rear 18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5 19 1121414 Bellow Plate - Square Holes 20 1704891 End Fitting 21 1121413 Bellow Plate - Round Holes 22 1704931 Flanged Nylon Lock Nut - 5/16" 23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18] 24 1704775 Arm Bellow 25 1121293 Upper Flex Arm - Bearing 1124796 Thread x 5/16" x 1/2"			
5 1120291 Spacer Washer - 1/4" x 1 OD x .406 6 1702891 Hex Head Cap Screw - 3/8" x 1-1/4" 7 1121582 Pivot Mount Bracket - 6" x 7-1/4" Standoff 1121578 Pivot Mount Bracket - 6" x 9-1/4" Standoff 8 1118318 Spacer Washer - 1/4" x 1.81 OD x 1.28" 9 1111027 Spiral Torsion Spring 10 1117033 Spacer Tube35" x 2-5/8" 11 1201022 Hex Head Cap Screw - 5/16" x 3-1/2" 12 1700428 Flat Washer - 5/16" 13 1700419 Centerlock Hex Nut - 3/8" 14 1702890 Flat Washer - 1-1/4" x 1-7/8" 15 1702888 Retaining Ring - 1-1/4" 16 1704892 Cap Plug 17 1121294 Lower Flex Arm w/Warning Decals - Rear 18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5 19 1121414 Bellow Plate - Square Holes 20 1704891 End Fitting 21 1121413 Bellow Plate - Round Holes 22 1704931 Flanged Nylon Lock Nut - 5/16" 23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18] 24 1704775 Arm Bellow 25 1121293 Upper Flex Arm - Bearing 1124796 Upper Flex Arm - Bearing 1124796 Upper Flex Arm - Bearing 1124796 The standard of the stand			
6 1702891 Hex Head Cap Screw - 3/8" x 1-1/4" 7 1121582 Pivot Mount Bracket - 6" x 7-1/4" Standoff 1121578 Pivot Mount Bracket - 6" x 9-1/4" Standoff 8 1118318 Spacer Washer - 1/4" x 1.81 OD x 1.28" 9 1111027 Spiral Torsion Spring 10 1117033 Spacer Tube35" x 2-5/8" 11 1201022 Hex Head Cap Screw - 5/16" x 3-1/2" 12 1700428 Flat Washer - 5/16" 13 1700419 Centerlock Hex Nut - 3/8" 14 1702890 Flat Washer - 1-1/4" x 1-7/8" 15 1702888 Retaining Ring - 1-1/4" 16 1704892 Cap Plug 17 1121294 Lower Flex Arm w/Warning Decals - Rear 18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5 19 1121414 Bellow Plate - Square Holes 20 1704891 End Fitting 21 1121413 Bellow Plate - Round Holes 22 1704931 Flanged Nylon Lock Nut - 5/16" 23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18] 24 1704775 Arm Bellow 25 1121293 Upper Flex Arm - Bearing 1124796 Upper Flex Arm - Bearing 1124796 Upper Flex Arm - Bearing 1124796 Thread x 5/16" x 1/2"			
7 1121582 Pivot Mount Bracket - 6" x 7-1/4" Standoff 1121578 Pivot Mount Bracket - 6" x 9-1/4" Standoff 8 1118318 Spacer Washer - 1/4" x 1.81 OD x 1.28" 9 1111027 Spiral Torsion Spring 10 1117033 Spacer Tube35" x 2-5/8" 11 1201022 Hex Head Cap Screw - 5/16" x 3-1/2" 12 1700428 Flat Washer - 5/16" 13 1700419 Centerlock Hex Nut - 3/8" 14 1702890 Flat Washer - 1-1/4" x 1-7/8" 15 1702888 Retaining Ring - 1-1/4" 16 1704892 Cap Plug 17 1121294 Lower Flex Arm w/Warning Decals - Rear 18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5 19 1121414 Bellow Plate - Square Holes 20 1704891 End Fitting 21 1121413 Bellow Plate - Round Holes 22 1704931 Flanged Nylon Lock Nut - 5/16" 23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18] 24 1704775 Arm Bellow 25 1121293 Upper Flex Arm - Bearing 1124796 Upper Flex Arm - Bearing 1124796 Upper Flex Arm - Bearing 1124796 John St. 2" Thread x 5/16" x 1/2"			
1121578 Pivot Mount Bracket - 6" x 9-1/4" Standoff  8			
8 1118318 Spacer Washer - 1/4" x 1.81 OD x 1.28"  9 1111027 Spiral Torsion Spring  10 1117033 Spacer Tube35" x 2-5/8"  11 1201022 Hex Head Cap Screw - 5/16" x 3-1/2"  12 1700428 Flat Washer - 5/16"  13 1700419 Centerlock Hex Nut - 3/8"  14 1702890 Flat Washer - 1-1/4" x 1-7/8"  15 1702888 Retaining Ring - 1-1/4"  16 1704892 Cap Plug  17 1121294 Lower Flex Arm w/Warning Decals - Rear  18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5  19 1121414 Bellow Plate - Square Holes  20 1704891 End Fitting  21 1121413 Bellow Plate - Round Holes  22 1704931 Flanged Nylon Lock Nut - 5/16"  23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18]  24 1704775 Arm Bellow  25 1121293 Upper Flex Arm - Bearing  1124796 Upper Flex Arm - Bearing  1124796 Upper Flex Arm - Bearing* - 3"  26 1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"			
9 1111027 Spiral Torsion Spring 10 1117033 Spacer Tube35" x 2-5/8" 11 1201022 Hex Head Cap Screw - 5/16" x 3-1/2" 12 1700428 Flat Washer - 5/16" 13 1700419 Centerlock Hex Nut - 3/8" 14 1702890 Flat Washer - 1-1/4" x 1-7/8" 15 1702888 Retaining Ring - 1-1/4" 16 1704892 Cap Plug 17 1121294 Lower Flex Arm w/Warning Decals - Rear 18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5 19 1121414 Bellow Plate - Square Holes 20 1704891 End Fitting 21 1121413 Bellow Plate - Round Holes 22 1704931 Flanged Nylon Lock Nut - 5/16" 23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18] 24 1704775 Arm Bellow 25 1121293 Upper Flex Arm - Bearing 1124796 Upper Flex Arm - Bearing 1124796 Upper Flex Arm - Bearing* - 3" 26 1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"	8		
10 1117033 Spacer Tube35" x 2-5/8"  11 1201022 Hex Head Cap Screw - 5/16" x 3-1/2"  12 1700428 Flat Washer - 5/16"  13 1700419 Centerlock Hex Nut - 3/8"  14 1702890 Flat Washer - 1-1/4" x 1-7/8"  15 1702888 Retaining Ring - 1-1/4"  16 1704892 Cap Plug  17 112194 Lower Flex Arm w/Warning Decals - Rear  18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5  19 1121414 Bellow Plate - Square Holes  20 1704891 End Fitting  21 1121413 Bellow Plate - Round Holes  22 1704931 Flanged Nylon Lock Nut - 5/16"  23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18]  24 1704775 Arm Bellow  25 1121293 Upper Flex Arm - Bearing  1124796 Upper Flex Arm - Bearing* - 3"  26 1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"			
11 1201022 Hex Head Cap Screw - 5/16" x 3-1/2"  12 1700428 Flat Washer - 5/16"  13 1700419 Centerlock Hex Nut - 3/8"  14 1702890 Flat Washer - 1-1/4" x 1-7/8"  15 1702888 Retaining Ring - 1-1/4"  16 1704892 Cap Plug  17 1121294 Lower Flex Arm w/Warning Decals - Rear  18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5  19 1121414 Bellow Plate - Square Holes  20 1704891 End Fitting  21 1121413 Bellow Plate - Round Holes  22 1704931 Flanged Nylon Lock Nut - 5/16"  23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18]  24 1704775 Arm Bellow  25 1121293 Upper Flex Arm - Bearing  1124796 Upper Flex Arm - Bearing* - 3"  26 1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"		1117033	Spacer Tube35" x 2-5/8"
12 1700428 Flat Washer - 5/16"  13 1700419 Centerlock Hex Nut - 3/8"  14 1702890 Flat Washer - 1-1/4" x 1-7/8"  15 1702888 Retaining Ring - 1-1/4"  16 1704892 Cap Plug  17 1121294 Lower Flex Arm w/Warning Decals - Rear  18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5  19 1121414 Bellow Plate - Square Holes  20 1704891 End Fitting  21 1121413 Bellow Plate - Round Holes  22 1704931 Flanged Nylon Lock Nut - 5/16"  23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18]  24 1704775 Arm Bellow  25 1121293 Upper Flex Arm - Bearing  1124796 Upper Flex Arm - Bearing* - 3"  26 1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"			
13 1700419 Centerlock Hex Nut - 3/8"  14 1702890 Flat Washer - 1-1/4" x 1-7/8"  15 1702888 Retaining Ring - 1-1/4"  16 1704892 Cap Plug  17 1121294 Lower Flex Arm w/Warning Decals - Rear  18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5  19 1121414 Bellow Plate - Square Holes  20 1704891 End Fitting  21 1121413 Bellow Plate - Round Holes  22 1704931 Flanged Nylon Lock Nut - 5/16"  23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18]  24 1704775 Arm Bellow  25 1121293 Upper Flex Arm - Bearing  1124796 Upper Flex Arm - Bearing  1124796 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"			
14 1702890 Flat Washer - 1-1/4" x 1-7/8" 15 1702888 Retaining Ring - 1-1/4" 16 1704892 Cap Plug 17 1121294 Lower Flex Arm w/Warning Decals - Rear 18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5 19 1121414 Bellow Plate - Square Holes 20 1704891 End Fitting 21 1121413 Bellow Plate - Round Holes 22 1704931 Flanged Nylon Lock Nut - 5/16" 23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18] 24 1704775 Arm Bellow 25 1121293 Upper Flex Arm - Bearing 1124796 Upper Flex Arm - Bearing* - 3" 26 1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"			
15 1702888 Retaining Ring - 1-1/4"  16 1704892 Cap Plug  17 1121294 Lower Flex Arm w/Warning Decals - Rear  18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5  19 1121414 Bellow Plate - Square Holes  20 1704891 End Fitting  21 1121413 Bellow Plate - Round Holes  22 1704931 Flanged Nylon Lock Nut - 5/16"  23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18]  24 1704775 Arm Bellow  25 1121293 Upper Flex Arm - Bearing  1124796 Upper Flex Arm - Bearing* - 3"  26 1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"			
16 1704892 Cap Plug 17 1121294 Lower Flex Arm w/Warning Decals - Rear 18 1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5 19 1121414 Bellow Plate - Square Holes 20 1704891 End Fitting 21 1121413 Bellow Plate - Round Holes 22 1704931 Flanged Nylon Lock Nut - 5/16" 23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18] 24 1704775 Arm Bellow 25 1121293 Upper Flex Arm - Bearing 1124796 Upper Flex Arm - Bearing* - 3" 26 1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"	15		
17       1121294 Lower Flex Arm w/Warning Decals - Rear         18       1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5         19       1121414 Bellow Plate - Square Holes         20       1704891 End Fitting         21       1121413 Bellow Plate - Round Holes         22       1704931 Flanged Nylon Lock Nut - 5/16"         23       1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18]         24       1704775 Arm Bellow         25       1121293 Upper Flex Arm - Bearing         1124796 Upper Flex Arm - Bearing* - 3"         26       1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"	16		
18       1701455 Carriage Bolt - 5/16" x 2-1/2" - GR5         19       1121414 Bellow Plate - Square Holes         20       1704891 End Fitting         21       1121413 Bellow Plate - Round Holes         22       1704931 Flanged Nylon Lock Nut - 5/16"         23       1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18]         24       1704775 Arm Bellow         25       1121293 Upper Flex Arm - Bearing         1124796 Upper Flex Arm - Bearing* - 3"         26       1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"	17		
20       1704891 End Fitting         21       1121413 Bellow Plate - Round Holes         22       1704931 Flanged Nylon Lock Nut - 5/16"         23       1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18]         24       1704775 Arm Bellow         25       1121293 Upper Flex Arm - Bearing         1124796 Upper Flex Arm - Bearing* - 3"         26       1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"	18		
21       1121413       Bellow Plate - Round Holes         22       1704931       Flanged Nylon Lock Nut - 5/16"         23       1125154       Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18]         24       1704775       Arm Bellow         25       1121293       Upper Flex Arm - Bearing 1124796         26       1704943       Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"	19	1121414	Bellow Plate - Square Holes
22     1704931 Flanged Nylon Lock Nut - 5/16"       23     1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18]       24     1704775 Arm Bellow       25     1121293 Upper Flex Arm - Bearing       1124796 Upper Flex Arm - Bearing* - 3"       26     1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"	20	1704891	End Fitting
23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18] 24 1704775 Arm Bellow 25 1121293 Upper Flex Arm - Bearing 1124796 Upper Flex Arm - Bearing* 26 1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"	21	1121413	Bellow Plate - Round Holes
23 1125154 Replacement Flex Arm Joint - 4500 HD [Includes Flex Hose; 24; 2 of 19, 20 & 21; 4 of 18] 24 1704775 Arm Bellow 25 1121293 Upper Flex Arm - Bearing 1124796 Upper Flex Arm - Bearing* 26 1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"	22	1704931	Flanged Nylon Lock Nut - 5/16"
24       1704775 Arm Bellow         25       1121293 Upper Flex Arm - Bearing         1124796 Upper Flex Arm - Bearing* - 3"         26       1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"	23	1125154	Replacement Flex Arm Joint - 4500 HD [Includes
25 1121293 Upper Flex Arm - Bearing 1124796 Upper Flex Arm - Bearing* - 3" 26 1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"	24	1704775	
1124796 Upper Flex Arm - Bearing* - 3" 26 1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"			
26 1704943 Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"		1124796	Upper Flex Arm - Bearing* - 3"
27 1121430 Rearing Mount Roy	26	1704943	Shoulder Bolt - 3/8" x 2" Thread x 5/16" x 1/2"
27 IIZITOO DCaring Mount Dox	27	1121430	Bearing Mount Box
1123248 Bearing Mount Box* - 3"			
28 1704942 Rear Arm Bearing Ring	28		
1705160 Rear Arm Bearing Ring* - 3"			
<b>29</b> 1706103 Blind Rivet** - 3/16"	29		

<sup>\*</sup>Used with 3" roll tubes.



<sup>\*\*</sup>Used with both 2" and 3" roll tubes.




### 4500 SERIES HD - REAR SIDE HINGE ASSEMBLIES

4500	SERIES	SHD - REAR SIDE HINGE ASSEMBLIES
ITEM	PART#	DESCRIPTION
112	1117022	Manual Override Extension Kit [Includes 35: 36]
	1122070	Manual Crank Kit - 3" [Includes 11; 37; 38; 39; 40;
	11220/9	<b>41</b> ; <b>43</b> ; <b>44</b> ; <b>45</b> ; 3 of <b>42</b> ]
	1121702	41; 43; 44; 45; 3 07 42] Flex Arm Joint Hardware [Includes 26: 28: 2 of 25 & 32]
		[Includes 26; 28; 2 of 25 & 32] Rear Flex Arm Hardware - Side Hinge
	1121737	[Includes 1; 3; 4; 26; 28; 2 of 25, 29 & 30]
	4444004	Spring Support Hardware
	1116926	[Includes <b>16</b> ; <b>18</b> ; <b>19</b> ; <b>20</b> ; <b>21</b> ; 2 of <b>14</b> & <b>17</b> ]
	1116946	Pivot Bracket Hardware - 4" Vertical
		[Illcludes 4 01 10, 8 01 3, 6 & 13, 12 01 7]
1		Centerlock Hex Nut - 3/8"
2		Roll Tube Bearing Pack
3		Hex Head Cap Screw - 3/8" x 2-1/2"
5		Spring Pin - 1/4" x 1-1/2" Hex Nut - 3/8"
6	1700407	Lock Washer - 3/8"
7		Flat Washer - 3/8"
8		Pivot Pin - 4 Spring
9		Pivot Bracket
10		Spacer Washer - 1/4" x 1" OD x .406"
11	1700400	Self-Tapping Screw - Non Corrosive Coating -
	1700400	3/8" x 1"
12		Pivot Mount Bracket - 4" x 7-1/4" Standoff
13		Hex Head Cap Screw - 3/8" x 1-1/4"
14		Spacer Washer - 1/4" x 1.81" OD x 1.28"
15		Spiral Torsion Spring
16 17		Hex Head Cap Screw - 5/16" x 3-1/2" Flat Washer - 5/16"
18		Spacer Tube35" x 2-5/8"
19		Nylon Lock Hex Nut - 5/16"
20		Flat Washer - 1-1/4"
21		Retaining Ring - 1-1/4"
22	1704892	
23		Lower Flex Arm w/Warning Decals - Rear
24	1121680	Upper Flex Arm Joint - Side Hinge
25	1704931	Flanged Nylon Lock Nut - 5/16"
26		Bellow Plate - Round Holes
27		End Fitting - Aluminum
28		Bellow Plate - Square Holes
29		Carriage Bolt - 5/16" x 2-1/4" - GR5
30		Spring Pin - 1/4" x 1-3/8"
31		Upper Flex Arm - Side Hinge
32	1/01455	Carriage Bolt - 5/16" x 2-1/2" - GR5
33	1128831	Replacement Flex Arm Joint - Aluminum [Includes
		Flex Hose; 34; 2 of 26, 27, 28 & 30; 4 of 25 & 32]
34		Arm Bellow
35		Manual Override Spline Connector
36	111/023	Manual Override Spline Assembly
37 38		Manual Crank Spline - 3" Rear Cartridge
39		Roll Tube End Cap - Rear
40	1118194	Cartridge Clamp
41		Hex Head Cap Screw - 3/8" x 2"
42	1705198	Self-Drilling Screw - 1/4" x 1"
43	1704237	Carriage Bolt - 5/16" x 1" - GR5
44	1704297	Nylon Lock Nut - 5/16"
45	1701580	Nylon Lock Nut - 3/8"
46		Beam Bracket - Live Bottom Trailers

### 4500 SERIES HD - REAR TOP HINGE ASSEMBLIES

ITEM	PART#	DESCRIPTION
	1126/177	Rear Flex Arm Kit - Top Hinge* [Includes Flex
		Hose; 4; 17; 20; 25; 33; 4 of 9]
	1117022	Manual Override Extension Kit [Includes 35; 36]
	1122879	Manual Crank Kit - 3" [Includes 11; 21; 37; 38; 39;
	1122077	40; 41; 43; 44; 3 0  42]
	1121702	Flex Arm Joint Hardware
		[Includes 27; 29; 2 of 26 & 30] Spring Support Hardware
	1116926	[Includes 10: 12: 13: 14: 15: 2 of 8 & 11]
		Pivot Bracket Hardware - End Dump
	1117007	[Includes 4 of <b>7</b> ; 8 of <b>1</b> & <b>2</b> ; 12 of <b>3</b> ]
	444/04/	D' at David at Hard and All Value I
	1116946	[Includes 4 of 7; 8 of 1 & 2; 12 of 3]
	1121736	Extension Hardware - Gate Flex™ [Includes
	1121/30	13; 18; 19; 22; 28; 32; 2 of 16, 21, 23 & 24]
	1121647	HD Flex Joint Hardware
		[Includes 2 of 27 & 29; 4 of 26 & 30]
1		Hex Nut - 3/8"
2	1700434	Lock Washer - 3/8"
3		Flat Washer - 3/8"
4		Pivot Pin - 4 Spring
5	1116919	Pivot Mounting Bracket - 7-1/4" Standoff
	1116994	Pivot Bracket - Sloped - Gate Flex™**
6	1700400	Self-Tapping Screw - Non Corrosive Coating -
-		3/6 X I
7		Hex Head Cap Screw - 3/8" x 1-1/4"
8		Spacer Washer - 1/4" x 1.81" OD x 1.28"
9		Spiral Torsion Spring
10		Hex Head Cap Screw - 5/16" x 3-1/2"
11		Flat Washer - 5/16"
12		Spacer Tube35" x 2-3/8"
13		Nylon Lock Hex Nut - 5/16"
14		External Retaining Ring - 1-1/4"
15		Flat Washer - 1-1/4"
16	1704892	
17		Lower Flex Arm w/Warning Decals - Rear
		Lower Arm Assembly
18		Centerlock Hex Nut - 3/8"
19		Hex Head Cap Screw - 3/8" x 2-1/2"
20		Gate Flex™
21	1701580	Nylon Lock Hex Nut - 3/8"
22	1703487	Hex Head Cap Screw - 5/16" x 1-1/2"
23		Flange Bearing - 20mm - 2 Bolt
24		Hex Head Cap Screw - 3/8" x 2"
25		Upper Flex Arm - Gate Flex™
26		Flanged Nylon Lock Nut - 5/16"
27		Bellow Plate - Round Holes
28	1706260	End Fitting - Aluminum
29	1121414	Bellow Plate - Square Holes
30	1701455	Carriage Bolt - 5/16" x 2-1/2"
31		Spring Pin - 1/4" x 1-3/8"
32	1701360	Spring Pin - 1/4" x 1-3/4"
33	1128831	Replacement Flex Arm Joint - Aluminum [Includes
		FIEX HOSE; 34; 2 OT 27, 28, 29 & 31; 4 OT 26 & 30]
34		Arm Bellow
35		Manual Override Spline Connector
36		Manual Override Spline Assembly
37		Manual Crank Spline - 3"
38		Rear Cartridge
39		Roll Tube End Cap - Rear
40		Cartridge Clamp
41		Hex Head Cap Screw - 3/8" x 2"
42		Self-Drilling Screw - 1/4" x 1"
43		Carriage Bolt - 5/16" x 1" - GR5
		Nylon Lock Nut - 5/16"
44	1/0-12//	
44	1704277	Beam Bracket - Live Bottom Trailers

<sup>\*</sup>Does NOT include manual override.



<sup>\*\*</sup>Gate Flex<sup>™</sup> pivot bracket P/N 1116994 is used in conjunction with live-bottom beam bracket. Typically used on trailers with knife gates.

# TUBE ASSEMBLY

### 4500 SERIES HD – REAR RETURNS

4500	SERIES	SHD – REAR RETURNS
ITEM	PART#	DESCRIPTION
		REAR CABLE RETURN Rear Cable Return Kit - Heavy Duty [Includes
	1113025	1; 3; 8; 9; 10; 11; 12; 18; 19; 2 of 7, 13 & 17;
	1110020	3 of <b>4</b> , <b>5</b> , <b>6</b> & <b>20</b> ; 4 of <b>2</b> & <b>15</b> ; 5 of <b>14</b> ; 7 of <b>16</b> ]
		Rear Cable Return Kit* - Heavy Duty - 3" [Includes
	1125581	1; 3; 8; 9; 10; 11; 12; 18; 19; 2 of 7, 13 & 17;
		3 of <b>4</b> , <b>5</b> , <b>6</b> & <b>20</b> ; <b>4</b> of <b>2</b> & <b>15</b> ; <b>5</b> of <b>14</b> ; <b>7</b> of <b>16</b> ]  Cable Return Mounting Hardware
	1111469	[Includes 3 of <b>4</b> , <b>5</b> & <b>6</b> ]
1		Hex Head Cap Screw - 1/4" x 2-1/4"
3		Machine Screw - 1" Nylon Lock Hex Nut - 1/4"
	1701343	Self-Tapping Screw - Non Corrosive Coating -
4		3/8 X I
5		Lock Washer - 3/8"
7		Hex Nut - 3/8"  Machine Screw - 1-1/2"
8		Universal Cable Return Housing
9		Spacer Washer - 1-5/8"
10		Extension Spring - Heavy Duty
11		Velcro® Hook - 1" x 4"
12		Cable w/Return Strap  Cable w/Return Strap* - 3"
13		Front Retainer Plate
14		Pulley - 1/16" Cable Groove
15	1111056	Plastic Spacer - 3/8" Thick
16		Machine Screw Nut
17		Rope Block Retainer Plate
18		Flat Washer - #10 Machine Screw - 1-1/4"
19 20		Rear Retainer Plate
20		REAR SHUR-RETURN™
	1125110	Shur-Return™ Kit - Heavy Duty [Includes
	1123119	Tube Assembly; 21; 22; 23; 24; 25; 5 of 26]
	1105101	2-Piece Shur-Return™ Kit - Heavy Duty
		[Includes Tube Assembly; 21; 22; 23; 24; 25; 28; 4 of 30; 5 of 26]
	1105100	4 of 30; 5 of 26]  Shur-Return <sup>1M</sup> Kit* - Heavy Duty - 3" [Includes <b>Tube</b> Accomply: 21: 22: 24: 25: 2 of 21: 5 of 24]
	1125123	ASSEMBLY, 21, 22, 23, 24, 23, 30  31, 30  20
	1105105	2-Piece Shur-Return <sup>™</sup> Kit*** - Heavy Duty - 3"
		[Includes <b>Tube Assembly</b> ; <b>21</b> ; <b>22</b> ; <b>23</b> ; <b>24</b> ; <b>25</b> ; <b>28</b> ; 3 of <b>31</b> ; 4 of <b>30</b> ; 5 of <b>26</b> ]
	4407400	Shur-Return™ Hardware
	110/128	[Includes 21, 22, 23, 24, 23, 3 of 20]
	1124881	Shur-Return™ Hardware* - 3"
21		[Includes 21; 22; 23; 24; 25; 3 of 31; 5 of 26] Nylon End Plug
22	1700717	Eyebolt Anchor - 5/16"
23	1700419	Centerlock Hex Nut - 3/8"
24	1700411	Hex Nut - 5/16"
25		Self-Drilling Screw - #10 x 1/2"
26 27		Self-Tapping Screw - 1/4" x 1/2" Spring Retainer Plug
28		Connector Sleeve
29		Shur-Return™ Rope***
30	1701423	Hex Socket Set Screw - #10 x 3/16"
31	1705198	Self-Drilling Screw - 1/4" x 1"
		SHOCK CORD RETURN
	1114951	Shock Cord Roll Return Kit [Includes 32; 33; 35; 36; 2 of 34 & 38; 6 of 37]
	1125502	Shock Cord Roll Return Kit* - 3"
	1125583	[Includes 32; 33; 35; 36; 2 of 34 & 38; 6 of 37]
32		Shock Cord Tip Down Strap
33		Shock Cord Tie-Down Strap Self-Tapping Screw - Non Corrosive Coating -
34	1700400	3/8" x 1"
35		Shock Cord - 11-1/2"
36		Roll Tube Eye
27		Roll Tube Eye* - 3" Solf Drilling Scrow 1/4" v 1"
37 38		Self-Drilling Screw - 1/4" x 1"  Rear Arm Retaining Collar
30		Rear Arm Retaining Collar* - 3"
*Llcod wit	h 3" roll tuk	

<sup>\*</sup>Used with 3" roll tubes.


 $<sup>\</sup>hbox{\ensuremath{}^{**}} Additional overlength shipping charges apply.$ 

<sup>\*\*\*</sup>Shur-Return  $^{\!\scriptscriptstyle\mathsf{TM}}$  rope does NOT stretch; see stretch cord on next page.


### 4500 SERIES HD - RECEIVER/REMOTE Non Express

	JEINIE	OND - RECEIVER/REMOTE Non Express
ITEM	PART#	DESCRIPTION
		SMART3 <sup>™</sup> RECEIVERS w/SMARTwire <sup>™</sup>
		SMART3™ Receiver w/Remote* - Bottom Output
1	1126965	[Includes 1; 5; 8; 10; 11; 13; 17; 18; 19; 21; 2 of 9
		& <b>20</b> ; 4 of <b>12</b> , <b>15</b> , <b>16</b> , <b>22</b> & <b>23</b> ; 11 of <b>7</b> ; 15 of <b>24</b> ]
		SMART3 <sup>™</sup> Receiver w/Remote* - Rear Output
	1126966	[Includes 1; 5; 8; 10; 11; 13; 14; 17; 18; 19; 21; 2 of
		9 & 20; 4 of 12, 15, 16, 22 & 23; 11 of 7; 15 of 24]
		SMART3™ Receiver* - Bottom Output [Includes
	1126967	5; 8; 10; 11; 13; 17; 18; 19; 21; 2 of 9 & 20;
		4 of <b>12</b> , <b>15</b> , <b>16</b> , <b>22</b> & <b>23</b> ; 11 of <b>7</b> ; 15 of <b>24</b> ]
		SMART3™ Receiver* - Bottom Output [Includes
	1126968	5; 8; 10; 11; 13; 14; 17; 18; 19; 21; 2 of 9 & 20;
		4 of <b>12</b> , <b>15</b> , <b>16</b> , <b>22</b> & <b>23</b> ; 11 of <b>7</b> ; 15 of <b>24</b> ]
		SMART2™ RECEIVERS w/SMARTwire™
		SMART2™ Receiver w/Remote* - Bottom Output
	1122135	[Includes 2; 3; 4; 5; 8; 10; 11; 13; 17; 18; 19; 21; 2
		of 9 & 20; 4 of 12, 15, 16, 22 & 23; 11 of 7; 15 of 24]
		SMART2 <sup>™</sup> Receiver w/Remote* - Rear Output
	1122041	[Includes 2; 3; 4; 5; 8; 10; 11; 13; 14; 17; 18; 19; 21; 2
		of 9 & 20; 4 of 12, 15, 16, 22 & 23; 11 of 7; 15 of 24]
		SMART2 <sup>™</sup> Receiver* - Bottom Output [Includes
	1127070	5; 8; 10; 11; 13; 17; 18; 19; 21; 2 of 9 & 20;
		4 of <b>12</b> , <b>15</b> , <b>16</b> , <b>22</b> & <b>23</b> ; 11 of <b>7</b> ; 15 of <b>24</b> ]
		SMART2™ Receiver* - Rear Output [Includes
	1122137	5; 8; 10; 11; 13; 14; 17; 18; 19; 21; 2 of 9 & 20;
		4 of <b>12</b> , <b>15</b> , <b>16</b> , <b>22</b> & <b>23</b> ; 11 of <b>7</b> ; 15 of <b>24</b> ]
		REMOTES
1	1126867	SMART3™ Remote - Grain Trailer
		Carabiner Key Strap (not shown)
2	1122231	SMART2™ Remote w/Cradle
3	1704958	SMART2™ Charging Cable
4	1124305	SMART2™ Remote Cradle
	1124817	Lanyard Ring Kit (not shown)
		RECEIVER COMPONENTS
	1120050	Receiver Mounting Hardware** [Includes 21; 2 of 20; 4 of 12,
	1120030	Receiver Mounting Hardware** [Includes 21; 2 of 20; 4 of 12, 15, 16, 22 & 23]  Wice Parking Hardware** [Includes 4 of 22 & 23]
	1120051	Wire Retaining Hardware w/Locking Pin**
	1120651	[Includes 20; 4 of 22 & 23]
5	1126880	SMART3 <sup>™</sup> Solenoid Cover w/Gasket - Non Express
	1122955	SMART2 <sup>™</sup> Solenoid Cover w/Gasket - Non Express
6		Solenoid Cover Gasket
7		Flange Cap Screw - #10 x 1/2"
8		Motor-Reversing Solenoid
9		Rubber Grommet w/Slot094" x 7/8"
10		Solenoid Bracket
11		Trim Seal (per foot)
12		Hex Head Cap Screw - 5/16" x 7/8"
13	1703282	Rubber Grommet - 1-1/4" Insert
14		End Plug - 1"
15		Flat Washer - 5/16"
16		Nylon Lock Hex Nut - 5/16"
17		Encoder Wire - 18 Ga 6'4" - SMART2™
18	1121041	SMARTwire <sup>TM</sup> - 6 Ga Socket x 1/4" Terminal - 6'3"
19	1704705	SMARTwire - 6 Ga Sloket x 1/4 Terminal - 6 S SMARTwire™ - 6 Ga Plug x 1/4" Terminal - 2'4"
20		Harness Lock Pin - 1/4" x 7/8"
21	1704000	Rubber Grommet - 1-1/2" Insert
22	1704338	Self-Tapping Screw - 1/4" x 1"
23	1702108	Wire Clip - 3/4" ID
24		Cable Tie - 8"
	1/04378	Dielectric Connector Protector (not shown)

<sup>\*</sup>Receivers marked "Bottom Output" have SMARTwire™ routed through bottom of receiver. Those marked "Rear Output" have SMARTwire™ routed through back of receiver, which is then routed through face of trailer.



<sup>\*\*</sup>Includes dielectric connector protector.



### 4500 SERIES HD - RECEIVER/REMOTE Express Mode


		TO THE EXPRESS Mode
ITEM	PART#	DESCRIPTION
		SMART3™ RECEIVERS w/SMARTwire™
		SMART3™ Receiver w/Remote* - Bottom Output
	1126863	[Includes 1; 5; 8; 10; 11; 13; 17; 18; 19; 21; 2 of 9
		& <b>20</b> ; 4 of <b>12</b> , <b>15</b> , <b>16</b> , <b>22</b> & <b>23</b> ; 11 of <b>7</b> ; 15 of <b>24</b> ]
		SMART3™ Receiver w/Remote* - Rear Output
	1126862	[Includes 1; 5; 8; 10; 11; 13; 14; 17; 18; 19; 21; 2 of
	1120002	9 & 20; 4 of 12, 15, 16, 22 & 23; 11 of 7; 15 of 24]
		SMART3™ Receiver* - Bottom Output [Includes
	1126866	5; 8; 10; 11; 13; 17; 18; 19; 21; 2 of 9 & 20;
	1120000	4 of <b>12</b> , <b>15</b> , <b>16</b> , <b>22</b> & <b>23</b> ; <b>11</b> of <b>7</b> ; <b>15</b> of <b>24</b> ]
		SMART3™ Receiver* - Rear Output [Includes
	110/0/0	5; 8; 10; 11; 13; 14; 17; 18; 19; 21; 2 of 9 & 20;
	1120000	
		4 of 12, 15, 16, 22 & 23; 11 of 7; 15 of 24]
		SMART2™ RECEIVERS w/SMARTwire™
	4405007	SMART2™ Receiver w/Remote* - Bottom Output
	1125007	[Includes 2; 3; 4; 5; 8; 10; 11; 13; 17; 18; 19; 21; 2
		of 9 & 20; 4 of 12, 15, 16, 22 & 23; 11 of 7; 15 of 24]
	4405000	SMART2™ Receiver w/Remote* - Rear Output
	1125003	[Includes 2; 3; 4; 5; 8; 10; 11; 13; 14; 17; 18; 19; 21; 2
		of 9 & 20; 4 of 12, 15, 16, 22 & 23; 11 of 7; 15 of 24]
	4405	SMART2 <sup>™</sup> Receiver* - Bottom Output [Includes
	1125616	5; 8; 10; 11; 13; 17; 18; 19; 21; 2 of 9 & 20;
		4 of <b>12</b> , <b>15</b> , <b>16</b> , <b>22</b> & <b>23</b> ; 11 of <b>7</b> ; 15 of <b>24</b> ]
		SMART2 <sup>™</sup> Receiver* - Rear Output [Includes
	1125008	5; 8; 10; 11; 13; 14; 17; 18; 19; 21; 2 of 9 & 20;
		4 of <b>12</b> , <b>15</b> , <b>16</b> , <b>22</b> & <b>23</b> ; 11 of <b>7</b> ; 15 of <b>24</b> ]
		REMOTES
1		SMART3™ Remote - Grain Trailer
	1704569	Carabiner Key Strap (not shown)
	1122108	SMART2 <sup>™</sup> Remote w/Cradle/Charging Cable [Includes <b>2</b> ; <b>4</b> ]
2	1122231	SMART2™ Remote w/Cradle
3	1124305	SMART2™ Remote Cradle
4	1704958	SMART2™ Charging Cable
	1124817	Lanyard Ring Kit (not shown)
		RECEIVER COMPONENTS
		Receiver Mounting Hardware** [Includes 21; 2 of 20; 4 of 12,
	1120850	15, 16, 22 & 23]
	1120906	Wire Retaining Hardware** [Includes 4 of 22 & 23]
		14.0 5
	1120851	[Includes 20; 4 of 22 & 23]
5	1126873	SMART3™ Solenoid Cover w/Gasket - Express
		SMART2™ Solenoid Cover w/Gasket - Express
6		Solenoid Cover Gasket
7		Flange Cap Screw - #10 x 1/2"
8		Motor-Reversing Solenoid
9		Rubber Grommet w/Slot094" x 7/8"
10		Solenoid Bracket
11		Trim Seal (per foot)
12		Hex Head Cap Screw - 5/16" x 7/8"
13		Rubber Grommet - 1-1/4" Insert
14	1701595	End Plug - 1"
15	1700428	Flat Washer - 5/16"
16		Nylon Lock Hex Nut - 5/16"
17		Encoder Wire - 18 Ga 6'4" - SMART2™
18		SMARTwire™ - 6 Ga Socket x 1/4" Terminal - 6'3"
19	170/1705	SMARTwire <sup>™</sup> - 6 Ga Plug x 1/4" Terminal - 2'4"
20		Harness Lock Pin - 1/4" x 7/8"
21		Rubber Grommet - 1-1/2" Insert
22		Self-Tapping Screw - 1/4" x 1"
22		
23 24		Wire Clip - 3/4" ID Cable Tie - 8"
24		Dielectric Connector Protector (not shown)
		THE PROPERTY OF PROPERTY OF STOWN

<sup>\*</sup>Receivers marked "Bottom Output" have SMARTwire" routed through bottom of receiver. Those marked "Rear Output" have SMARTwire outed through back of receiver, which is then routed through face of trailer.

<sup>\*\*</sup>Includes dielectric connector protector

### 4500 SERIES HD - PIVOT MOUNT BRACKETS

ITEN 4	DADT "	DESCRIPTION
ITEM	PART#	DESCRIPTION
	1121579	Pivot Bracket Hardware - 6" Vertical
	1121580	Pivot Bracket Hardware - 6" Sloped
		[Includes 6 of 5; 16 of 3, 4 & 6; 26 of 2]
		Pivot Pin Hardware [Includes 4 of 3, 4 & 6; 8 of 2]
1		Pivot Pin - 4 Spring
2	1700429	Flat Washer - 3/8"
3	1700434	Lock Washer - 3/8"
4	1700407	Hex Nut - 3/8"
5	1120291	Spacer Washer - 1/4" x 1" OD x .406"
6	1702891	Hex Head Cap Screw - 3/8" x 1-1/4"
7	1121582	Pivot Mount Bracket - 6" x 7-1/4" Standoff
	1121578	Pivot Mount Bracket - 6" x 9-1/4" Standoff
	1124678	Pivot Mount Bracket - 6" x 10-1/4" Standoff
	1121517	Pivot Mount Bracket - 6" x 12-1/4" Standoff
8	1121993	Pivot Mount Bracket - 6" x 6" Standoff - Sloped
	1121994	Pivot Mount Bracket - 6" x 8" Standoff - Sloped
	1121995	Pivot Mount Bracket - 6" x 10" Standoff - Sloped
		Pivot Mount Bracket* - 6" x 6" Standoff - Sloped 17°
	1121587	Pivot Mount Bracket* - 6" x 8" Standoff - Sloped 17°
		Pivot Mount Bracket* - 6" x 10" Standoff - Sloped 17°
9	1121992	Pivot Mount Bracket - Sloped - 6"
10	1700400	Self-Tapping Screw - Non Corrosive Coating - 3/8" x 1"
11	1121583	Pivot Backer Plate - 7" x 16"
	1121584	Pivot Backer Plate - 7" x 20"
	1122040	Pivot Backer Plate - 7" x 24"




### 4500 SERIES HD - TRAILER WIRING KITS

	<b></b>	
ITEM	PART#	DESCRIPTION
		Lead Trailer Wiring Kit* - SMARTwire™ - 4 Ga
	1122536	33' Trailer [Includes 1; 2; 3; 6; 7; 8; 2 of 4; 12 of 9; 14 of 5; 40 of
		10]
		Lead Trailer Wiring Kit* - SMARTwire™ - 4 Ga
	1122537	42' Trailer [Includes 1; 2; 3; 6; 7; 8; 2 of 4; 12 of 9; 14 of 5; 40 of
		10]
		Lead Trailer Wiring Kit* - SMARTwire™ - 4 Ga
	1122538	50' Trailer [Includes 1; 2; 3; 6; 7; 8; 2 of 4; 12 of 9; 14 of 5; 40 of
		10]
		Lead Trailer Wiring Kit** - SMARTwire™ - 4 Ga
	1122533	Combo 33' Trailer [Includes 6; 7; 8; 12 of 5 & 9;
		40 of 10]
		Lead Trailer Wiring Kit** - SMARTwire™ - 4 Ga
	1122534	Combo 42' Trailer [Includes 6; 7; 8; 12 of 5 & 9;
		40 of 10]
	4400505	Lead Trailer Wiring Kit** - SMARTwire™ - 4 Ga
	1122535	Combo 50' Trailer [Includes 6; 7; 8; 12 of 5 & 9;
		40 of 10]
	1120849	Junction Block Kit w/Harness Plug
1	1704695	Harness Junction Block
2		Wire Harness Rubber Plug
3		Harness Lock Pin - Short
4		Harness Lock Pin - Long
5		Self-Tapping Screw - 1/4" x 1"
6		SMARTwire™ Dual-Conductor Socket - 22'
⊢ Ŭ		SMARTwire™ Dual-Conductor Socket - 32'
		SMARTwire™ Dual-Conductor Socket - 40'
7		SMARTwire™ - 4 Ga Plug/Socket - 25'
8		Wire Harness Seal
9		Wire Clip - 3/4" ID
10		Cable Tie - 8"
11		Dual-Conductor Housing - Female
12		Coiled Wire w/Dual-Conductor Plugs - 4 Ga. x 15'
12		Coiled Wire w/Dual-Conductor Plugs - 4 Ga. x 15  Coiled Wire w/Dual-Conductor Plugs - 4 Ga. x 20'
	1123930	Colled Wille W/Dual-Colludctor Plugs - 4 Ga. X 20

 $<sup>^*</sup>$ Lead trailer wiring kit ties into either 4500 Series HD or hopper kits on lead trailer, which routes power to rear of lead trailer.

 $<sup>^{**}\</sup>mbox{Lead}$  trailer wiring kit ties into BOTH 4500 Series HD and hopper kits on lead trailer, which routes power to rear of lead trailer.



<sup>\*</sup>Used on trailers with long, flat sloped front or rear..

## 26 16 15 7 3 8 10 10 21 11 13 13 14 15 16 27 28 22 23 24 29 30 30 31 34 34 37 35 35 37 36 37 37 36 37 37 38 39 40 44 45 42 45

### AUTOTRAP™ - SMARTWIRE™ HOPPER DOOR OPENERS

7010	IIVAI	- SMARTWIRE HOPPER DOOR OPENERS
ITFM	PART #	DESCRIPTION
		Intermediate Presket Hardware Deil Maunt
	1123896	[1] 10(0/.4(07.0.00./(45.0.4/]
	1110050	Includes 2 of 26; 4 of 27 & 28; 6 of 15 & 16]  Hinge Bracket Hardware [Includes 2 of 2 & 27;  4 of 3: 5 of 11 14 15 & 16]
		7 01 3, 3 01 11, 17, 13 Q 10
1		Coupling - 1-3/8" x 6"
2		Hex Head Cap Screw - 3/8" x 2"
3		Nylon Lock Nut - 3/8"
4	1705226	Adapter Bushing
5		Manual Locking Gear
6	1700419	Nylon Lock Hex Nut - 5/16"
7		Shaft Adapter - 3/4" to 1"
8		Hex Head Cap Screw - 5/16" x 1-1/2"
9	1118318	Spacer Washer - 1/4" x 1.81 OD x 1.28"
10	1124697	Drive Shaft - 27"
	1700400	Self-Tapping Screw - Non Corrosive Coating - 3/8" x 1"
11	1700400	3/8" x 1"
12	1118439	Replacement Hinge Bracket
13		Shim Insulator
14		Flat Washer - 3/8"
15		Lock Washer - 3/8"
16		Hex Nut - 3/8"
17		Locking Pin
18		Protective Cap - 1/4" x 1/2"
19		Locking Pin Bracket
20	1705231	Carriage Bolt - 5/16" x 3/4" - GR5
21	1704904	Extension Spring - 7/32" x .023" x 1-15/16"
22		Hex Nut - 15/16"
23	1700433	Lock Washer - 15/16"
24	1123553	Motor Mount Bracket
25	1123895	Intermediate Bracket - Rail Mount
26	1701061	Hex Head Cap Screw - 3/8" x 1"
27	1702891	Hex Head Cap Screw - 3/8" x 1-1/4"
28		Spacer Washer - 1/4" x 1 OD" x .406"
29		AutoTrap™/MaxxTrap™ Motor
30		Hex Head Cap Screw - 5/16" x 4"
31	1124858	Universal Debris Deflector
32	1704716	SMARTwire <sup>™</sup> - 6 Ga. x Plug x 1/4" Terminal - 10'
33		Hex Head Cap Screw - 5/16" x 3/4"
34		Universal Modular Control Bracket
35	1705258	Button Plug - 11/16"
36	1704721	Rubber Grommet w/Slot094" x 7/8"
37		Push-In Rubber Grommet - 3/8" x 11/16"
38		Lock Washer - 1/4"
39	1703959	Hex Head Cap Screw - 1/4" x 3/4"
40		Motor Bushing - 4"
41		Soc Head Cap Screw - 3/8" x 1/2"
42		Crank Handle
43		Cable Tie - 8"
44		Motor-Reversing Solenoid
45		Flange Cap Screw - #10 x 1/2"
46		Solenoid Cover Gasket
47		SMART3™ Solenoid Cover w/Gasket
		SMART2™ Solenoid Cover w/Gasket
48		Allen Wrench - 5/16" x 6"
49	1705088	Motor Bushing* - 4-7/16"
50		Hex Head Cap Screw* - 5/16" x 2" - GR8
51	1123562	Modular Control Bracket*
52	1123563	Debris Deflector*
53		AutoTrap™ Motor*
· - · · ·	,	

<sup>\*</sup>Order these components if AutoTrap<sup>™</sup> was purchased before 2016.

### MAXXTRAP™ - CRANK ARMS/CRANK RETAINERS


ITEM	PART#	DESCRIPTION
	1101929	Offset Crank Retainer Kit [Includes 6; 9; 10; 2 of 5, 7 & 8] Offset Crank Retainer Hardware Kit
	1107062	Offset Crank Retainer Hardware Kit [Includes 6; 10; 2 of 5, 7 & 8]
	1122729	Override Crank [Includes 1; 2; 3]
1	1700527	Econo U-Joint
2	1700445	Spring Pin - 1/4" x 1-1/2"
3	1124947	Crank Arm - 42"
4	1116110	Crank Handle Kit (Handle - Washer - Nut)
5	1700407	Hex Nut - 3/8"
6	1100574	Cable w/#5 Interlock Snap
7	1700400	Self-Tapping Screw - Non Corrosive Coating - 3/8" x 1"
8	1700434	Lock Washer - 3/8"
9	1101930	Offset J-Hook Crank Retainer
10	1700526	Wire Lock Pin - 3/8" x 2-1/2"


### MAXXTRAP™ - SMARTWIRE™ HOPPER DOOR OPENERS

111700	X I IXAF	- SMARTWIRE HOPPER DOOR OPENERS
ITEM		DESCRIPTION
1		Hex Head Cap Screw - 5/16" x 2" - GRB
2		Hex Head Cap Screw - 3/8" x 1-1/2"
3	1705078	Override Adapter - 1"
	1705077	Override Adapter - 7/8"
4	1124587	Override Coupling
5	1701176	Flat Washer - 3/8" - SAE
6		Manual Override Pawl
7		Nylon Lock Nut - 5/16"
8		Manual Override Bracket - Wilson RP2
		Manual Override Bracket - Wilson G2
9		Stainless Wave Washer - 3/8"
10		Nylon Lock Nut - 3/8"
11		Cable Tie - 8"
12	1704716	SMARTwire™ - 6 Ga. x Plug x 1/4" Terminal - 10'
13		Cable Assembly - 7'
14		Flange Cap Screw - #10 x 1/2"
15	1122717	Dummy Solenoid Cover
16		Solenoid Cover Gasket
17		Motor-Reversing Solenoid
18		Hex Head Cap Screw - 1/4" x 3/4"
19		Lock Washer - 1/4"
20		Universal Modular Control Bracket
21		Rubber Grommet - 3/8" x 1/2"
22		Rubber Grommet w/Slot094" x 7/8"
23		AutoTrap™/MaxxTrap™ Motor
24		Motor Bushing - 4"
25		Gearbox Bracket - GEN2*
		Gearbox Bracket - STO*
		Gearbox Bracket*
		Gearbox Bracket - Wilson*
		Gearbox Bracket - Original RRP*
	1125618	Gearbox Bracket - MRT*
26		Gearbox Shim Insulator
27		SMART2™ Control Module - MaxxTrap™
28		Mud Guard
29		Modular Control Bracket
30		SMART2 <sup>™</sup> Control Module w/Mounting Bracket
31		Flange Cap Screw - #10 x 1-1/2"
32		Hex Head Cap Screw - 5/16" x 3/4"
33		Universal Debris Deflector
34		Protective Cap - 1.3" ID
35		Soc Head Cap Screw - 3/8" x 1/2"
36		Lock Washer - 5/16"
37		O-Ring - 7/8" ID x 1-1/8" OD
38		Drive Shaft - 5-3/4"
39		Hex Head Cap Screw - 3/8" x 1"
40	1700427	Flat Washer - 1/4"



NOTE: These are replacement parts for MaxxTraps purchased after 2016. For replacement parts for systems before 2016, please CALL. Be sure to have the year, make and model of your trailer ready.





### PROTRAP® - RAIL MOUNT ASSEMBLIES

ITEN 4	DADT#	DESCRIPTION
ITEM		DESCRIPTION  Live Part   Part
	1118569	Hinge Bracket Hardware* - Rail Mount
		[Includes <b>10</b> ; 2 of <b>8</b> ; 5 of <b>1</b> , <b>3</b> , <b>4</b> , <b>5</b> & <b>11</b> ]
1	1700400	Self-Tapping Screw - Non Corrosive Coating - 3/8" x 1"
2		3/6 X I
2		Replacement Hinge Bracket - Rail Mount
3		Flat Washer - 3/8"
4	1700434	Lock Washer - 3/8"
5	1700407	Hex Nut - 3/8"
6	1704716	SMARTwire™ - 6 Ga. x Plug x 1/4" Terminal - 10'
7	1118527	Intermediate Bracket - Rail Mount
8	1702904	Hex Head Cap Screw - 3/8" x 1-1/8"
9	1704367	Hex Flange Cap Screw - #10 x 3/4"
10	1703178	Hex Head Cap Screw - 3/8" x 6-1/2"
11		Nylon Lock Nut - 3/8"
12	1704721	Rubber Grommet w/Slot094" x 7/8"
13	1704818	Rubber Grommet - 1/2" x 1-1/16"
14	1120701	Modular Control Bracket
15		Motor-Reversing Solenoid
16		Flange Cap Screw - #10 x 1/2"
17		SMART3™ Solenoid Cover w/Gasket
		SMART2™ Solenoid Cover w/Gasket
18		Solenoid Cover Gasket
	1704378	Dielectric Connector Protector (not shown)

 $<sup>^*</sup>$ Includes dielectric connector protector.

### PROTRAP® – SMARTWIRE™ HOPPER DOOR OPENERS


I.O.I	IVAI	SMARTWIRE HOTTER BOOK OF ENERS
ITEM	PART#	DESCRIPTION
	4440050	Hinge Bracket Hardware Kit*
	1118253	[Includes 2 of 9 & 19; 4 of 7; 5 of 1, 3, 4 & 5]
1	1700400	Self-Tapping Screw - Non Corrosive Coating -
	1700400	Self-Tapping Screw - Non Corrosive Coating - 3/8" x 1"
2	1118439	Replacement Hinge Bracket
3		Flat Washer - 3/8"
4		Lock Washer - 3/8"
5		Hex Nut - 3/8"
6		Flat Washer - 1/4"
7	1701580	Nylon Lock Nut - 3/8"
8		SMARTwire™ - 6 Ga. x Plug x 1/4" Terminal - 10'
9		Hex Head Cap Screw - 3/8" x 1-1/8"
10		Intermediate Bracket - SMARTwire™
11		Rubber Grommet - 1/2" x 11/16"
12		Rubber Grommet w/Slot - 1/4" x 7/8"
13		Motor-Reversing Solenoid
14		Hex Flange Cap Screw - #10 x 3/4"
15		SMART3™ Solenoid Cover w/Gasket
		SMART2™ Solenoid Cover w/Gasket
16	1704309	Solenoid Cover Gasket
17		Rock Flap [Includes Flap; 4 of 3, 7 & 9]
18	1118038	Coupling - 1-3/8" x 4"
19		Hex Head Cap Screw - 3/8" x 2"
20	1700381	Hex Head Cap Screw - 1/4" x 1"
21	1118034	Flange Bearing
22	1701543	Nylon Lock Hex Nut - 1/4"
23	1118033	Manual Shaft
24	1118026	Motor Mount Bracket - Driver Side
	1119141	Motor Mount Bracket - Passenger Side
25	1704276	Protective Cap - 1/4" x 1/2"
26	1118036	Locking Pin
27	1118035	Lock Retainer
28	1700377	Hex Head Cap Screw - 1/4" x 1-1/2"
29	1118031	Locking Coupling
30	1704389	Hex Nut - 5/16"
31		Lock Washer - 5/16"
32		ProTrap® 150 Motor
	1118400	ProTrap® 250 Motor
		ProTrap® 350 Motor
33		Hex Head Cap Screw - 3/8" x 6-1/2"
		Dielectric Connector Protector (not shown)

 $<sup>{}^*</sup> Includes \ dielectric \ connector \ protector.$ 


### AUTOTRAP™/MAXXTRAP™/PROTRAP® – CAR WIRING KITS

TEM PART # DESCRIPTION	
	ITEM PART#
Cab Wiring Kit* - 6 Ga Master Disconnect - 30'	
1118417 [Includes <b>2</b> ; <b>3</b> ; <b>4</b> ; <b>9</b> ; <b>10</b> ; <b>13</b> ; 2 of <b>5</b> , <b>6</b> , <b>8</b> & <b>11</b> ;	1118417
4 of <b>1</b> & <b>12</b> ; 15 of <b>7</b> ]	
Cab Wiring Kit - 6 Ga Master Disconnect	
1125292 w/External Switch - 30' [Includes 4; 9; 10; 13; 14;	1125292
2 of <b>11</b> ; 4 of <b>12</b> ; 15 of <b>7</b> ]	Í
Cab Wiring Kit* - 4 Ga.** - Master Disconnect - 30'	
1122725 [Includes 2; 3; 4; 9; 10; 13; 2 of 5, 6, 8 & 11;	1122725
4 of <b>1</b> & <b>12</b> ; 15 of <b>7</b> ]	
Cab Wiring Kit - 4 Ga.** - Master Disconnect	
1125293 w/External Switch - 30' [Includes 4; 9; 10; 13; 14;	1125293
2 of <b>11</b> ; 4 of <b>12</b> ; 15 of <b>7</b> ]	
2011, 40112, 13017]  1125617 Master Disconnect Switch Kit	1125617
[includes 2; 3; 2 or 5, 6 & 8; 4 or 1]	1125017
1120466 Master Disconnect Kit* - 10' [Includes 2; 3; 4;	1120466
1120466 Master Disconnect Kit - 10 [includes 2; 3; 4; 9; 10; 2 of 5, 6, 8 & 11; 4 of 1 & 12; 15 of 7]  Master Disconnect Kit - 30 [includes 2; 3; 4;	
1120/167 Master Disconnect Nit 30 [melades 2, 3, 4,	1120467
9; 10; 2 of 5, 6, 8 & 11; 4 of 1 & 12; 15 of 7]	
1118325 Mounting Bracket Hardware Kit [Includes 2 of <b>5</b> , <b>6</b> & <b>8</b> ; 4 of <b>1</b> ]	1118325
Cab Wiring Hardware Kit - 6 Ga	
1118254 [Includes <b>4</b> ; <b>9</b> ; 2 of <b>11</b> ; 4 of <b>12</b> ; 15 of <b>7</b> ]	1118254
Cab Wiring Hardware Kit - 4 Ga **	44007/4
1122761 [Includes 4; 9; 2 of 11; 4 of 12; 15 of 7]	1122/61
1 1700398 Self-Drilling Screw - 1/4" x 3/4"	<b>1</b> 1700398
2 1118323 Disconnect Switch Mounting Bracket	
3 1704283 Battery Disconnect Rotary Switch	
4 1704284 Face Plate	
5 1704152 Dome Nut - 1/2"	<b>5</b> 1704152
6 1704187 Lock Nut - 1/2"	
7 1703231 Cable Tie - 8"	
8 1704330 Rubber Insulating Boot	
9 1704354 40-Amp Modified-Reset Circuit Breaker	
10 1119077 Dual-Conductor Wire - 6 Ga 10'	
1119078 Dual-Conductor Wire - 6 Ga 20'	
1118495 Dual-Conductor Wire - 6 Ga 30'	
1119645 Dual-Conductor Wire - 6 Ga 40'	
1110312 Dual-Conductor Wire - 6 Ga 50'	
1127835 Dual-Conductor Wire - 6 Ga 60'	
1108102 Dual-Conductor Wire - 6 Ga 75'	
1108101 Dual-Conductor Wire - 6 Ga 100'	
1704888 SMARTwire™ - 4 Ga Plug/Socket - 25'	
1705108 SMARTwire <sup>TM</sup> - 4 Ga Plug/Socket - 30'	
1123042 SMARTwire™ - 4 Ga Socket - 40'	
1704989 SMARTwire - 4 Ga Socket - 90'	
1703822 Dual-Conductor Wire - 6 Ga 259 Strand (per foot)	
1705107 Dual-Conductor Wire - 4 Ga 133 Strand (per foot)	
11 1703245 Ring Terminal - 6 Ga. x #10 Stud - Motor/Breaker	
1705106 Ring Terminal - 4 Ga.** x #10 Stud - Motor/Breaker	
12 1703244 Ring Terminal - 6 Ga. x 3/8" Stud - Battery	
1705105 Ring Terminal - 4 Ga.** x 3/8" Stud - Battery	
13 1115385 Heavy-Duty Dual-Conductor Plug	
14 1125214 External Master Disconnect Switch	
15 1125291 External Master Disconnect Switch Kit	
1704378 Dielectric Connector Protector (not shown)	1704378

 $<sup>{}^*</sup> Includes \ dielectric \ connector \ protector.$ 



<sup>\*\*</sup>AutoTrap™ and MaxxTrap™ use 4-gauge wire.




### 

ITEM	DADT#	DESCRIPTION
HEIM	PART#	DESCRIPTION SMARTwire™ COMPONENTS
	1120849	Junction Block Kit w/Harness Plug
		HIDCHOES 1: 2: 3: 7 OF 4 Ø 31
	1120848	Junction Block Kit w/o Harness Plug
		[Includes 1; 3; 2 of 4 & 5]
	1125580	SMARTwire™ Dual-Conductor Socket w/Hardware
		[Includes 6, 7, 2 of 6, 7 & 10]
	1120851	Wiring Retaining Hardware w/Locking Pin* [Includes 9; 4 of 5 & 14]
4		Wiring Retaining Hardware* [Includes 4 of 5 & 14]
1		Harness Junction Block
3		Wire Harness Rubber Plug
		Harness Lock Pin - Short
4		Harness Lock Pin - Long
5		Self-Tapping Screw - 1/4" x 1"
6		Hex Head Cap Screw - 5/16" x 3/4"
7		Top Lock Flange Nut - 5/16"
8		SMARTwire™ Dual-Conductor Socket - 6 Ga. x 3'6"
		SMARTwire™ Dual-Conductor Socket - 4 Ga. x 3'6"
9		Harness Lock Pin - 1/4" x 7/8"
10		Flat Washer - 1/4"
11		SMARTwire™ - 6 Ga Plug/Socket - 8'
		SMARTwire™ - 6 Ga Plug/Socket - 16'
	1704704	SMARTwire™ - 6 Ga Plug/Socket - 25'
		SMARTwire™ - 4 Ga.** - Plug/Socket - 25'
40		SMARTwire™ - 4 Ga.** - Plug/Socket - 30'
12		Wire Harness Seal
13		Cable Tie - 8"
14		Wire Clip - 3/4" ID
	1/043/8	Dielectric Connector Protector (not shown)
45	440/0/7	REMOTES
15		SMART3™ Remote - Grain Trailer
	1/04569	Caribiner Key Strap (not shown)
	1122108	SMART2™ Remote w/Cradle/Charging Cable
1.0		[Includes 16; 17; 18]
16		SMART2™ Remote w/Cradle
17		SMART2™ Remote Cradle
18		SMART2™ Charging Cable
19	1704978	Dual Conductor Housing - Female

<sup>\*</sup>Includes dielectric connector protector.

<sup>\*\*</sup>AutoTrap™ and MaxxTrap™ use 4-gauge SMARTwire™.




### AUTOTRAP™/PROTRAP® - TRAILER MOUNTS


		,
ITEM	PART#	DESCRIPTION
		FOR DAKOTA TRAILERS
	1118337	Hopper Parts Kit* [Includes 5; 2 of 3; 4 of 1, 2 & 4]
1		Hex Nut - 3/8"
2	1700434	Lock Washer - 3/8"
3	1118305	Bearing Retainer
4	1700400	Self-Tapping Screw - Non Corrosive Coating - 3/8" x 1"
5	1118306	Door Stop - 3" x 1"
		FOR TIMPTE TRAILERS
	1118338	Hopper Parts Kit* [Includes 4 of 6]
6		Door Stop - 3" x 1"
		FOR CORNHUSKER TRAILERS
	1118339	Hopper Parts Kit* [Includes 7]
7	1118308	Adapter Shaft
		FOR NEVILLE TRAILERS
	1118872	Hopper Parts Kit* [Includes 4 of 8]
8	1120472	Stop Hook - 1"
		HIGH HOOKS
	1118870	Hopper Parts Kit* - High [Includes 4 of <b>9</b> ]
9	1118585	Stop Hook - 1-1/8"
		HIGH & LOW HOOKS
	1118871	Hopper Parts Kit* - High & Low [Includes 4 of <b>9</b> & <b>10</b> ]
10	1118745	Stop Hook - 5/8"

 $<sup>{}^*</sup> Includes \ instructions.$ 

### $\mathsf{DRIVEMAXX}^{\mathsf{m}}$

DIXI	V EIVIA)	VA .
ITEM	PART#	DESCRIPTION
		DriveMaxx™ Main Beam Assembly [Includes 10; 16; 17; 18; 24; 2 of 11, 12 & 22; 4 of 19, 21 & 25; 8 of 23; 10 of 20 ]
	1127234	Wheel Assembly - Clockwise [Includes 2; 3; 5; 4 of 1 & 12]
	1127230	Wheel Assembly Countereleduries
	1127278	Assembly Hardware - DriveMayy™ [Includes 2 of 11 13: 11: 15:
1	1705967	Hex Head Cap Screw - 1/2" x 1"
2		Wheel Hub
3		Wheel - Clockwise
4		Wheel - Counterclockwise
5	1705968	Lynch Pin - 5/16" x 1-3/4" - Zinc
6	1128578	Jack - Dual
7		Jack - Single
8		Flat Washer - 1/2"
9		Cap Screw - 1/2" x 1-1/2"
10		DriveMaxx™ Main Beam Weldment
11		Hex Head Cap Screw - 1/2" x 3-1/4"
12		Nylon Lock Nut - 1/2"
13		Jack Mount Rack
14		Cap Screw - 3/8" x 1-1/2"
15		Flat Washer - 3/8" - USS
16		Nylon Lock Nut - 3/8"
17 18	1702221	AutoTrap™/MaxxTrap™ Motor  Cable Tie - 8"
19		SMARTwire™ - 6 Ga Plug x 1/4" Terminal - 1'
20	1127260	Junction Box 2 x 4 x 4
21		Dome Nut - 1/2"
22		Flange Cap Screw - #10 x 3/4"
23		Lock Nut - 1/2"
24		Hex Head Cap Screw - 1/4" x 1"
25		Flat Washer - #12
26		Junction Box Back Plate
27	1700408	Hex Nut - 1/4"
28	1127464	Drive Brace - 10" to 11"
		Drive Brace - 11" to 12"
		Drive Brace - 12" to 13"
		Drive Brace - 13" to 14"
		Drive Brace - 14" to 15"
		Drive Brace - 15" to 16"
		Drive Brace - 16" to 17"
		Drive Brace - 17" to 18"
		Drive Brace - 18" to 19"
	1128021	Drive Brace - 19" to 20" Drive Brace - 20" to 21"
29		Tube Band w/Jack Mount - 8"
27		Tube Band w/Jack Mount - 0"
		Tube Band w/Jack Mount - 10"
		Tube Band w/Jack Mount - 12"
		Tube Band w/Jack Mount - 14"
30		Tube Band - 8"
		Tube Band - 10"
	1127247	Tube Band - 12"
		Tube Band - 13"
	1127248	Tube Band - 14"





### DRIVEMAXX™ - ELECTRICS


ITEM		DESCRIPTION
	1120823	Tractor Wiring Kit - 40 Amp - Wireless - 30'
	1128575	LiteALL™ Control Assembly - SMART3
	1126881	SMART3™ Solenoid Cover w/Gasket
	1120855	Breaker Hardware
1	1703231	Cable Tie - 8"
2	1118495	Dual-Conductor Wire - 6 Ga 30'
3	1704354	40-Amp Modified-Reset Circuit Breaker
4	1703245	Ring Terminal - 6 Ga. x #10 Stud - Motor/Breaker
5	1703244	Ring Terminal - 6 Ga. x 3/8" Stud - Battery
6	1109015	Conductor Plug Mounting Bracket
7	1701045	Hex Head Cap Screw - 5/16" x 3/4"
8	1700427	Flat Washer - 1/4"
9	1704946	Top Lock Flange Nut - 5/16"
10	1700407	Hex Nut - 3/8"
11	1700434	Lock Washer - 3/8"
12	1700400	Self-Tapping Screw - 3/8" x 1" (non-corrosive coating)
13	1119557	Heavy-Duty Dual-Conductor Socket w/Boot - Vertical Pin
14	1704312	Motor-Reversing Solenoid
15		SMART3™ Control Module - Latching - On/Off w/o Safety Lockout
16	1126886	SMART3™ Solenoid Cover - Non Express
17		Solenoid Cover Gasket
18		Dual Conductor 6GA Wire Assembly - 16'
19		SMARTwire™ - 6 Ga Socket x 1/4" Terminal - 6'3"
20		Flange Cap Screw - #10 x 1-1/2"
21		Flange Cap Screw - #10 x 1/2"
22	1128572	Magnetic LED LiteALL™


### **ELECTRIC GATE/ELECTRIC HOIST**

LLLC	IKICG	ATE/ELECTRIC HOIST
ITEM	PART#	DESCRIPTION
	1124614	Air Fitting Hardware [Includes 4 of 35 & 36]
		Gate/Hoist Hardware [Includes 5; 7; 9;
	1124615	2 of 6; 4 of 13, 27 & 33; 8 of 1, 3, 4, 10, 11, 14 & 17;
		10 of <b>26</b> & <b>27</b> ; 40 of <b>31</b> ]
	1123212	Wire Retaining Hardware [Includes 10 of 26 & 27]
1		Elevator Bolt - 3/8" x 1"
2	1124588	Actuator Mounting Bracket
3	1700434	Lock Washer - 3/8"
4	1700407	Hex Nut - 3/8"
5	1700369	Hex Head Cap Screw - 3/8" x 1-3/4"
6	1701176	Flat Washer - 3/8" - SAE
7	1701580	Nylon Lock Nut - 3/8"
8	1128354	Gate Actuator - 12 Stroke w/2-Post WeatherPack™
9	1704427	Wire Lock Pin - 3/8" x 1-3/4"
10	1700408	Hex Nut - 1/4"
11	1700436	Lock Washer - 1/4"
12		Control Module Mounting Bracket*
13	1700381	Hex Head Cap Screw - 1/4" x 1"
14	1702653	Machine Screw Nut
15	1124669	Macnine Screw Nut SMART2™ Control Module - Momentary - Open/Closed
	112-1007	Open/Closed
	1126890	SMART3™ Control Module - Momentary -
		Open/Closed SMART2™ Control Module - Momentary -
16	1125225	Un/Down
	110/004	SMART3™ Control Module - Momentary -
		OD/DOWN
17		Flange Cap Screw - #10 x 1-1/2"
18		Ring Terminal - 10-12 Ga. x 3/8" Stud
19		Ring Terminal - 10-12 Ga. x #10 Stud
20		Power Wire w/Circuit Breaker
21		6-Amp Modified-Reset Circuit Breaker
22		Output Splitter w/WeatherPak™
23		Power Cable Power Cable
24		Hoist Control Cable
25		Extension Cable w/WeatherPak™ - 20'
26		Wire Clip - 3/4" ID
27		Self-Tapping Screw - 1/4" x 1"
- 00	1700398	Self-Drilling Screw - 1/4" x 3/4"
28	1/04958	SMART2 <sup>TM</sup> Charging Cable
29		SMART2™ Remote Cradle
30	1122231	SMART2™ Remote w/Cradle
	1122108	SMART2™ Remote w/Cradle/Charging Cable [Includes 28: 30]
31		Cable Tie - 8"
32		Air Brake Tube - 1/4"
33		Hex Head Cap Screw - 1/4" x 1-1/2"
34		Solenoid Air Valve - 3 Way
35		Air Fitting - Union Tee - 1/4"
36	1705515	Air Fitting - 90° Male Elbow - 1/4"
37		SMART3™ Remote
38		Receiver Bracket - Mini Module - Farm
- 30		Carabiner Key Strap (not shown)
	1/0-100/	Carabilier 1.c, Strap (not snown)

 $<sup>^{*}</sup>$ Optional; if ordered, use with items 10, 11 and 13.

NOTE: If item 8 (P/N 1128354) is purchased to be used with a non-Shur-Co $^{\otimes}$  product, then item 21 (P/N 1705513) MUST also be purchased or warranty for gate actuator is void.






### AUTOGATE™

AUT	JGATE	
ITEM	PART#	DESCRIPTION
	1127664	Control Box - Trickle Charge [Includes 4; 6; 7; 8; 9; 4 of 5; 25 of 10]
	1127660	Control Box - Solar [Includes 4; 6; 7; 8; 9; 34; 4 of 5; 25 of 10]
		GateStopHardware[Includes32;33;4of22,23,24,25&26]
	1128036	Hinge Post Bracket Hardware [Includes 4 of 22, 23, 24, 25, 26, 29 & 31; 8 of 30]
	1128037	of 18: 6 of 20]
		Solar Panel Mounting Hardware [Includes 4 of 2 & 22; 30 of 21]
	1128039	Control Box Mounting Hardware [Includes 2 of 2 & 3]
	1128387	Box Hardware - Trickle Charge Includes 14; 16; 17; 19; 27, 28, 32; 33; 2 of 3; 4 of 18, 29 & 31; 6 of 2 & 20; 8 of 22, 23, 24, 25, 26 & 30]
	1127913	Box Hardware - Solar [Includes $14; 16; 17; 19; 27, 28, 32; 33; 2$ of $3; 4$ of $18, 29 \& 31; 6$ of $20; 8$ of $2, 23, 24, 25, 26 \& 30; 12$ of $22; 30$ of $21$ ]
1	1128511	12 Volt Trickle Charger
2	1700400	Self-Tapping Screw - 3/8" x 1" (non-corrosive coating)
3		Lag Screw - 3/8" x 1-1/2"
4	1127656	SMART3™ Control Module - Trickle Charger
5	1705412	Flange Cap Screw - #10 x 1-1/2"
6	1705154	Mini Fuse - 10 Amp
7	1706024	Mini Fuse - 15 Amp
8	1706022	12 Volt Rechargeable Battery
9	1127995	Battery Cover
10		Flange Cap Screw - #10 x 1/2"
11	1128480	Extension Cable - 100'
12	1127657	Solar Panel Assembly
13	1126867	SMART3™ Remote - Grain Trailer
14	1706072	Cap Screw - M10 x 35mm
15	1127655	Gate Actuator - 12 Stroke w/5-Post WeatherPack™
16	1704427	Wire Lock Pin - 3/8" x 1-3/4"
17		Hex Nut - M10
18	1704931	Flanged Nylon Lock Nut - 5/16"
19	1127898	Gate Bracket
20		U-Bolt - 5/16" x 1-1/2" ID
	1706070	U-Bolt - 5/16" x 1-3/4" ID
		U-Bolt - 5/16" x 2" ID
21		Cable Tie - 8"
22		Lag Screw - 3/8" x 2-1/2"
23		Carriage Bolt - 3/8" x 7"
24		Hex Nut - 3/8"
25		Lock Washer - 3/8"
26		Flat Washer - 3/8"
27		Hinge Post Bracket
28	1127908	Hinge Post Slide Bracket
29		Hex Head Cap Screw - 5/16" x 1"
30		Flat Washer - 5/16"
31		Nylon Lock Hex Nut - 5/16"
32		Stop Plate Mounting Bracket
33		Stop Plate
34	1128057	Replacement Solar Controller

### **ELECTRIC TURNING POINT™ BOW**

ELEC	IRICI	URNING POINT™ BOW
ITEM	PART#	DESCRIPTION
		Electrical Parts Kit w/Rocker Switch* - 25-Amp Auto
	1117641	Rest [Includes 20; 22; 26; 27; 28; 30; 32; 37;
		2 of <b>19</b> , <b>23</b> , <b>29</b> , <b>31</b> , <b>34</b> & <b>35</b> ; 4 of <b>21</b> & <b>33</b> ; 5 of <b>36</b> ]
	1124000	SMART3 <sup>™</sup> Receiver Kit w/Remote* - Turning Point <sup>™**</sup> [Includes <b>20</b> ; <b>22</b> ; <b>32</b> ; 2 of <b>19</b> , <b>23</b> , <b>34</b> & <b>35</b> ;
	1120000	4 of 21, 33, 38, 39, 40 & 41]
	4400047	Two-Pole Connector w/Hardware - Vertical Pin
	1109016	[Includes 54; 58; 60; 61: 2 of 9, 10, 11, 42, 59 & 62]
1		Hex Nut - M12 x 1-3/4
2		Lock Washer - 1/2"
3		Actuator Shield
5		Flange Locking Nut - M12 x 1-3/4 Electric Linear Actuator
6		Spring Pin - 1/4" x 1-3/16"
7		Electric Turning Point™ Bow - 8" Rise
	1117622	Electric Turning Point™ Bow - 12" Rise
8		Hex Flange Cap Screw - M12 x 60
9		Hex Nut - 3/8"
10	1/00434	Lock Washer - 3/8" Salf-Tapping Scrow - Non Corrective Coating -
11	1700400	Self-Tapping Screw - Non Corrosive Coating - 3/8" x 1"
12	1117628	Bow Pivot Bracket
13	1107006	Pivot Bracket Spacer
14		Bow Attachment Spring Assembly
15		Nylon Lock Nut - 1/4"
16		Limit Switch
17 18		Contact Bracket Offset Adapter Hex Head Cap Screw - 1/4" x 1/2"
19		Nylon Lock Hex Nut - #6-32
20		Terminal Block Mounting Bracket
21		Self-Drilling Screw - #12 x 1"
22		3-Circuit Terminal Block
23	1704191	Machine Screw - 6-32 x 7/8"
24		Bow Rest - 8" Rise
		Bow Rest - 12" Rise
25		Bow Stop
26		Rocker Switch
27		Rocker Switch Mounting Bracket Solenoid Cover
29		Nylon Lock Hex Nut - 1/4"
30		Motor-Reversing Solenoid
31		Hex Head Cap Screw - 1/4" x 1"
32		25-Amp Auto-Reset Circuit Breaker
33		Ring Terminal - 8 Ga. x 1/4" Stud
34		Ring Terminal - 8 Ga. x 3/8" Stud
35 36		Ring Terminal - 8 Ga. x #10 Stud Push-On Terminal - 14 Ga. x 1/4" - Switch/Solenoid
37		Ring Terminal - 14 Ga. x 1/4" - Switch/Solehold
38		Hex Head Cap Screw - 5/16" x 7/8"
39		Motor-Reversing Solenoid
40	1704343	Hex Head Cap Screw - 1/4" x 1-1/2"
41	1700408	Hex Nut - 1/4"
42		Flat Washer - 1/4"
43		Modular Control Bracket
44 45		Insulating Plate Plastic Washer - Black
46		Plastic Washer - Orange
47		Lock Washer - 1/4"
48	1704308	Flange Cap Screw - #10 x 1/2"
49	1703282	Rubber Grommet - 1-1/4" Insert
50	1701595	End Plug - 1"
51		SMART3 <sup>™</sup> Solenoid Cover w/Gasket
52		Solenoid Cover Gasket
53		Trim Seal (per foot)
54		Cable Tie - 8"
55 56		Rubber Insulating Boot SMART3™ Remote
57		Dual-Conductor Wire - 8 Ga 30'
		Dual-Conductor Wire - 8 Ga 50'
		Dual-Conductor Wire - 8 Ga 75'
		Dual-Conductor Wire - 8 Ga 100'
	1704125	Dual-Conductor Wire - 8 Ga. (per foot)
58		Heavy-Duty Dual-Conductor Plug
59	1701045	Hex Head Cap Screw - 5/16" x 3/4"
60	1119557	HEX HEAD Cap Screw - 5/10" X 3/4" HD Dual-Conductor Metal Socket w/Boot - Vertical Dia
61		Vertical Pin Sealing Boot - Socket Half Dual-Conductor
62		Top Lock Flange Nut - 5/16"
63		Conductor Plug Mounting Bracket
		Dielectric Connector Protector (not shown)



See asterisk items below for table on the left.

<sup>\*</sup>Includes dielectric connector protector.

<sup>\*\*</sup>SMART3\*\*\* receiver kit does NOT include SMARTwire\*\*\*; will NOT operate in Express.

### **ORDERS**

All orders are subject to written acceptance by Shur-Co®, LLC, PO Box 713, 2309 Shur-Lok Street, Yankton, South Dakota 57078-0713, USA. We are required by law to collect sales tax and F.E.T. taxes on products shipped to states where applicable. If tax exempt, a copy of your tax exempt certificate must accompany your order.

### **EXPEDITE/CANCELLATION/CHANGE FEES**

In-stock parts orders placed by 10:00 a.m. (Central Time) normally ship the same day. (This varies with quantity/size of the order.) Standard lead time on tarps and hardware kits is generally five (5) to seven (7) working days; however, if you request that your order of tarps, hardware kits and/or complete tarp systems be expedited earlier than the normal lead time, there will be an extra charge of \$25. This fee is in addition to shipping and handling charges. Any change will generate an additional charge of \$25, and a cancellation will generate a 15 percent restocking fee. Lastly, once an order is in production, no changes can be made – the order is then considered final.

NOTE: We have no control over delivery dates - only ship dates.

### **SHIPPING**

All orders are shipped F.O.B. from Shur-Co<sup>®</sup>, LLC, Yankton, SD; Vermillion, SD; Stuart, FL; Caldwell, ID; Decatur, IL; West Fargo, ND; Rootstown, OH; Brantford, Ontario, Canada; or Rochester, Kent, UK. No full freight will be allowed and no prepaid shipment accepted unless quoted and approved in writing prior to acceptance of order. All shipments are made by the most reasonable means in accordance with size and weight of order, unless specific routing instructions are furnished by customer. Shipments are made daily via U.P.S. and common carrier. Claims for shortages must be made within 10 days. Claims for damages or loss in transit must be made with the carrier. No collect calls will be accepted. To ensure delivery, we need your full street address and phone number. When you receive your shipment, examine it carefully. Be sure that all cartons listed on the delivery sheet are present and accounted for. Large items, like steel tubing, may be packaged separately. If a carton is damaged, open it and inspect contents before signing for delivery. If merchandise is damaged, describe the damage on the delivery receipt. Failure on your part to document damaged or missing merchandise on the delivery receipt releases carrier of liability; repair or replacement will be the customer's responsibility.

### CREDIT TERMS

Shipments are made on a cash basis – no C.O.D.s. We accept American Express, Discover, VISA, MasterCard and checks by phone or mail. Prices subject to change without notice.

### WARRANTY

We warrant that all new products are free from defects in materials and workmanship.\* Warranty is effective if products are properly installed and used for the purpose for which they were intended and applies to original buyer only. Except as set forth above or as set forth in any product-specific warranty documentation, we make no other warranties, express or implied, including, but not limited to, warranties of merchantability or fitness for a particular use.

### WARRANTY Continued

Returns for warranty must be accompanied by a Return Merchandise Authorization number (RMA#), obtained by calling Customer Service at 866-748-7435, and sent, with freight paid by us, to Shur-Co®, LLC, 2309 Shur-Lok Street, PO Box 713, Yankton, SD 57078-0713, USA. Products returned without an RMA# will be refused. When we issue the RMA#, we will also issue a call tag to have UPS (or other freight company) pick up the product. C.O.D. warranty returns will not be accepted. We will pay no storage charges for a warranty product return prior to pickup by us or the freight company. If a warranty product return is scheduled to be picked up by us, we will do so at our earliest convenience.

If the product returned is found, in our judgement, to be defective in material or workmanship, our obligation under this warranty is limited to repair or replacement of the product, which will be made by us. Repair or replacement will be at our discretion, with replacements being made using current products performing the equivalent function. Labor charges other than those incurred at our factory or customer-owned service location (see back cover for a listing of facilities), including, but not limited to, any labor to install a repaired or replacement product, are not covered under this warranty. All and any expenses associated with delivering defective products to our factory and delivering repaired or replacement products from our factory to the owner will be paid by us.

If the product returned is found, in our judgement, to be non-warrantable, the owner will be contacted to authorize repair, the purchase of a replacement product or return of the product, all of which will be at the owner's expense. Payment authorization must be received by us before any non-warrantable product is repaired, replaced or returned. All expenses associated with delivering the repaired non-warrantable product from our factory to the owner will be paid by the owner.

In no event will we be liable for damages of any kind to person, product or property, including, but not limited to, indirect, incidental, special, consequential or punitive damages, or damages for loss of profits or revenue, even if we have been advised of the possibility of such damages. There are no warranties for used products or products that have been repaired, altered, modified or subjected to misuse, negligence or accident. We will not repair or replace products that fail or malfunction due to ordinary wear and tear, except as expressly provided in a product-specific warranty. The use of non-Shur-Co®, LLC parts in conjunction with our products will void the product warranty.

\*Certain products have specific warranties that differ from this warranty, i.e. motors and electronics. Product-specific warranty documentation is available for these items. In the event of a conflict between this warranty and a product-specific warranty, the product-specific warranty will govern. SEE THE FULL LISTING OF SHUR-CO® PATENTS ON OUR WEBSITE: shurco.com/patents.

### **RETURN POLICY**

All sales are final. See WARRANTY section at left and above for information on warranty returns.

NOTE: No person is authorized to modify the foregoing conditions of sale whatsoever. All product listings, sizes, weights and manufacturing details in this catalog are subject to change without notice.

Copyright 2022 Shur-Co®, LLC

### SERVICE TRUCK POWER KITS

By: Shur-Co®

### "QUICK-DISCONNECT" CONNECTIONS

### **START HERE:**

### **CONNECTOR BASE POWER KIT**

Mounts on vehicle grill or other convenient location.

P/N 1128064 - includes high-quality manual reset circuit breaker

P/N 1128488 - does not include circuit breaker

- 4-ga. wire, 12' long
- Attaches directly to battery of vehicle
- SMARTwire™ is routed to outside of vehicle for convenience
- Sealed SMARTwire™ connector with plug when not in use
- If you plan on running motorized applications such as a tarp system or winch, it is recommended that you use P/N 1128064 as it offers added circuit protection included with the kit

### **BUILD YOUR PERSONALIZED KIT:**

### P/N 1128065 - HEAVY-DUTY 2-WAY CONDUCTOR PLUG

Provides power to trailers with horizontal or vertical power sockets.

- 6-ga. wire, 10' long
- Use with P/N 1128064
- Supplies temporary 12V power to any trailer with 2-conductor socket
- Compatible with both vertical pin and horizontal pin sockets
- Includes accessory bag

### P/N 1128066 - HEAVY-DUTY 2-WAY CONNECTOR SOCKET

Ideal for farm machinery that may require frequent jump starts.

- 6-ga. wire, 3'6" long
- Permanent and convenient includes mounting bracket and hardware
- Can also be installed with winches or other 12V motors
- Standard vertical, 2-pin style trailer socket
- Use with P/N 1128064 and P/N 1128065





### P/N 1128299 - HEAVY-DUTY SERVICE TRUCK ACCESSORY BAG

Plenty of room for all kit choices listed on this flyer.



### P/N 1128067 - JUMPER CABLE KIT

Sealed SMARTwire<sup>™</sup> connector between jumper cables/service truck.

- 4-ga. wire, 12' long
- High-quality, insulated cable clamps
- Use with P/N 1128064
- Includes accessory bag



Runs tarp systems that are typically operated by rocker switches in the cab.

- 6-ga. wire, 8' total length (4' on input side and 4' on output side)
- Heavy-duty design
- Includes accessory bag
- Built-in high quality manual reset breaker
- Use with P/N 1128064 or P/N 1128065

### P/N 1128324 - SERVICE TRUCK LED WORK LIGHT

Light up the scene! LiteALL™ LED flood beam set into hinged brackets with magnetic base for optimal adjustability.

• Connected to connector base power kit using SMARTwire™ adapter cable

- 30,000 hours estimate
- IP67 waterproof Rating
- •1600 lumens
- Includes accessory bag
- Rubber coated magnetic base
- 24-watt output
- 1.8-amp draw

### **EXTENSION CABLES**

Extends reach from service truck to accessories.

- 4-ga. wire
- Use with P/N 1128064 or P/N 1128488

P/N 1128099 - 8'

P/N 1128100 - 12'

P/N 1128101 - 16'

P/N 1128102 - 20'

### P/N 1121480 - JUNCTION BLOCK POWER SPLITTER

Increase the number of sealed SMARTwire<sup>™</sup> connections from one to three.

• Can be permanently installed on the service truck or on a trailer.











### SALES, INSTALLATIONS, PARTS AND REPAIRS

World Headquarters
SHUR-CO® of SOUTH DAKOTA
2309 Shur-Lok St., Yankton

**877.474.8726** FAX: 605.665.0501

SHUR-CO® of IDAHO 921 Garber St., Caldwell **208.455.1046** FAX: 208.459.1190

**SHUR-CO**® of **ILLINOIS** 3993 E. Mueller Ave., Decatur **866.356.0246** FAX: 217.877.8270 SHUR-CO® of VERMILLION 1212 N. Norbeck St., Vermillion **605.658.1020** FAX: 605.658.1022

SHUR-CO® of OHIO 4676 Lynn Rd., Rootstown **866.356.0242** FAX: 330.297.5599

SHUR-CO® of NORTH DAKOTA 1746 4th Ave. NW, West Fargo **877.868.4488** FAX: 701.277.1283



SHUR-CO® of CANADA 490 Egin St., Unit #2 Brantford, Ontario N3S 7P8 **800.265.0823** 

FAX: 519.715.3997

Donovan® Brand Headquarters SHUR-CO® of FLORIDA 3353 SE Gran Park Way, Stuart 800.327.8287 FAX: 772.287.0431

SHUR-CO® UK Limited Rochester Airport Est., Unit 41 Laker Rd. Rochester, Kent ME1 3QX +44 (0) 1795.473499