



A Shur-Co® Brand



ROLLING TARP SYSTEMS



AGRICULTURE | CARGO CONTROL | CONSTRUCTION | FLATBED | RAIL | WASTE


SHURTITE.COM

History

Shur-Co® is the largest manufacturer of high-quality tarp and containment systems in North America and the UK. In 2014, Shur-Co® acquired Roll-Tite®, introducing the ShurTite™ retractable tarp system to their Flatbed Division. Now offering a full range of tarps and cargo control for lumber, steel, and custom needs, Shur-Co® provides unmatched access to ShurTite™ products, parts, and service. With 5 company-owned centers across the U.S. and Canada and hundreds of Authorized Dealers, support is always nearby. Our team continues to innovate and is ready to meet your most specific requests.



Service Centers



World Headquarters
SHUR-CO® of SOUTH DAKOTA
2309 Shur-Lok St., Yankton
877.474.8726
FAX: 605.665.0501

SHUR-CO® of CANADA
490 Egin St., Unit #2
Brantford, Ontario N3S 7P8
800.265.0823
FAX: 519.715.3997

SHUR-CO® of IDAHO
921 Garber St., Caldwell
208.455.1046
FAX: 208.459.1190

SHUR-CO® of ILLINOIS
3993 E. Mueller Ave., Decatur
866.356.0246
FAX: 217.877.8270

SHUR-CO® of OHIO
4676 Lynn Rd., Rootstown
866.356.0242
FAX: 330.297.5599

SHUR-CO® of NORTH DAKOTA
1746 4th Ave. NW, West Fargo
877.868.4488
FAX: 701.277.1283

★ Shur-Co® Branches
★ Shur-Co® Headquarters

Safe, Fast, and Lightweight



Lock and Roll

- 1,750 lbs. (standard 48'L trailer)
- Locks and unlocks in seconds, saving valuable time
- Fully operated from ground level
- Low-profile rear lock travels with rear bow allowing for full loading width from front to back (no posts or braces needed)



Superior Fabric/Customizable Tarping



Full Digital Graphics (as shown) or Ink Graphics Available



High-Gloss Seamless Panelized Tarp

- Multiple colors available
- PVC-coated polyester, high-density weave
- UV and mildew resistant
- Multi-panel welded construction is reinforced at stress points
- Individual panels can be replaced in the event of a tear or puncture

Skylight Roof

- Standard roof on every tarp

New Low-Profile Rear Lock



"No heavy posts or A-frames needed-locks travel with rear bow."

Features and Benefits

With our low-profile and easy-to-operate advanced tensioner system, the retractable pawl connects to a hook in the rub rail, allowing the threaded components to move the rear bow into position. This creates the perfect tension for a secure, reliable setup.

- Locks flip out of the way to travel with rear bow – no stationary posts or A-frames
- Does not impede deck space – allows for full width loading with no obstructions
- Operator can control tarp tension with use of removable crank handle

ShurTite Features and Options



Magnum Bulkhead

- Aerodynamic 3/16-inch plated headboard
- Reinforced by vertical posts for additional strength
- Access door for easy entrance available at additional cost
- Comes standard with 2 corner marker lights
- Takes up only 9 inches of deck space
- Bolted application with minimal welding
- GEN3™ bulkhead available



Wheels

- Maintenance-free 1-piece construction
- Durable and built for longer life
- Molded wheel-and-bearing assembly fabricated from nylon and deep groove ball bearings



Magnum Track

- Lightweight aluminum
- Flexes with trailer, resists side impact
- Removable air deflector repels debris
- Polymer insert prolongs track life
- Allows winch or strap use via rub rail
- Replaceable nylon wear strip



Titetrax

- New profile design eliminates trough and prevents debris from accumulating
- More rigid bows result in less movement during transport
- More rugged track reduces damage from lift truck impacts
- Replaceable nylon wear strip
- Aluminum light bar accepts conspicuity tape and LED lights
- Polymer insert prolongs track life



Manual Front Lock Bulkhead


- Ground-operated sliding front lock assembly
- Integrated lever control allows system to be detached off headboard for increased loading versatility
- Now an option for GEN3™ flat headboard

ShurTite Features and Options



Aluminum Bows

- Tarp support of extruded aircraft-quality aluminum
- Standard heights of 72, 84, and 100 inches
- Modular bolted construction
- Lessens maintenance downtime with no-weld repairs



Bow Corners

- Cast aluminum bow corners with a 1-3/8" inside radius to optimize loading capacity
- Easy to replace, reducing downtime repairs and costs



Internal/External Posts with Ratchets

(Optional)

- Flatbed completely exposed for flexible loading and unloading



Winding Braces

(Optional)

- Standard tensioning system
- Crank operated
- Allows for smooth and even tensioning from front to back



Rear Curtain

- Available in crank or rope and pulley styles
- Available with Velcro wings or aluminum clamp securements
- Bottom grommets aid tie down and provide additional securement



A Shur-Co® Brand



Service Centers

World Headquarters

SHUR-CO® of SOUTH DAKOTA

2309 Shur-Lok St., Yankton
877.474.8726
FAX: 605.665.0501

SHUR-CO® of IDAHO

921 Garber St., Caldwell
208.455.1046
FAX: 208.459.1190

SHUR-CO® of OHIO

4676 Lynn Rd., Rootstown
866.356.0242
FAX: 330.297.5599

SHUR-CO® of CANADA

490 Egin St., Unit #2
Brantford, Ontario N3S 7P8
800.265.0823
FAX: 519.715.3997

SHUR-CO® of ILLINOIS

3993 E. Mueller Ave., Decatur
866.356.0246
FAX: 217.877.8270

SHUR-CO® of NORTH DAKOTA

1746 4th Ave. NW, West Fargo
877.868.4488
FAX: 701.277.1283



SHURTITE.COM | 1-800-474-8756



Scan for
ShurTite
Replacement
Parts



Scan to find
Authorized
Shur-Co®
Dealer

